

VEVOR[®]

TOUGH TOOLS, HALF PRICE

Technical Support and E-Warranty Certificate www.vevor.com/support

TRICYCLE

(Aluminum frame - single speed series)

**SS001-1; SS001-2; SS001-3; SS001-4; SS001-5;
SS001-6;**

We continue to be committed to provide you tools with competitive price. "Save Half", "Half Price" or any other similar expressions used by us only represents an estimate of savings you might benefit from buying certain tools with us compared to the major top brands and does not necessarily mean to cover all categories of tools offered by us. You are kindly reminded to verify carefully when you are placing an order with us if you are actually saving half in comparison with the top major brands.

VEVOR[®]

TOUGH TOOLS, HALF PRICE

Tricycle

Model: SS001-1; SS001-2; SS001-3; SS001-4; SS001-5; SS001-6;



(The pictures are for reference only, please refer to the actual product)

NEED HELP? CONTACT US!

Have product questions? Need technical support? Please feel free to contact

us: **Technical Support and E-Warranty Certificate**

www.vevor.com/support

This is the original instruction, please read all manual instructions carefully before operating. VEVOR reserves a clear interpretation of our user manual. The appearance of the product shall be subject to the product you received. Please forgive us that we won't inform you again if there are any technology or software updates on our product.

Dear Customer

Thank you for choosing our tricycle. This manual will show you how to assemble your tricycle. Please read the manual and follow it. The manual contains important information regarding assembling of the tricycle. If you have any misgiving, we recommend you to ask a tricycle mechanic for help. You also contact us via your shopping account.

CONTENTS

Tricycle Parts.....	03
Tools & Accessories.....	04
Assembly Steps.....	05~18
Waring&Safety.....	19~21

Warm tip: Products are constantly updated without notice. If some parts in the picture do not match the real ones, please refer to the real ones.



WARNING:

This product contains small parts. If swallowed, it will pose a choking hazard. Keep these small parts away from children when assembling!

Tricycle Parts





Check all parts of the tricycle before assembly. If any parts are missing or damaged, please contact us via your account order.

NO.	Part Name
1	Rear Axle
2	Rear Wheel
3	Rear Axle Plug
4	Frame
5	Chain
6	Chain Cover
7	Front Fender
8	Front Wheel
9	Rear Fender
10	Handlebar
11	Front Brake
12	Seat Post
13	Saddle
14	Pedal
15	Rear Brake Cable
16	Rear Basket
17	Basket Long Gasket
18	Front Reflector
19	Rear Reflector
20	Spoke Reflector
21	Bell








Tools & Accessories




TOOLS

			
<p>Allen wrenchs</p>	<p>Wrench</p>	<p>Wrench (for wheels)</p>	<p>Screwdriver</p>

Accessories

- Some screws have been pre-installed in the corresponding positions.

				
<p>Rear left/right wheel screw and shaft sleeve x1</p>	<p>Front wheel screw and safety buckle x2</p>		<p>4 screws and 4 nuts for rear basket</p>	<p>Basket metal fixing plate x12</p>







		
<p>Front fender bracket screw x1, Front fender fixing front fork screw x1</p>	<p>Rear fender bracket screws x8</p>	<p>Rear fender screws x6</p>

Assembly Steps

HOW TO ASSEMBLE THE REAR AXLE AND THE CHAIN

1


Parts And Tools

Assembly Parts	Frame	Wrench	Wrench
			
Chain	Chain magic buckle		
			

Assembly Steps




Install the rear tripod and align the U slot with the U-slot



Note the combination of screws and nuts at the four positions in the



insert



Half preload nut




Take out the chain and chain accessories




Attach the chain to the gears of the frame and the rear tripod

HOW TO ASSEMBLE THE REAR AXLE AND THE CHAIN


1



Insert the chain connector as shown



Insert binocular spacers as shown



Insert clasp as shown



Pull the tripod back so the chain is taut and straight



Tighten the nuts on both sides respectively



Finished

HOW TO ASSEMBLE THE REAR WHEELS

2

Parts And Tools

Assembly Parts	Rear Wheels	Nut caps	Wrench
			

Assembly Steps




Insert the rear tripod shaft to the left/right Side Wheel (note the sleeve of the yellow circle)



Insert flat washer



Screw in nut



Cover the rear axle nut caps




Finished


HOW TO ASSEMBLE THE FRONT WHEEL

3


Parts And Tools

Fork	Front Fender	Front Wheel	Tools
			

Assembly Steps




Assemble the front fender



Insert screw as shown




Screw in the nut on the other side and lock



Lock both fender support rods in turn



Assemble front wheel as shown



Put in the special type washer



Then put in the nut



Lock with a wrench



HOW TO ASSEMBLE THE CHAIN COVER

4

Parts And Tools

Assembly Parts	Chain Cover	Screwdriver
		

Assembly Steps



HOW TO ASSEMBLE THE BELL AND REFLECTORS

5

Parts And Tools

Bell	Front & Rear Reflector	Rear Fender	Screwdriver
			

Assembly Steps



Attach the bell on the handlebar



Tighten the screw




Assemble the front reflector



Tighten the screw




Put in nuts and tighten screws



Install the rear reflector



Insert the rear reflector screw into the hole as shown



Tighten the nut






Finished

HOW TO ASSEMBLE THE REAR FENDER

6


Parts And Tools

Rear Axle	Rear Fender	Screwdriver
		

Assembly Steps



Install rear fender support rods




Insert the screw and tighten the nut as shown




The single support rod is assembled




Follow the above steps to install the support rods of both fenders



Note that rear fender support rod holes correspond to frame holes



Insert screw as shown screw in nut



Tighten the nut



Follow the steps above to tighten the remaining screws as shown



Finished




HOW TO ASSEMBLE THE PEDALS

7

Parts And Tools

Handlebar Tube	Handlebar	Screwdriver
		

Assembly Steps



Parts And Tools

Saddle Tube	Saddle Post	Saddle	Wrench
			

Assembly Steps



Need to put the saddle post into the circled hole



Loosen the screw



Insert saddle post



Tighten the screw



Insert the saddle




Adjust the height and Angle of the saddle and tighten the saddle clamp

HOW TO ASSEMBLE THE PEDALS

9

Parts And Tools



Assembly Steps



Differentiate the pedals



Mounting pedal




Grip the pedal and tighten it





Finished

Parts And Tools







Assembly Steps


Note: The front brake is mounted on the left and the rear brake is mounted on the right



Parts And Tools

Rear Axle	Basket	Basket parts	Screwdriver
			


Assembly Steps



Assemble the basket as indicated in the picture and secure with metal sheets.

HOW TO ASSEMBLE THE REAR BASKET

11



Basket assembly




Secure with metal sheets



Finished




Four holes for fixing basket



Put the basket



Tighten the screw



Tighten all screws



Finished

Warning & Safety

2 Safety

SAFETY SIGNAL WORDS

The following safety signal words indicate a safety message. The symbol alerts you to potential hazards. Failure to follow the warning may result in damage to property, injury, or death.

This manual contains many Warnings and Cautions concerning the consequences of failure to follow safety warnings. Because any fall can result in serious injury or even death, we do not repeat the warning of possible injury or death whenever the risk of falling is mentioned.

⚠ WARNING!

Indicates a hazard or unsafe practice that will result in severe injury or death. Failure to read, understand and follow the safety information in this manual may result in serious injury or death.

⚠ CAUTION!

Indicates a hazard or unsafe practice that could result in minor injury.

NOTICE

Indicates a hazard unrelated to personal injury, such as property damage.

USER RESPONSIBILITY

⚠ WARNING!

Do not install any kind of power plant or internal combustion engine to a bicycle. Adapting a bicycle in this manner poses an extreme safety risk to rider and could result in loss of control or death.

All persons assembling, using, and maintaining the bicycle must read and understand the safety warnings and operating instructions in this manual before using the bicycle.

It is the responsibility of the user, or in the case of a child rider, an adult, to ensure the bicycle is properly maintained and in proper operating condition. Doing so will reduce the risk of injury. Always conduct regular maintenance and inspection of your bicycle. Complete the Safety Checklist at the end of this section before each use.

A responsible adult must always supervise the use of the bicycle by a child. You must ensure:

- The child is wearing the proper protective attire and approved bicycle helmet.
- The child is seated securely and the bicycle is properly fitted to the child.
- The child understands applicable laws and common sense rules of safe responsible bicycling.

Quick-release Levers

⚠ WARNING!

Improper setup or maintenance of the quick-release levers may result in an unexpected movement, loss of control, and serious injury or death. Before riding always check that the quick-release lever is firmly locked in place and the seat does not move.

Wheels

- 1 Some bicycles will come equipped with quick-release levers for the front wheel. The wheels must be securely locked. Ensure the wheel quick-release lever is firmly locked in place. Figure 1.3

Seat Post

- 2 Ensure the seat post's *minimum insertion marks* are not visible above the quick-release seat clamp and the clamp is locked in place.

Note: See Section 4: *Adjusting the Seat Height* if adjustments are needed.




Figure 1.3

PERSONAL SAFETY

⚠ WARNING!

Riding a bicycle without protective gear, clothing, or a helmet may result in serious injury or death. Always wear protective gear, clothing, and helmet when riding the bicycle. Ensure protective gear does not interfere with steering, braking, and pedalling.

Protective Gear and Clothing


Always wear: Figure 1.4

- Colors that are easily seen and, if possible, reflective clothing.
- Clothing appropriate for the weather conditions.
- Use of protective gear such as pads for the knees and elbows is highly recommended for children.
- A properly fitted, ASTM or SNELL approved, bicycle helmet shall be worn at all times by riders of the bicycle.

Do not wear:

- Loose clothing parts, strings, or jewelry that may become entangled with moving parts on the bicycle or interfere with handling of the bicycle.

- Pants with loose pant legs. If necessary, always tuck pant legs into a sock or use a leg band to avoid the clothing becoming caught in the drive chain.
- Shoes with untied shoe laces.



Helmet Use

Important! Many states and provinces have passed helmet laws. Make sure you know your state's helmet laws. It is your job to enforce these rules with your children. Even if your state/province does not have a children's helmet law, it is recommended that everyone wear a helmet when cycling. When riding with a child carrier seat or trailer, children must wear a helmet.


It is strongly advised that a properly fitting, ASTM or SNELL approved, bicycle safety helmet be worn at all times when riding your bicycle. In addition, if you are carrying a passenger in a child safety seat, they must also be wearing a helmet.

The correct helmet should: Figure 1.5

- Be comfortable
- Have good ventilation
- Fit correctly
- Cover forehead

Incorrect helmet position: Figure 1.6

- Helmet *does not* cover the forehead



Reflectors


⚠ WARNING!

Missing, damaged, or dirty reflectors will affect the ability of others to see and recognize you as a moving bicyclist, increasing the risk of being hit, serious injury or death. Always check the reflectors are in place and make sure they are clean, straight, unbroken and securely mounted before riding the bicycle.

Important! Federal regulations require every bicycle over 16 inches to be equipped with front, rear, wheel, and pedal reflectors. Many states require specific safety devices. It is your responsibility to familiarize yourself with the laws of the state where you ride and to comply with all applicable laws, including properly equipping yourself and your bike as the law requires. Bicycles under 16 inches are considered "sidewalk bicycles" and may not be fitted with reflectors. These bicycles should **not** be ridden on streets, at night or unsupervised by an adult.

Check and confirm the front and rear reflectors are in the correct position: **Figure 1.7**

- **Front Reflector:** Should aim forward (when viewed from above) and be mounted so it is within 5 degrees of vertical.
- **Rear Reflector:** Should aim straight back (when viewed from above) and be mounted so it is within 5 degrees of vertical.



RIDING SAFETY

⚠ WARNING!

Riding the bicycle in unsafe conditions (i.e. at night), in an unsafe manner, or disregarding traffic laws may result in an unexpected movement, loss of control, and serious injury or death.

General Safety

- Familiarize yourself with all the bicycle's features before riding. Practice gear shifts, braking, and the use of toe clips and straps, if installed.
- Always ride defensively in a predictable, straight line. Never ride against traffic.
- Expect the unexpected (e.g., opening car doors or cars backing out of concealed driveways).
- Take extra care at intersections and when preparing to pass other vehicles.
- Maintain a comfortable stopping distance from all other riders, vehicles and objects. Safe braking distances and forces are subject to the prevailing weather conditions. Do not lock up the brakes. When braking, always apply the rear brake first, then the front. The front brake is more powerful and if it is not correctly applied, you may lose control and fall.
- Always use the correct hand signals to indicate turning or stopping.
- Obey the traffic laws (e.g., stopping at a red light or stop sign, giving way to pedestrians).

- Wear proper riding attire, reflective if possible, and avoid open toe shoes.
- Do not use items that may restrict your hearing and vision.
- Do not carry packages or passengers that will interfere with your visibility or control of the bicycle.


Road Conditions

- Be aware of road conditions. Concentrate on the path ahead. Avoid pot holes, gravel, wet road markings, oil, curbs, speed bumps, drain grates and other obstacles.
- Cross train tracks at a 90 degree angle or walk your bicycle across.

Wet Weather

- When riding in wet weather always wear reflective clothing and use safety lights to enhance visibility.
- Exercise extreme caution when riding in wet conditions.
- Ride at a slower speed. Turn corners gradually and avoid sudden braking.
- Brake earlier, it will take a longer distance to stop.
- Pot holes and slippery surfaces such as line markings and train tracks all become more hazardous when wet.

Address: Baoshanqu Shuangchenglu 803long 11hao 1602A-1609shi Shanghai
Imported to AUS: SIHAO PTY LTD. 1 ROKEVA STREETEASTWOOD NSW 2122 Australia
Imported to USA: Sanven Technology Ltd. Suite 250, 9166 Anaheim Place, Rancho Cucamonga, CA 91730



SHUNSHUN GmbH
Römeräcker 9 Z2021,76351
Linkenheim-Hochstetten, Germany
euvertreter@gmail.com
+49 1727041930



Pooledas Group Ltd
Unit 5 Albert Edward House, The
Pavilions Preston, United Kingdom
pooledas123@gmail.com
01772418127

VEVOR[®]

TOUGH TOOLS, HALF PRICE

Technical Support and E-Warranty Certificate

www.vevor.com/support

VEVOR[®]

TOUGH TOOLS, HALF PRICE

Technique Assistance et certificat de garantie électronique www.vevor.com/support

TRICYCLE

(Cadre en aluminium - série à vitesse unique)

**SS001-1; SS001-2; SS001-3; SS001-4; SS001-5;
SS001-6 ;**

We continue to be committed to provide you tools with competitive price. "Save Half", "Half Price" or any other similar expressions used by us only represents an estimate of savings you might benefit from buying certain tools with us compared to the major top brands and does not necessarily mean to cover all categories of tools offered by us. You are kindly reminded to verify carefully when you are placing an order with us if you are actually saving half in comparison with the top major brands.

Modèle : SS001-1 ; SS001-2 ; SS001-3 ; SS001-4 ; SS001-5 ; SS001-6 ;



(Les images sont uniquement à titre de référence, veuillez vous référer au produit réel)

NEED HELP? CONTACT US!

Have product questions? Need technical support? Please feel free to contact

us: **Technical Support and E-Warranty Certificate**

www.vevor.com/support

This is the original instruction, please read all manual instructions carefully before operating. VEVOR reserves a clear interpretation of our user manual. The appearance of the product shall be subject to the product you received. Please forgive us that we won't inform you again if there are any technology or software updates on our product.

Cher client

Merci d'avoir choisi notre tricycle. Ce manuel vous montrera comment assembler votre tricycle. Veuillez lire le manuel et le suivre. Le manuel contient des informations importantes concernant l'assemblage du tricycle. Si vous avez des doutes, nous vous recommandons de demander à un tricycle. mécanicien pour obtenir de l'aide. Vous nous contactez également via votre compte shopping.

CONTENU

Pièces de tricycle.....	03
Outils et accessoires.....	04
Assemblée Pas.....	05~18
Avertissement et sécurité.....	19~21

Conseil chaleureux : les produits sont constamment mis à jour sans préavis. Si certaines pièces de l'image ne correspondent pas aux pièces réelles, veuillez vous référer aux pièces réelles.



AVERTISSEMENT:

Ce produit contient de petites pièces. En cas d'ingestion, il présente un risque d'étouffement. Gardez ces petites pièces hors de portée des enfants lors du montage !

Pièces de tricycles

Check all parts of the tricycle before assembly. If any parts are missing or damaged, please contact us via your account order.







NO.	Part Name
1	Rear Axle
2	Rear Wheel
3	Rear Axle Plug
4	Frame
5	Chain
6	Chain Cover
7	Front Fender
8	Front Wheel
9	Rear Fender
10	Handlebar
11	Front Brake
12	Seat Post
13	Saddle
14	Pedal
15	Rear Brake Cable
16	Rear Basket
17	Basket Long Gasket
18	Front Reflector
19	Rear Reflector
20	Spoke Reflector
21	Bell








Outils et Accessoires




TOOLS

<p>A</p> 	<p>B</p> 	<p>C</p> 	<p>D</p> 
<p>Allen wrenchs</p>	<p>Wrench</p>	<p>Wrench (for wheels)</p>	<p>Screwdriver</p>

Accessories

- Some screws have been pre-installed in the corresponding positions.

				
<p>Rear left/right wheel screw and shaft sleeve x1</p>	<p>Front wheel screw and safety buckle x2</p>		<p>4 screws and 4 nuts for rear basket</p>	<p>Basket metal fixing plate x12</p>







		
<p>Front fender bracket screw x1, Front fender fixing front fork screw x1</p>	<p>Rear fender bracket screws x8</p>	<p>Rear fender screws x6</p>

Étapes d'assemblage



HOW TO ASSEMBLE THE REAR AXLE AND THE CHAIN

1

Parts And Tools


Assembly Parts	Frame	Wrench	Wrench
			
Chain	Chain magic buckle		
			

Assembly Steps




HOW TO ASSEMBLE THE REAR AXLE AND THE CHAIN


1



Insert the chain connector as shown



Insert binocular spacers as shown



Insert clasp as shown



Pull the tripod back so the chain is taut and straight



Tighten the nuts on both sides respectively



Finished

HOW TO ASSEMBLE THE REAR WHEELS

2

Parts And Tools

Assembly Parts	Rear Wheels	Nut caps	Wrench
			

Assembly Steps




Insert the rear tripod shaft to the left/right Side Wheel (note the sleeve of the yellow circle)



Insert flat washer



Screw in nut



Cover the rear axle nut caps





Finished


HOW TO ASSEMBLE THE FRONT WHEEL

3

Parts And Tools

Fork	Front Fender	Front Wheel	Tools
			

Assembly Steps



Assemble the front fender



Insert screw as shown




Screw in the nut on the other side and lock



Lock both fender support rods in turn



Assemble front wheel as shown



Put in the special type washer



Then put in the nut




Lock with a wrench


HOW TO ASSEMBLE THE CHAIN COVER

4

Parts And Tools

Assembly Parts	Chain Cover	Screwdriver
		

Assembly Steps



Put on the chain cover and Tighten the screws



Tighten the second screw



Finished

HOW TO ASSEMBLE THE BELL AND REFLECTORS

5

Parts And Tools

Bell	Front & Rear Reflector	Rear Fender	Screwdriver
			

Assembly Steps



Attach the bell on the handlebar



Tighten the screw




Assemble the front reflector



Tighten the screw




Put in nuts and tighten screws



Install the rear reflector



Insert the rear reflector screw into the hole as shown



Tighten the nut






Finished

HOW TO ASSEMBLE THE REAR FENDER

6


Parts And Tools

Rear Axle	Rear Fender	Screwdriver
		

Assembly Steps



Install rear fender support rods




Insert the screw and tighten the nut as shown




The single support rod is assembled




Follow the above steps to install the support rods of both fenders



Note that rear fender support rod holes correspond to frame holes



Insert screw as shown screw in nut



Tighten the nut



Follow the steps above to tighten the remaining screws as shown






Finished

Parts And Tools



Assembly Steps



Parts And Tools

Saddle Tube	Saddle Post	Saddle	Wrench
			

Assembly Steps



Need to put the saddle post into the circled hole



Loosen the screw



Insert saddle post



Tighten the screw



Insert the saddle



Adjust the height and Angle of the saddle and tighten the saddle clamp

HOW TO ASSEMBLE THE PEDALS

9

Parts And Tools



Assembly Steps



Differentiate the pedals



Mounting pedal




Grip the pedal and tighten it





Finished

Parts And Tools







Assembly Steps


Note: The front brake is mounted on the left and the rear brake is mounted on the right



Parts And Tools

Rear Axle	Basket	Basket parts	Screwdriver
			


Assembly Steps



Assemble the basket as indicated in the picture and secure with metal sheets.

HOW TO ASSEMBLE THE REAR BASKET

11



Basket assembly




Secure with metal sheets



Finished




Four holes for fixing basket



Put the basket



Tighten the screw



Tighten all screws



Finished

Avertissement et sécurité

2 Safety

SAFETY SIGNAL WORDS

The following safety signal words indicate a safety message. The symbol alerts you to potential hazards. Failure to follow the warning may result in damage to property, injury, or death.

This manual contains many Warnings and Cautions concerning the consequences of failure to follow safety warnings. Because any fall can result in serious injury or even death, we do not repeat the warning of possible injury or death whenever the risk of falling is mentioned.

⚠ WARNING!

Indicates a hazard or unsafe practice that will result in severe injury or death. Failure to read, understand and follow the safety information in this manual may result in serious injury or death.

⚠ CAUTION!

Indicates a hazard or unsafe practice that could result in minor injury.

NOTICE

Indicates a hazard unrelated to personal injury, such as property damage.

USER RESPONSIBILITY

⚠ WARNING!

Do not install any kind of power plant or internal combustion engine to a bicycle. Adapting a bicycle in this manner poses an extreme safety risk to rider and could result in loss of control or death.

All persons assembling, using, and maintaining the bicycle must read and understand the safety warnings and operating instructions in this manual before using the bicycle.

It is the responsibility of the user, or in the case of a child rider, an adult, to ensure the bicycle is properly maintained and in proper operating condition. Doing so will reduce the risk of injury. Always conduct regular maintenance and inspection of your bicycle. Complete the Safety Checklist at the end of this section before each use.

A responsible adult must always supervise the use of the bicycle by a child. You must ensure:

- The child is wearing the proper protective attire and approved bicycle helmet.
- The child is seated securely and the bicycle is properly fitted to the child.
- The child understands applicable laws and common sense rules of safe responsible bicycling.

Quick-release Levers

⚠ WARNING!

Improper setup or maintenance of the quick-release levers may result in an unexpected movement, loss of control, and serious injury or death. Before riding always check that the quick-release lever is firmly locked in place and the seat does not move.

Wheels

- 1 Some bicycles will come equipped with quick-release levers for the front wheel. The wheels must be securely locked. Ensure the wheel quick-release lever is firmly locked in place. **Figure 1.3**

Seat Post

- 2 Ensure the seat post's *minimum insertion marks* are not visible above the quick-release seat clamp and the clamp is locked in place.

Note: See **Section 4: Adjusting the Seat Height** if adjustments are needed.




Figure 1.3

PERSONAL SAFETY

⚠ WARNING!

Riding a bicycle without protective gear, clothing, or a helmet may result in serious injury or death. Always wear protective gear, clothing, and helmet when riding the bicycle. Ensure protective gear does not interfere with steering, braking, and pedalling.

Protective Gear and Clothing


Always wear: Figure 1.4

- Colors that are easily seen and, if possible, reflective clothing.
- Clothing appropriate for the weather conditions.
- Use of protective gear such as pads for the knees and elbows is highly recommended for children.
- A properly fitted, ASTM or SNELL approved, bicycle helmet shall be worn at all times by riders of the bicycle.

Do not wear:

- Loose clothing parts, strings, or jewelry that may become entangled with moving parts on the bicycle or interfere with handling of the bicycle.

- Pants with loose pant legs. If necessary, always tuck pant legs into a sock or use a leg band to avoid the clothing becoming caught in the drive chain.
- Shoes with untied shoe laces.



Helmet Use

Important! Many states and provinces have passed helmet laws. Make sure you know your state's helmet laws. It is your job to enforce these rules with your children. Even if your state/province does not have a children's helmet law, it is recommended that everyone wear a helmet when cycling. When riding with a child carrier seat or trailer, children must wear a helmet.


It is strongly advised that a properly fitting, ASTM or SNELL approved, bicycle safety helmet be worn at all times when riding your bicycle. In addition, if you are carrying a passenger in a child safety seat, they must also be wearing a helmet.

The correct helmet should: Figure 1.5

- Be comfortable
- Have good ventilation
- Fit correctly
- Cover forehead

Incorrect helmet position: Figure 1.6

- Helmet *does not* cover the forehead



Reflectors


⚠ WARNING!

Missing, damaged, or dirty reflectors will affect the ability of others to see and recognize you as a moving bicyclist, increasing the risk of being hit, serious injury or death. Always check the reflectors are in place and make sure they are clean, straight, unbroken and securely mounted before riding the bicycle.

Important! Federal regulations require every bicycle over 16 inches to be equipped with front, rear, wheel, and pedal reflectors. Many states require specific safety devices. It is your responsibility to familiarize yourself with the laws of the state where you ride and to comply with all applicable laws, including properly equipping yourself and your bike as the law requires. Bicycles under 16 inches are considered "sidewalk bicycles" and may not be fitted with reflectors. These bicycles should **not** be ridden on streets, at night or unsupervised by an adult.

Check and confirm the front and rear reflectors are in the correct position: **Figure 1.7**

- **Front Reflector:** Should aim forward (when viewed from above) and be mounted so it is within 5 degrees of vertical.
- **Rear Reflector:** Should aim straight back (when viewed from above) and be mounted so it is within 5 degrees of vertical.



RIDING SAFETY

⚠ WARNING!

Riding the bicycle in unsafe conditions (i.e. at night), in an unsafe manner, or disregarding traffic laws may result in an unexpected movement, loss of control, and serious injury or death.

General Safety

- Familiarize yourself with all the bicycle's features before riding. Practice gear shifts, braking, and the use of toe clips and straps, if installed.
- Always ride defensively in a predictable, straight line. Never ride against traffic.
- Expect the unexpected (e.g., opening car doors or cars backing out of concealed driveways).
- Take extra care at intersections and when preparing to pass other vehicles.
- Maintain a comfortable stopping distance from all other riders, vehicles and objects. Safe braking distances and forces are subject to the prevailing weather conditions. Do not lock up the brakes. When braking, always apply the rear brake first, then the front. The front brake is more powerful and if it is not correctly applied, you may lose control and fall.
- Always use the correct hand signals to indicate turning or stopping.
- Obey the traffic laws (e.g., stopping at a red light or stop sign, giving way to pedestrians).

- Wear proper riding attire, reflective if possible, and avoid open toe shoes.
- Do not use items that may restrict your hearing and vision.
- Do not carry packages or passengers that will interfere with your visibility or control of the bicycle.

Road Conditions

- Be aware of road conditions. Concentrate on the path ahead. Avoid pot holes, gravel, wet road markings, oil, curbs, speed bumps, drain grates and other obstacles.
- Cross train tracks at a 90 degree angle or walk your bicycle across.


Wet Weather

- When riding in wet weather always wear reflective clothing and use safety lights to enhance visibility.
- Exercise extreme caution when riding in wet conditions.
- Ride at a slower speed. Turn corners gradually and avoid sudden braking.
- Brake earlier, it will take a longer distance to stop.
- Pot holes and slippery surfaces such as line markings and train tracks all become more hazardous when wet.

Adresse : Baoshanqu Shuangchenglu 803long 11hao 1602A-1609shi Shanghai

Importé en Australie : SIHAO PTY LTD. 1 ROKEVA STREETASTWOOD NSW 2122 Australie

Importé aux États-Unis : Sanven Technology Ltd. Suite 250, 9166 Anaheim Place, Rancho Cucamonga, CA 91730



SHUNSHUN GmbH

Römeräcker 9 Z2021,76351

Linkenheim-Hochstetten, Germany

euvertreter@gmail.com

+49 1727041930



Pooledas Group Ltd

Unit 5 Albert Edward House, The

Pavilions Preston, United Kingdom

pooledas123@gmail.com

01772418127

VEVOR[®]

TOUGH TOOLS, HALF PRICE

Technique Assistance et certificat de garantie électronique

www.vevor.com/support

VEVOR[®]

TOUGH TOOLS, HALF PRICE

Technisch Support- und E-Garantie-Zertifikat www.vevor.com/support

DREIRAD

(Aluminiumrahmen - Singlespeed-Serie)

**SS001-1; SS001-2; SS001-3; SS001-4; SS001-5;
SS001-6;**

We continue to be committed to provide you tools with competitive price. "Save Half", "Half Price" or any other similar expressions used by us only represents an estimate of savings you might benefit from buying certain tools with us compared to the major top brands and does not necessarily mean to cover all categories of tools offered by us. You are kindly reminded to verify carefully when you are placing an order with us if you are actually saving half in comparison with the top major brands.

Modell: SS001-1; SS001-2; SS001-3; SS001-4; SS001-5; SS001-6;



(Die Bilder dienen nur als Referenz, bitte beziehen Sie sich auf das tatsächliche Produkt.)

NEED HELP? CONTACT US!

Have product questions? Need technical support? Please feel free to contact

us: **Technical Support and E-Warranty Certificate**

www.vevor.com/support

This is the original instruction, please read all manual instructions carefully before operating. VEVOR reserves a clear interpretation of our user manual. The appearance of the product shall be subject to the product you received. Please forgive us that we won't inform you again if there are any technology or software updates on our product.

Lieber Kunde

Vielen Dank, dass Sie sich für unser Dreirad entschieden haben. Dieses Handbuch zeigt Ihnen, wie Sie Ihr Dreirad zusammenbauen. Bitte lesen Sie das Handbuch und befolgen Sie es. Das Handbuch enthält wichtige Informationen zum Zusammenbau des Dreirads. Wenn Sie Bedenken haben, empfehlen wir Ihnen, ein Dreirad zu fragen. Bitten Sie Ihren Mechaniker um Hilfe. Sie können uns auch über Ihr Einkaufskonto kontaktieren.

INHALT

Dreiradteile.....	03
Werkzeuge und Zubehör.....	04
Montage	
Schritte.....	05~18
Warnung und Sicherheit	19~21

Warmer Tipp: Die Produkte werden ständig ohne Vorankündigung aktualisiert.

Wenn einige Teile auf dem Bild nicht mit den echten übereinstimmen, beziehen Sie sich bitte auf die echten Teile.



WARNUNG:

Dieses Produkt enthält Kleinteile. Bei Verschlucken besteht Erstickungsgefahr.

Halten Sie diese Kleinteile beim Zusammenbau von Kindern fern!

Dreiradteile

Check all parts of the tricycle before assembly. If any parts are missing or damaged, please contact us via your account order.





NO.	Part Name
1	Rear Axle
2	Rear Wheel
3	Rear Axle Plug
4	Frame
5	Chain
6	Chain Cover
7	Front Fender
8	Front Wheel
9	Rear Fender
10	Handlebar
11	Front Brake
12	Seat Post
13	Saddle
14	Pedal
15	Rear Brake Cable
16	Rear Basket
17	Basket Long Gasket
18	Front Reflector
19	Rear Reflector
20	Spoke Reflector
21	Bell










Werkzeuge und Zubehör




TOOLS

<p>A</p> 	<p>B</p> 	<p>C</p> 	<p>D</p> 
<p>Allen wrenchs</p>	<p>Wrench</p>	<p>Wrench (for wheels)</p>	<p>Screwdriver</p>

Accessories

- Some screws have been pre-installed in the corresponding positions.

				
<p>Rear left/right wheel screw and shaft sleeve x1</p>	<p>Front wheel screw and safety buckle x2</p>		<p>4 screws and 4 nuts for rear basket</p>	<p>Basket metal fixing plate x12</p>







		
<p>Front fender bracket screw x1, Front fender fixing front fork screw x1</p>	<p>Rear fender bracket screws x8</p>	<p>Rear fender screws x6</p>

Montageschritte



HOW TO ASSEMBLE THE REAR AXLE AND THE CHAIN

1

Parts And Tools


Assembly Parts	Frame	Wrench	Wrench
			
Chain	Chain magic buckle		
			

Assembly Steps




HOW TO ASSEMBLE THE REAR AXLE AND THE CHAIN


1



Insert the chain connector as shown




Insert binocular spacers as shown



Insert clasp as shown



Pull the tripod back so the chain is taut and straight



Tighten the nuts on both sides respectively



Finished

HOW TO ASSEMBLE THE REAR WHEELS

2

Parts And Tools

Assembly Parts	Rear Wheels	Nut caps	Wrench
			

Assembly Steps




Insert the rear tripod shaft to the left/right Side Wheel (note the sleeve of the yellow circle)



Insert flat washer



Screw in nut



Cover the rear axle nut caps






Finished


HOW TO ASSEMBLE THE FRONT WHEEL

3

Parts And Tools

Fork	Front Fender	Front Wheel	Tools
			

Assembly Steps




Assemble the front fender



Insert screw as shown



Screw in the nut on the other side and lock



Lock both fender support rods in turn



Assemble front wheel as shown



Put in the special type washer



Then put in the nut



Lock with a wrench


HOW TO ASSEMBLE THE CHAIN COVER

4

Parts And Tools

Assembly Parts	Chain Cover	Screwdriver
		

Assembly Steps



HOW TO ASSEMBLE THE BELL AND REFLECTORS

5

Parts And Tools

Bell	Front & Rear Reflector	Rear Fender	Screwdriver
			

Assembly Steps



Attach the bell on the handlebar



Tighten the screw




Assemble the front reflector



Tighten the screw



Put in nuts and tighten screws



Install the rear reflector



Insert the rear reflector screw into the hole as shown



Tighten the nut






Finished

HOW TO ASSEMBLE THE REAR FENDER

6


Parts And Tools

Rear Axle	Rear Fender	Screwdriver
		

Assembly Steps



Install rear fender support rods




Insert the screw and tighten the nut as shown




The single support rod is assembled




Follow the above steps to install the support rods of both fenders



Note that rear fender support rod holes correspond to frame holes



Insert screw as shown screw in nut



Tighten the nut



Follow the steps above to tighten the remaining screws as shown



Finished




HOW TO ASSEMBLE THE PEDALS

7

Parts And Tools

Handlebar Tube	Handlebar	Screwdriver
		

Assembly Steps



Parts And Tools

Saddle Tube	Saddle Post	Saddle	Wrench
			

Assembly Steps



Need to put the saddle post into the circled hole



Loosen the screw



Insert saddle post



Tighten the screw



Insert the saddle



Adjust the height and Angle of the saddle and tighten the saddle clamp

HOW TO ASSEMBLE THE PEDALS

9

Parts And Tools



Assembly Steps



Differentiate the pedals



Mounting pedal




Grip the pedal and tighten it





Finished

Parts And Tools







Assembly Steps


Note: The front brake is mounted on the left and the rear brake is mounted on the right



Parts And Tools

Rear Axle	Basket	Basket parts	Screwdriver
			


Assembly Steps



Assemble the basket as indicated in the picture and secure with metal sheets.

HOW TO ASSEMBLE THE REAR BASKET

11



Basket assembly




Secure with metal sheets



Finished




Four holes for fixing basket



Put the basket



Tighten the screw



Tighten all screws



Finished

Warnung und Sicherheit

2 Safety

SAFETY SIGNAL WORDS

The following safety signal words indicate a safety message. The symbol alerts you to potential hazards. Failure to follow the warning may result in damage to property, injury, or death.

This manual contains many Warnings and Cautions concerning the consequences of failure to follow safety warnings. Because any fall can result in serious injury or even death, we do not repeat the warning of possible injury or death whenever the risk of falling is mentioned.

⚠ WARNING!

Indicates a hazard or unsafe practice that will result in severe injury or death. Failure to read, understand and follow the safety information in this manual may result in serious injury or death.

⚠ CAUTION!

Indicates a hazard or unsafe practice that could result in minor injury.

NOTICE

Indicates a hazard unrelated to personal injury, such as property damage.

USER RESPONSIBILITY

⚠ WARNING!

Do not install any kind of power plant or internal combustion engine to a bicycle. Adapting a bicycle in this manner poses an extreme safety risk to rider and could result in loss of control or death.

All persons assembling, using, and maintaining the bicycle must read and understand the safety warnings and operating instructions in this manual before using the bicycle.

It is the responsibility of the user, or in the case of a child rider, an adult, to ensure the bicycle is properly maintained and in proper operating condition. Doing so will reduce the risk of injury. Always conduct regular maintenance and inspection of your bicycle. Complete the Safety Checklist at the end of this section before each use.

A responsible adult must always supervise the use of the bicycle by a child. You must ensure:

- The child is wearing the proper protective attire and approved bicycle helmet.
- The child is seated securely and the bicycle is properly fitted to the child.
- The child understands applicable laws and common sense rules of safe responsible bicycling.

Quick-release Levers

⚠ WARNING!

Improper setup or maintenance of the quick-release levers may result in an unexpected movement, loss of control, and serious injury or death. Before riding always check that the quick-release lever is firmly locked in place and the seat does not move.

Wheels

- 1 Some bicycles will come equipped with quick-release levers for the front wheel. The wheels must be securely locked. Ensure the wheel quick-release lever is firmly locked in place. Figure 1.3

Seat Post

- 2 Ensure the seat post's *minimum insertion marks* are not visible above the quick-release seat clamp and the clamp is locked in place.

Note: See Section 4: *Adjusting the Seat Height* if adjustments are needed.




Figure 1.3

PERSONAL SAFETY

⚠ WARNING!

Riding a bicycle without protective gear, clothing, or a helmet may result in serious injury or death. Always wear protective gear, clothing, and helmet when riding the bicycle. Ensure protective gear does not interfere with steering, braking, and pedalling.

Protective Gear and Clothing


Always wear: Figure 1.4

- Colors that are easily seen and, if possible, reflective clothing.
- Clothing appropriate for the weather conditions.
- Use of protective gear such as pads for the knees and elbows is highly recommended for children.
- A properly fitted, ASTM or SNELL approved, bicycle helmet shall be worn at all times by riders of the bicycle.

Do not wear:

- Loose clothing parts, strings, or jewelry that may become entangled with moving parts on the bicycle or interfere with handling of the bicycle.

- Pants with loose pant legs. If necessary, always tuck pant legs into a sock or use a leg band to avoid the clothing becoming caught in the drive chain.
- Shoes with untied shoe laces.



Helmet Use

Important! Many states and provinces have passed helmet laws. Make sure you know your state's helmet laws. It is your job to enforce these rules with your children. Even if your state/province does not have a children's helmet law, it is recommended that everyone wear a helmet when cycling. When riding with a child carrier seat or trailer, children must wear a helmet.


It is strongly advised that a properly fitting, ASTM or SNELL approved, bicycle safety helmet be worn at all times when riding your bicycle. In addition, if you are carrying a passenger in a child safety seat, they must also be wearing a helmet.

The correct helmet should: Figure 1.5

- Be comfortable
- Have good ventilation
- Fit correctly
- Cover forehead

Incorrect helmet position: Figure 1.6

- Helmet *does not* cover the forehead



Reflectors

⚠ WARNING!

Missing, damaged, or dirty reflectors will affect the ability of others to see and recognize you as a moving bicyclist, increasing the risk of being hit, serious injury or death. Always check the reflectors are in place and make sure they are clean, straight, unbroken and securely mounted before riding the bicycle.

Important! Federal regulations require every bicycle over 16 inches to be equipped with front, rear, wheel, and pedal reflectors. Many states require specific safety devices. It is your responsibility to familiarize yourself with the laws of the state where you ride and to comply with all applicable laws, including properly equipping yourself and your bike as the law requires. Bicycles under 16 inches are considered "sidewalk bicycles" and may not be fitted with reflectors. These bicycles should **not** be ridden on streets, at night or unsupervised by an adult.

Check and confirm the front and rear reflectors are in the correct position: **Figure 1.7**

- **Front Reflector:** Should aim forward (when viewed from above) and be mounted so it is within 5 degrees of vertical.
- **Rear Reflector:** Should aim straight back (when viewed from above) and be mounted so it is within 5 degrees of vertical.




Figure 1.7

RIDING SAFETY

⚠ WARNING!

Riding the bicycle in unsafe conditions (i.e. at night), in an unsafe manner, or disregarding traffic laws may result in an unexpected movement, loss of control, and serious injury or death.

General Safety

- Familiarize yourself with all the bicycle's features before riding. Practice gear shifts, braking, and the use of toe clips and straps, if installed.
- Always ride defensively in a predictable, straight line. Never ride against traffic.
- Expect the unexpected (e.g., opening car doors or cars backing out of concealed driveways).
- Take extra care at intersections and when preparing to pass other vehicles.
- Maintain a comfortable stopping distance from all other riders, vehicles and objects. Safe braking distances and forces are subject to the prevailing weather conditions. Do not lock up the brakes. When braking, always apply the rear brake first, then the front. The front brake is more powerful and if it is not correctly applied, you may lose control and fall.
- Always use the correct hand signals to indicate turning or stopping.
- Obey the traffic laws (e.g., stopping at a red light or stop sign, giving way to pedestrians).

- Wear proper riding attire, reflective if possible, and avoid open toe shoes.
- Do not use items that may restrict your hearing and vision.
- Do not carry packages or passengers that will interfere with your visibility or control of the bicycle.

Road Conditions


- Be aware of road conditions. Concentrate on the path ahead. Avoid pot holes, gravel, wet road markings, oil, curbs, speed bumps, drain grates and other obstacles.
- Cross train tracks at a 90 degree angle or walk your bicycle across.

Wet Weather

- When riding in wet weather always wear reflective clothing and use safety lights to enhance visibility.
- Exercise extreme caution when riding in wet conditions.
- Ride at a slower speed. Turn corners gradually and avoid sudden braking.
- Brake earlier, it will take a longer distance to stop.
- Pot holes and slippery surfaces such as line markings and train tracks all become more hazardous when wet.

Adresse: Baoshanqu Shuangchenglu 803long 11hao 1602A-1609shi Shanghai
Importiert nach AUS: SIHAO PTY LTD. 1 ROKEVA STREETEASTWOOD NSW 2122
Australien

In die USA importiert: Sanven Technology Ltd. Suite 250, 9166 Anaheim Place, Rancho
Cucamonga, CA 91730



SHUNSHUN GmbH
Römeräcker 9 Z2021,76351
Linkenheim-Hochstetten, Germany
euvertreter@gmail.com
+49 1727041930



Pooledas Group Ltd
Unit 5 Albert Edward House, The
Pavilions Preston, United Kingdom
pooledas123@gmail.com
01772418127

VEVOR[®]

TOUGH TOOLS, HALF PRICE

Technisch Support- und E-Garantiezertifikat

www.vevor.com/support

VEVOR[®]

TOUGH TOOLS, HALF PRICE

Tecnico Supporto e certificato di garanzia elettronica www.vevor.com/support

TRICICLO

(Telaio in alluminio - serie monovelocità)

**SS001-1;SS001-2;SS001-3;SS001-4;SS001-5;
SS001-6;**

We continue to be committed to provide you tools with competitive price. "Save Half", "Half Price" or any other similar expressions used by us only represents an estimate of savings you might benefit from buying certain tools with us compared to the major top brands and does not necessarily mean to cover all categories of tools offered by us. You are kindly reminded to verify carefully when you are placing an order with us if you are actually saving half in comparison with the top major brands.

Modello: SS001-1;SS001-2;SS001-3;SS001-4;SS001-5;SS001-6;



(Le immagini sono solo di riferimento, fare riferimento al prodotto reale)

NEED HELP? CONTACT US!

Have product questions? Need technical support? Please feel free to contact

us: **Technical Support and E-Warranty Certificate**

www.vevor.com/support

This is the original instruction, please read all manual instructions carefully before operating. VEVOR reserves a clear interpretation of our user manual. The appearance of the product shall be subject to the product you received. Please forgive us that we won't inform you again if there are any technology or software updates on our product.

Gentile Cliente

Grazie per aver scelto il nostro triciclo. Questo manuale ti mostrerà come assemblare il tuo triciclo. Leggi il manuale e seguilo. Il manuale contiene informazioni importanti sull'assemblaggio del triciclo. In caso di dubbi, ti consigliamo di chiedere a un triciclo meccanico per aiuto. Puoi contattarci anche tramite il tuo account di acquisto.

CONTENUTI

Parti del	
triciclo.....	03
Strumenti e	
accessori.....	04
Assemblea	
Passaggi	05~18
Attenzione&Sicurezza.....	
.19~21	

Suggerimento caldo: i prodotti vengono costantemente aggiornati senza preavviso. Se alcune parti nella foto non corrispondono a quelle reali, fare riferimento a quelle reali.



AVVERTIMENTO:

Questo prodotto contiene piccole parti. Se ingerito, rappresenterà un pericolo di soffocamento. Tenere queste piccole parti lontano dalla portata dei bambini durante il montaggio!

Parti del triciclo

Check all parts of the tricycle before assembly. If any parts are missing or damaged, please contact us via your account order.







NO.	Part Name
1	Rear Axle
2	Rear Wheel
3	Rear Axle Plug
4	Frame
5	Chain
6	Chain Cover
7	Front Fender
8	Front Wheel
9	Rear Fender
10	Handlebar
11	Front Brake
12	Seat Post
13	Saddle
14	Pedal
15	Rear Brake Cable
16	Rear Basket
17	Basket Long Gasket
18	Front Reflector
19	Rear Reflector
20	Spoke Reflector
21	Bell








Strumenti e accessori




TOOLS

<p>A</p> 	<p>B</p> 	<p>C</p> 	<p>D</p> 
<p>Allen wrenchs</p>	<p>Wrench</p>	<p>Wrench (for wheels)</p>	<p>Screwdriver</p>

Accessories

- Some screws have been pre-installed in the corresponding positions.

				
<p>Rear left/right wheel screw and shaft sleeve x1</p>	<p>Front wheel screw and safety buckle x2</p>		<p>4 screws and 4 nuts for rear basket</p>	<p>Basket metal fixing plate x12</p>







		
<p>Front fender bracket screw x1, Front fender fixing front fork screw x1</p>	<p>Rear fender bracket screws x8</p>	<p>Rear fender screws x6</p>

Passaggi di assemblaggio




HOW TO ASSEMBLE THE REAR AXLE AND THE CHAIN

1

Parts And Tools


Assembly Parts	Frame	Wrench	Wrench
			
Chain	Chain magic buckle		
			

Assembly Steps




HOW TO ASSEMBLE THE REAR AXLE AND THE CHAIN


1



Insert the chain connector as shown



Insert binocular spacers as shown



Insert clasp as shown



Pull the tripod back so the chain is taut and straight



Tighten the nuts on both sides respectively



Finished

HOW TO ASSEMBLE THE REAR WHEELS

2

Parts And Tools

Assembly Parts	Rear Wheels	Nut caps	Wrench
			

Assembly Steps




Insert the rear tripod shaft to the left/right Side Wheel (note the sleeve of the yellow circle)



Insert flat washer



Screw in nut



Cover the rear axle nut caps







Finished

HOW TO ASSEMBLE THE FRONT WHEEL

3

Parts And Tools

Fork	Front Fender	Front Wheel	Tools
			

Assembly Steps



Assemble the front fender



Insert screw as shown




Screw in the nut on the other side and lock



Lock both fender support rods in turn



Assemble front wheel as shown



Put in the special type washer



Then put in the nut




Lock with a wrench


HOW TO ASSEMBLE THE CHAIN COVER

4

Parts And Tools

Assembly Parts	Chain Cover	Screwdriver
		

Assembly Steps



HOW TO ASSEMBLE THE BELL AND REFLECTORS

5

Parts And Tools

Bell	Front & Rear Reflector	Rear Fender	Screwdriver
			

Assembly Steps



Attach the bell on the handlebar



Tighten the screw



Assemble the front reflector



Tighten the screw



Put in nuts and tighten screws



Install the rear reflector



Insert the rear reflector screw into the hole as shown



Tighten the nut






Finished

HOW TO ASSEMBLE THE REAR FENDER

6


Parts And Tools

Rear Axle	Rear Fender	Screwdriver
		

Assembly Steps



Install rear fender support rods




Insert the screw and tighten the nut as shown




The single support rod is assembled




Follow the above steps to install the support rods of both fenders



Note that rear fender support rod holes correspond to frame holes



Insert screw as shown screw in nut



Tighten the nut



Follow the steps above to tighten the remaining screws as shown





Finished

Parts And Tools

Handlebar Tube	Handlebar	Screwdriver
		

Assembly Steps



Parts And Tools

Saddle Tube	Saddle Post	Saddle	Wrench
			

Assembly Steps



Need to put the saddle post into the circled hole



Loosen the screw



Insert saddle post



Tighten the screw



Insert the saddle



Adjust the height and Angle of the saddle and tighten the saddle clamp

HOW TO ASSEMBLE THE PEDALS

9

Parts And Tools



Assembly Steps



Differentiate the pedals



Mounting pedal




Grip the pedal and tighten it





Finished

Parts And Tools







Assembly Steps

Note: The front brake is mounted on the left and the rear brake is mounted on the right



Parts And Tools

Rear Axle	Basket	Basket parts	Screwdriver
			


Assembly Steps



Assemble the basket as indicated in the picture and secure with metal sheets.

HOW TO ASSEMBLE THE REAR BASKET

11



Basket assembly




Secure with metal sheets



Finished




Four holes for fixing basket



Put the basket



Tighten the screw



Tighten all screws



Finished

Attenzione e sicurezza

2 Safety

SAFETY SIGNAL WORDS

The following safety signal words indicate a safety message. The symbol alerts you to potential hazards. Failure to follow the warning may result in damage to property, injury, or death.

This manual contains many Warnings and Cautions concerning the consequences of failure to follow safety warnings. Because any fall can result in serious injury or even death, we do not repeat the warning of possible injury or death whenever the risk of falling is mentioned.

⚠ WARNING!

Indicates a hazard or unsafe practice that will result in severe injury or death. Failure to read, understand and follow the safety information in this manual may result in serious injury or death.

⚠ CAUTION!

Indicates a hazard or unsafe practice that could result in minor injury.

NOTICE

Indicates a hazard unrelated to personal injury, such as property damage.

USER RESPONSIBILITY

⚠ WARNING!

Do not install any kind of power plant or internal combustion engine to a bicycle. Adapting a bicycle in this manner poses an extreme safety risk to rider and could result in loss of control or death.

All persons assembling, using, and maintaining the bicycle must read and understand the safety warnings and operating instructions in this manual before using the bicycle.

It is the responsibility of the user, or in the case of a child rider, an adult, to ensure the bicycle is properly maintained and in proper operating condition. Doing so will reduce the risk of injury. Always conduct regular maintenance and inspection of your bicycle. Complete the Safety Checklist at the end of this section before each use.

A responsible adult must always supervise the use of the bicycle by a child. You must ensure:

- The child is wearing the proper protective attire and approved bicycle helmet.
- The child is seated securely and the bicycle is properly fitted to the child.
- The child understands applicable laws and common sense rules of safe responsible bicycling.

Quick-release Levers

⚠ WARNING!

Improper setup or maintenance of the quick-release levers may result in an unexpected movement, loss of control, and serious injury or death. Before riding always check that the quick-release lever is firmly locked in place and the seat does not move.

Wheels

- 1 Some bicycles will come equipped with quick-release levers for the front wheel. The wheels must be securely locked. Ensure the wheel quick-release lever is firmly locked in place. Figure 1.3

Seat Post

- 2 Ensure the seat post's *minimum insertion marks* are not visible above the quick-release seat clamp and the clamp is locked in place.

Note: See Section 4: *Adjusting the Seat Height* if adjustments are needed.




Figure 1.3

PERSONAL SAFETY

⚠ WARNING!

Riding a bicycle without protective gear, clothing, or a helmet may result in serious injury or death. Always wear protective gear, clothing, and helmet when riding the bicycle. Ensure protective gear does not interfere with steering, braking, and pedalling.

Protective Gear and Clothing


Always wear: Figure 1.4

- Colors that are easily seen and, if possible, reflective clothing.
- Clothing appropriate for the weather conditions.
- Use of protective gear such as pads for the knees and elbows is highly recommended for children.
- A properly fitted, ASTM or SNELL approved, bicycle helmet shall be worn at all times by riders of the bicycle.

Do not wear:

- Loose clothing parts, strings, or jewelry that may become entangled with moving parts on the bicycle or interfere with handling of the bicycle.

- Pants with loose pant legs. If necessary, always tuck pant legs into a sock or use a leg band to avoid the clothing becoming caught in the drive chain.
- Shoes with untied shoe laces.



Helmet Use

Important! Many states and provinces have passed helmet laws. Make sure you know your state's helmet laws. It is your job to enforce these rules with your children. Even if your state/province does not have a children's helmet law, it is recommended that everyone wear a helmet when cycling. When riding with a child carrier seat or trailer, children must wear a helmet.


It is strongly advised that a properly fitting, ASTM or SNELL approved, bicycle safety helmet be worn at all times when riding your bicycle. In addition, if you are carrying a passenger in a child safety seat, they must also be wearing a helmet.

The correct helmet should: Figure 1.5

- Be comfortable
- Have good ventilation
- Fit correctly
- Cover forehead

Incorrect helmet position: Figure 1.6

- Helmet *does not* cover the forehead



Reflectors


⚠ WARNING!

Missing, damaged, or dirty reflectors will affect the ability of others to see and recognize you as a moving bicyclist, increasing the risk of being hit, serious injury or death. Always check the reflectors are in place and make sure they are clean, straight, unbroken and securely mounted before riding the bicycle.

Important! Federal regulations require every bicycle over 16 inches to be equipped with front, rear, wheel, and pedal reflectors. Many states require specific safety devices. It is your responsibility to familiarize yourself with the laws of the state where you ride and to comply with all applicable laws, including properly equipping yourself and your bike as the law requires. Bicycles under 16 inches are considered "sidewalk bicycles" and may not be fitted with reflectors. These bicycles should **not** be ridden on streets, at night or unsupervised by an adult.

Check and confirm the front and rear reflectors are in the correct position: **Figure 1.7**

- **Front Reflector:** Should aim forward (when viewed from above) and be mounted so it is within 5 degrees of vertical.
- **Rear Reflector:** Should aim straight back (when viewed from above) and be mounted so it is within 5 degrees of vertical.



RIDING SAFETY

⚠ WARNING!

Riding the bicycle in unsafe conditions (i.e. at night), in an unsafe manner, or disregarding traffic laws may result in an unexpected movement, loss of control, and serious injury or death.

General Safety

- Familiarize yourself with all the bicycle's features before riding. Practice gear shifts, braking, and the use of toe clips and straps, if installed.
- Always ride defensively in a predictable, straight line. Never ride against traffic.
- Expect the unexpected (e.g., opening car doors or cars backing out of concealed driveways).
- Take extra care at intersections and when preparing to pass other vehicles.
- Maintain a comfortable stopping distance from all other riders, vehicles and objects. Safe braking distances and forces are subject to the prevailing weather conditions. Do not lock up the brakes. When braking, always apply the rear brake first, then the front. The front brake is more powerful and if it is not correctly applied, you may lose control and fall.
- Always use the correct hand signals to indicate turning or stopping.
- Obey the traffic laws (e.g., stopping at a red light or stop sign, giving way to pedestrians).

- Wear proper riding attire, reflective if possible, and avoid open toe shoes.
- Do not use items that may restrict your hearing and vision.
- Do not carry packages or passengers that will interfere with your visibility or control of the bicycle.

Road Conditions

- Be aware of road conditions. Concentrate on the path ahead. Avoid pot holes, gravel, wet road markings, oil, curbs, speed bumps, drain grates and other obstacles.
- Cross train tracks at a 90 degree angle or walk your bicycle across.


Wet Weather

- When riding in wet weather always wear reflective clothing and use safety lights to enhance visibility.
- Exercise extreme caution when riding in wet conditions.
- Ride at a slower speed. Turn corners gradually and avoid sudden braking.
- Brake earlier, it will take a longer distance to stop.
- Pot holes and slippery surfaces such as line markings and train tracks all become more hazardous when wet.

Indirizzo: Baoshanqu Shuangchenglu 803long 11hao 1602A-1609shi Shanghai

Importato in AUS: SIHAO PTY LTD. 1 ROKEVA STREETEASTWOOD NSW 2122 Australia

Importato negli Stati Uniti: Sanven Technology Ltd. Suite 250, 9166 Anaheim Place, Rancho Cucamonga, CA 91730



SHUNSHUN GmbH

Römeräcker 9 Z2021,76351

Linkenheim-Hochstetten, Germany

euvertreter@gmail.com

+49 1727041930



Pooledas Group Ltd

Unit 5 Albert Edward House, The

Pavilions Preston, United Kingdom

pooledas123@gmail.com

01772418127

VEVOR[®]

TOUGH TOOLS, HALF PRICE

Tecnico Supporto e certificato di garanzia elettronica

www.vevor.com/support

VEVOR[®]

TOUGH TOOLS, HALF PRICE

Técnico Soporte y certificado de garantía electrónica www.vevor.com/support

TRICICLO

(Marco de aluminio - serie de una sola velocidad)

**SS001-1; SS001-2; SS001-3; SS001-4; SS001-5;
SS001-6;**

We continue to be committed to provide you tools with competitive price. "Save Half", "Half Price" or any other similar expressions used by us only represents an estimate of savings you might benefit from buying certain tools with us compared to the major top brands and does not necessarily mean to cover all categories of tools offered by us. You are kindly reminded to verify carefully when you are placing an order with us if you are actually saving half in comparison with the top major brands.

VEVOR®

TOUGH TOOLS, HALF PRICE

Tricycle

Modelo: SS001-1; SS001-2; SS001-3; SS001-4; SS001-5; SS001-6;



(Las imágenes son solo de referencia, consulte el producto real)

NEED HELP? CONTACT US!

Have product questions? Need technical support? Please feel free to contact

us: **Technical Support and E-Warranty Certificate**

www.vevor.com/support

This is the original instruction, please read all manual instructions carefully before operating. VEVOR reserves a clear interpretation of our user manual. The appearance of the product shall be subject to the product you received. Please forgive us that we won't inform you again if there are any technology or software updates on our product.

Estimado cliente

Gracias por elegir nuestro triciclo. Este manual le mostrará cómo montar su triciclo. Lea el manual y sígalo. El manual contiene información importante sobre el montaje del triciclo. Si tiene alguna duda, le recomendamos que consulte con un triciclo. mecánico para obtener ayuda. También puede contactarnos a través de su cuenta de compras.

CONTENIDO

Piezas del	
triciclo.....	03
Herramientas y	
accesorios.....	04
Asamblea	
 Pasos.....	05~18
Advertencias y	
seguridad.....	19~21

Consejo cálido: los productos se actualizan constantemente sin previo aviso. Si algunas partes de la imagen no coinciden con las reales, consulte las reales.



ADVERTENCIA:

Este producto contiene piezas pequeñas. Si se ingiere, representará un peligro de

asfixia. ¡Mantenga estas piezas pequeñas fuera del alcance de los niños durante el montaje!

Piezas de triciclo

Check all parts of the tricycle before assembly. If any parts are missing or damaged, please contact us via your account order.







NO.	Part Name
1	Rear Axle
2	Rear Wheel
3	Rear Axle Plug
4	Frame
5	Chain
6	Chain Cover
7	Front Fender
8	Front Wheel
9	Rear Fender
10	Handlebar
11	Front Brake
12	Seat Post
13	Saddle
14	Pedal
15	Rear Brake Cable
16	Rear Basket
17	Basket Long Gasket
18	Front Reflector
19	Rear Reflector
20	Spoke Reflector
21	Bell








Herramientas y accesorios




TOOLS

<p>A</p> 	<p>B</p> 	<p>C</p> 	<p>D</p> 
<p>Allen wrenchs</p>	<p>Wrench</p>	<p>Wrench (for wheels)</p>	<p>Screwdriver</p>

Accessories

- Some screws have been pre-installed in the corresponding positions.

				
<p>Rear left/right wheel screw and shaft sleeve x1</p>	<p>Front wheel screw and safety buckle x2</p>		<p>4 screws and 4 nuts for rear basket</p>	<p>Basket metal fixing plate x12</p>







		
<p>Front fender bracket screw x1, Front fender fixing front fork screw x1</p>	<p>Rear fender bracket screws x8</p>	<p>Rear fender screws x6</p>

Pasos de montaje




HOW TO ASSEMBLE THE REAR AXLE AND THE CHAIN

1

Parts And Tools


Assembly Parts	Frame	Wrench	Wrench
			
Chain	Chain magic buckle		
			

Assembly Steps




HOW TO ASSEMBLE THE REAR AXLE AND THE CHAIN


1



Insert the chain connector as shown



Insert binocular spacers as shown



Insert clasp as shown



Pull the tripod back so the chain is taut and straight



Tighten the nuts on both sides respectively



Finished

HOW TO ASSEMBLE THE REAR WHEELS

2

Parts And Tools

Assembly Parts	Rear Wheels	Nut caps	Wrench
			

Assembly Steps




Insert the rear tripod shaft to the left/right Side Wheel (note the sleeve of the yellow circle)



Insert flat washer



Screw in nut



Cover the rear axle nut caps





Finished


HOW TO ASSEMBLE THE FRONT WHEEL

3

Parts And Tools

Fork	Front Fender	Front Wheel	Tools
			

Assembly Steps




Assemble the front fender



Insert screw as shown



Screw in the nut on the other side and lock



Lock both fender support rods in turn



Assemble front wheel as shown



Put in the special type washer



Then put in the nut




Lock with a wrench



HOW TO ASSEMBLE THE CHAIN COVER

4

Parts And Tools

Assembly Parts	Chain Cover	Screwdriver
		

Assembly Steps



HOW TO ASSEMBLE THE BELL AND REFLECTORS

5

Parts And Tools

Bell	Front & Rear Reflector	Rear Fender	Screwdriver
			

Assembly Steps



Attach the bell on the handlebar



Tighten the screw



Assemble the front reflector



Tighten the screw




Put in nuts and tighten screws



Install the rear reflector



Insert the rear reflector screw into the hole as shown



Tighten the nut






Finished

HOW TO ASSEMBLE THE REAR FENDER

6


Parts And Tools

Rear Axle	Rear Fender	Screwdriver
		


Assembly Steps



Install rear fender support rods




Insert the screw and tighten the nut as shown




The single support rod is assembled




Follow the above steps to install the support rods of both fenders



Note that rear fender support rod holes correspond to frame holes



Insert screw as shown screw in nut



Tighten the nut



Follow the steps above to tighten the remaining screws as shown



Finished




HOW TO ASSEMBLE THE PEDALS

7

Parts And Tools

Handlebar Tube	Handlebar	Screwdriver
		

Assembly Steps



Parts And Tools

Saddle Tube	Saddle Post	Saddle	Wrench
			

Assembly Steps



Need to put the saddle post into the circled hole



Loosen the screw



Insert saddle post



Tighten the screw



Insert the saddle




Adjust the height and Angle of the saddle and tighten the saddle clamp

HOW TO ASSEMBLE THE PEDALS

9

Parts And Tools



Assembly Steps



Differentiate the pedals



Mounting pedal




Grip the pedal and tighten it





Finished

Parts And Tools







Assembly Steps

Note: The front brake is mounted on the left and the rear brake is mounted on the right



Parts And Tools

Rear Axle	Basket	Basket parts	Screwdriver
			


Assembly Steps



Assemble the basket as indicated in the picture and secure with metal sheets.

HOW TO ASSEMBLE THE REAR BASKET

11



Basket assembly




Secure with metal sheets



Finished




Four holes for fixing basket



Put the basket



Tighten the screw



Tighten all screws



Finished

Advertencia y seguridad

2 Safety

SAFETY SIGNAL WORDS

The following safety signal words indicate a safety message. The symbol alerts you to potential hazards. Failure to follow the warning may result in damage to property, injury, or death.

This manual contains many Warnings and Cautions concerning the consequences of failure to follow safety warnings. Because any fall can result in serious injury or even death, we do not repeat the warning of possible injury or death whenever the risk of falling is mentioned.

⚠ WARNING!

Indicates a hazard or unsafe practice that will result in severe injury or death. Failure to read, understand and follow the safety information in this manual may result in serious injury or death.

⚠ CAUTION!

Indicates a hazard or unsafe practice that could result in minor injury.

NOTICE

Indicates a hazard unrelated to personal injury, such as property damage.

USER RESPONSIBILITY

⚠ WARNING!

Do not install any kind of power plant or internal combustion engine to a bicycle. Adapting a bicycle in this manner poses an extreme safety risk to rider and could result in loss of control or death.

All persons assembling, using, and maintaining the bicycle must read and understand the safety warnings and operating instructions in this manual before using the bicycle.

It is the responsibility of the user, or in the case of a child rider, an adult, to ensure the bicycle is properly maintained and in proper operating condition. Doing so will reduce the risk of injury. Always conduct regular maintenance and inspection of your bicycle. Complete the Safety Checklist at the end of this section before each use.

A responsible adult must always supervise the use of the bicycle by a child. You must ensure:

- The child is wearing the proper protective attire and approved bicycle helmet.
- The child is seated securely and the bicycle is properly fitted to the child.
- The child understands applicable laws and common sense rules of safe responsible bicycling.

Quick-release Levers

⚠ WARNING!

Improper setup or maintenance of the quick-release levers may result in an unexpected movement, loss of control, and serious injury or death. Before riding always check that the quick-release lever is firmly locked in place and the seat does not move.

Wheels

- 1 Some bicycles will come equipped with quick-release levers for the front wheel. The wheels must be securely locked. Ensure the wheel quick-release lever is firmly locked in place. **Figure 1.3**

Seat Post

- 2 Ensure the seat post's *minimum insertion marks* are not visible above the quick-release seat clamp and the clamp is locked in place.

Note: See **Section 4: Adjusting the Seat Height** if adjustments are needed.




Figure 1.3

PERSONAL SAFETY

⚠ WARNING!

Riding a bicycle without protective gear, clothing, or a helmet may result in serious injury or death. Always wear protective gear, clothing, and helmet when riding the bicycle. Ensure protective gear does not interfere with steering, braking, and pedalling.

Protective Gear and Clothing


Always wear: Figure 1.4

- Colors that are easily seen and, if possible, reflective clothing.
- Clothing appropriate for the weather conditions.
- Use of protective gear such as pads for the knees and elbows is highly recommended for children.
- A properly fitted, ASTM or SNELL approved, bicycle helmet shall be worn at all times by riders of the bicycle.

Do not wear:

- Loose clothing parts, strings, or jewelry that may become entangled with moving parts on the bicycle or interfere with handling of the bicycle.

- Pants with loose pant legs. If necessary, always tuck pant legs into a sock or use a leg band to avoid the clothing becoming caught in the drive chain.
- Shoes with untied shoe laces.



Helmet Use

Important! Many states and provinces have passed helmet laws. Make sure you know your state's helmet laws. It is your job to enforce these rules with your children. Even if your state/province does not have a children's helmet law, it is recommended that everyone wear a helmet when cycling. When riding with a child carrier seat or trailer, children must wear a helmet.


It is strongly advised that a properly fitting, ASTM or SNELL approved, bicycle safety helmet be worn at all times when riding your bicycle. In addition, if you are carrying a passenger in a child safety seat, they must also be wearing a helmet.

The correct helmet should: Figure 1.5

- Be comfortable
- Have good ventilation
- Fit correctly
- Cover forehead

Incorrect helmet position: Figure 1.6

- Helmet *does not* cover the forehead



Reflectors


⚠ WARNING!

Missing, damaged, or dirty reflectors will affect the ability of others to see and recognize you as a moving bicyclist, increasing the risk of being hit, serious injury or death. Always check the reflectors are in place and make sure they are clean, straight, unbroken and securely mounted before riding the bicycle.

Important! Federal regulations require every bicycle over 16 inches to be equipped with front, rear, wheel, and pedal reflectors. Many states require specific safety devices. It is your responsibility to familiarize yourself with the laws of the state where you ride and to comply with all applicable laws, including properly equipping yourself and your bike as the law requires. Bicycles under 16 inches are considered "sidewalk bicycles" and may not be fitted with reflectors. These bicycles should **not** be ridden on streets, at night or unsupervised by an adult.

Check and confirm the front and rear reflectors are in the correct position: **Figure 1.7**

- **Front Reflector:** Should aim forward (when viewed from above) and be mounted so it is within 5 degrees of vertical.
- **Rear Reflector:** Should aim straight back (when viewed from above) and be mounted so it is within 5 degrees of vertical.



RIDING SAFETY

⚠ WARNING!

Riding the bicycle in unsafe conditions (i.e. at night), in an unsafe manner, or disregarding traffic laws may result in an unexpected movement, loss of control, and serious injury or death.

General Safety

- Familiarize yourself with all the bicycle's features before riding. Practice gear shifts, braking, and the use of toe clips and straps, if installed.
- Always ride defensively in a predictable, straight line. Never ride against traffic.
- Expect the unexpected (e.g., opening car doors or cars backing out of concealed driveways).
- Take extra care at intersections and when preparing to pass other vehicles.
- Maintain a comfortable stopping distance from all other riders, vehicles and objects. Safe braking distances and forces are subject to the prevailing weather conditions. Do not lock up the brakes. When braking, always apply the rear brake first, then the front. The front brake is more powerful and if it is not correctly applied, you may lose control and fall.
- Always use the correct hand signals to indicate turning or stopping.
- Obey the traffic laws (e.g., stopping at a red light or stop sign, giving way to pedestrians).

- Wear proper riding attire, reflective if possible, and avoid open toe shoes.
- Do not use items that may restrict your hearing and vision.
- Do not carry packages or passengers that will interfere with your visibility or control of the bicycle.


Road Conditions

- Be aware of road conditions. Concentrate on the path ahead. Avoid pot holes, gravel, wet road markings, oil, curbs, speed bumps, drain grates and other obstacles.
- Cross train tracks at a 90 degree angle or walk your bicycle across.

Wet Weather

- When riding in wet weather always wear reflective clothing and use safety lights to enhance visibility.
- Exercise extreme caution when riding in wet conditions.
- Ride at a slower speed. Turn corners gradually and avoid sudden braking.
- Brake earlier, it will take a longer distance to stop.
- Pot holes and slippery surfaces such as line markings and train tracks all become more hazardous when wet.

Dirección: Baoshanqu Shuangchenglu 803long 11hao 1602A-1609shi Shanghai
Importado a AUS: SIHAO PTY LTD. 1 ROKEVA STREET ASTWOOD NSW 2122 Australia
Importado a EE. UU.: Sanven Technology Ltd. Suite 250, 9166 Anaheim Place, Rancho Cucamonga, CA 91730



SHUNSHUN GmbH
Römeräcker 9 Z2021,76351
Linkenheim-Hochstetten, Germany
euvertreter@gmail.com
+49 1727041930



Pooledas Group Ltd
Unit 5 Albert Edward House, The
Pavilions Preston, United Kingdom
pooledas123@gmail.com
01772418127

VEVOR[®]

TOUGH TOOLS, HALF PRICE

Técnico Certificado de soporte y garantía electrónica

www.vevor.com/support

VEVOR[®]

TOUGH TOOLS, HALF PRICE

Techniczny Certyfikat wsparcia i e-gwarancji www.vevor.com/support

TRYCYKL

(Rama aluminiowa – seria single speed)

**SS001-1;SS001-2;SS001-3;SS001-4;SS001-5;
SS001-6;**

We continue to be committed to provide you tools with competitive price. "Save Half", "Half Price" or any other similar expressions used by us only represents an estimate of savings you might benefit from buying certain tools with us compared to the major top brands and does not necessarily mean to cover all categories of tools offered by us. You are kindly reminded to verify carefully when you are placing an order with us if you are actually saving half in comparison with the top major brands.

Modelu: SS001-1; SS001-2; SS001-3; SS001-4; SS001-5; SS001-6;



(Zdjęcia mają wyłącznie charakter poglądowy, proszę zapoznać się z rzeczywistym produktem)

NEED HELP? CONTACT US!

Have product questions? Need technical support? Please feel free to contact

us: **Technical Support and E-Warranty Certificate**

www.vevor.com/support

This is the original instruction, please read all manual instructions carefully before operating. VEVOR reserves a clear interpretation of our user manual. The appearance of the product shall be subject to the product you received. Please forgive us that we won't inform you again if there are any technology or software updates on our product.

Szanowny Kliencie

Dziękujemy za wybranie naszego rowerka trójkołowego. Niniejsza instrukcja pokaże Ci, jak złożyć rowerek trójkołowy. Przeczytaj instrukcję i postępuj zgodnie z nią. Instrukcja zawiera ważne informacje dotyczące montażu rowerka trójkołowego. Jeśli masz jakiegokolwiek wątpliwości, zalecamy zapytać o rowerek trójkołowy mechanika o pomoc. Kontaktujesz się z nami również poprzez swoje konto zakupowe.

ZAWARTOŚĆ

Części do rowerów

trójkołowych.....

03

Narzędzia i

akcesoria.....04

Montaż Kroki....05~18

Ostrzeżenie i

bezpieczeństwo.....19~21

Ciepła wskazówka: produkty są stale aktualizowane bez powiadomienia. Jeśli niektóre części na zdjęciu nie pasują do rzeczywistych, zapoznaj się z rzeczywistymi.



OSTRZEŻENIE:

Ten produkt zawiera małe części. W przypadku połknięcia istnieje ryzyko zadławienia. Podczas montażu trzymaj te małe części z dala od dzieci!

Części do rowerów trójkołowych

Check all parts of the tricycle before assembly. If any parts are missing or damaged, please contact us via your account order.







NO.	Part Name
1	Rear Axle
2	Rear Wheel
3	Rear Axle Plug
4	Frame
5	Chain
6	Chain Cover
7	Front Fender
8	Front Wheel
9	Rear Fender
10	Handlebar
11	Front Brake
12	Seat Post
13	Saddle
14	Pedal
15	Rear Brake Cable
16	Rear Basket
17	Basket Long Gasket
18	Front Reflector
19	Rear Reflector
20	Spoke Reflector
21	Bell








Narzędzia i akcesoria




TOOLS

<p>A</p> 	<p>B</p> 	<p>C</p> 	<p>D</p> 
<p>Allen wrenchs</p>	<p>Wrench</p>	<p>Wrench (for wheels)</p>	<p>Screwdriver</p>

Accessories

- Some screws have been pre-installed in the corresponding positions.

				
<p>Rear left/right wheel screw and shaft sleeve x1</p>	<p>Front wheel screw and safety buckle x2</p>		<p>4 screws and 4 nuts for rear basket</p>	<p>Basket metal fixing plate x12</p>







		
<p>Front fender bracket screw x1, Front fender fixing front fork screw x1</p>	<p>Rear fender bracket screws x8</p>	<p>Rear fender screws x6</p>

Kroki montažu



HOW TO ASSEMBLE THE REAR AXLE AND THE CHAIN

1

Parts And Tools


Assembly Parts	Frame	Wrench	Wrench
			
Chain	Chain magic buckle		
			

Assembly Steps




HOW TO ASSEMBLE THE REAR AXLE AND THE CHAIN


1



Insert the chain connector as shown



Insert binocular spacers as shown



Insert clasp as shown



Pull the tripod back so the chain is taut and straight



Tighten the nuts on both sides respectively



Finished

HOW TO ASSEMBLE THE REAR WHEELS

2

Parts And Tools

Assembly Parts	Rear Wheels	Nut caps	Wrench
			

Assembly Steps




Insert the rear tripod shaft to the left/right Side Wheel (note the sleeve of the yellow circle)



Insert flat washer



Screw in nut



Cover the rear axle nut caps



Finished


HOW TO ASSEMBLE THE FRONT WHEEL

3


Parts And Tools

Fork	Front Fender	Front Wheel	Tools
			

Assembly Steps




Assemble the front fender



Insert screw as shown



Screw in the nut on the other side and lock



Lock both fender support rods in turn



Assemble front wheel as shown



Put in the special type washer



Then put in the nut




Lock with a wrench

HOW TO ASSEMBLE THE CHAIN COVER

4

Parts And Tools

Assembly Parts	Chain Cover	Screwdriver
		

Assembly Steps



HOW TO ASSEMBLE THE BELL AND REFLECTORS

5

Parts And Tools

Bell	Front & Rear Reflector	Rear Fender	Screwdriver
			

Assembly Steps



Attach the bell on the handlebar



Tighten the screw




Assemble the front reflector



Tighten the screw



Put in nuts and tighten screws



Install the rear reflector



Insert the rear reflector screw into the hole as shown



Tighten the nut






Finished

HOW TO ASSEMBLE THE REAR FENDER

6

Parts And Tools

Rear Axle	Rear Fender	Screwdriver
		

Assembly Steps



Install rear fender support rods




Insert the screw and tighten the nut as shown




The single support rod is assembled




Follow the above steps to install the support rods of both fenders



Note that rear fender support rod holes correspond to frame holes



Insert screw as shown screw in nut



Tighten the nut



Follow the steps above to tighten the remaining screws as shown



Finished




HOW TO ASSEMBLE THE PEDALS

7

Parts And Tools

Handlebar Tube	Handlebar	Screwdriver
		

Assembly Steps



Parts And Tools

Saddle Tube	Saddle Post	Saddle	Wrench
			

Assembly Steps



Need to put the saddle post into the circled hole



Loosen the screw



Insert saddle post



Tighten the screw



Insert the saddle



Adjust the height and Angle of the saddle and tighten the saddle clamp

HOW TO ASSEMBLE THE PEDALS

9

Parts And Tools



Assembly Steps



Differentiate the pedals



Mounting pedal




Grip the pedal and tighten it




Finished

Parts And Tools







Assembly Steps

Note: The front brake is mounted on the left and the rear brake is mounted on the right



Parts And Tools

Rear Axle	Basket	Basket parts	Screwdriver
			


Assembly Steps



Assemble the basket as indicated in the picture and secure with metal sheets.

HOW TO ASSEMBLE THE REAR BASKET

11



Basket assembly




Secure with metal sheets



Finished




Four holes for fixing basket



Put the basket



Tighten the screw



Tighten all screws



Finished

Uwaga i bezpieczeństwo

2 Safety

SAFETY SIGNAL WORDS

The following safety signal words indicate a safety message. The symbol alerts you to potential hazards. Failure to follow the warning may result in damage to property, injury, or death.

This manual contains many Warnings and Cautions concerning the consequences of failure to follow safety warnings. Because any fall can result in serious injury or even death, we do not repeat the warning of possible injury or death whenever the risk of falling is mentioned.

⚠ WARNING!

Indicates a hazard or unsafe practice that will result in severe injury or death. Failure to read, understand and follow the safety information in this manual may result in serious injury or death.

⚠ CAUTION!

Indicates a hazard or unsafe practice that could result in minor injury.

NOTICE

Indicates a hazard unrelated to personal injury, such as property damage.

USER RESPONSIBILITY

⚠ WARNING!

Do not install any kind of power plant or internal combustion engine to a bicycle. Adapting a bicycle in this manner poses an extreme safety risk to rider and could result in loss of control or death.

All persons assembling, using, and maintaining the bicycle must read and understand the safety warnings and operating instructions in this manual before using the bicycle.

It is the responsibility of the user, or in the case of a child rider, an adult, to ensure the bicycle is properly maintained and in proper operating condition. Doing so will reduce the risk of injury. Always conduct regular maintenance and inspection of your bicycle. Complete the Safety Checklist at the end of this section before each use.

A responsible adult must always supervise the use of the bicycle by a child. You must ensure:

- The child is wearing the proper protective attire and approved bicycle helmet.
- The child is seated securely and the bicycle is properly fitted to the child.
- The child understands applicable laws and common sense rules of safe responsible bicycling.

Quick-release Levers

⚠ WARNING!

Improper setup or maintenance of the quick-release levers may result in an unexpected movement, loss of control, and serious injury or death. Before riding always check that the quick-release lever is firmly locked in place and the seat does not move.

Wheels

- 1 Some bicycles will come equipped with quick-release levers for the front wheel. The wheels must be securely locked. Ensure the wheel quick-release lever is firmly locked in place. **Figure 1.3**

Seat Post

- 2 Ensure the seat post's *minimum insertion marks* are not visible above the quick-release seat clamp and the clamp is locked in place.

Note: See **Section 4: Adjusting the Seat Height** if adjustments are needed.




Figure 1.3

PERSONAL SAFETY

⚠ WARNING!

Riding a bicycle without protective gear, clothing, or a helmet may result in serious injury or death. Always wear protective gear, clothing, and helmet when riding the bicycle. Ensure protective gear does not interfere with steering, braking, and pedalling.

Protective Gear and Clothing


Always wear: Figure 1.4

- Colors that are easily seen and, if possible, reflective clothing.
- Clothing appropriate for the weather conditions.
- Use of protective gear such as pads for the knees and elbows is highly recommended for children.
- A properly fitted, ASTM or SNELL approved, bicycle helmet shall be worn at all times by riders of the bicycle.

Do not wear:

- Loose clothing parts, strings, or jewelry that may become entangled with moving parts on the bicycle or interfere with handling of the bicycle.

- Pants with loose pant legs. If necessary, always tuck pant legs into a sock or use a leg band to avoid the clothing becoming caught in the drive chain.
- Shoes with untied shoe laces.



Helmet Use

Important! Many states and provinces have passed helmet laws. Make sure you know your state's helmet laws. It is your job to enforce these rules with your children. Even if your state/province does not have a children's helmet law, it is recommended that everyone wear a helmet when cycling. When riding with a child carrier seat or trailer, children must wear a helmet.


It is strongly advised that a properly fitting, ASTM or SNELL approved, bicycle safety helmet be worn at all times when riding your bicycle. In addition, if you are carrying a passenger in a child safety seat, they must also be wearing a helmet.

The correct helmet should: Figure 1.5

- Be comfortable
- Have good ventilation
- Fit correctly
- Cover forehead

Incorrect helmet position: Figure 1.6

- Helmet *does not* cover the forehead



Reflectors


⚠ WARNING!

Missing, damaged, or dirty reflectors will affect the ability of others to see and recognize you as a moving bicyclist, increasing the risk of being hit, serious injury or death. Always check the reflectors are in place and make sure they are clean, straight, unbroken and securely mounted before riding the bicycle.

Important! Federal regulations require every bicycle over 16 inches to be equipped with front, rear, wheel, and pedal reflectors. Many states require specific safety devices. It is your responsibility to familiarize yourself with the laws of the state where you ride and to comply with all applicable laws, including properly equipping yourself and your bike as the law requires. Bicycles under 16 inches are considered "sidewalk bicycles" and may not be fitted with reflectors. These bicycles should **not** be ridden on streets, at night or unsupervised by an adult.

Check and confirm the front and rear reflectors are in the correct position: **Figure 1.7**

- **Front Reflector:** Should aim forward (when viewed from above) and be mounted so it is within 5 degrees of vertical.
- **Rear Reflector:** Should aim straight back (when viewed from above) and be mounted so it is within 5 degrees of vertical.



RIDING SAFETY

⚠ WARNING!

Riding the bicycle in unsafe conditions (i.e. at night), in an unsafe manner, or disregarding traffic laws may result in an unexpected movement, loss of control, and serious injury or death.

General Safety

- Familiarize yourself with all the bicycle's features before riding. Practice gear shifts, braking, and the use of toe clips and straps, if installed.
- Always ride defensively in a predictable, straight line. Never ride against traffic.
- Expect the unexpected (e.g., opening car doors or cars backing out of concealed driveways).
- Take extra care at intersections and when preparing to pass other vehicles.
- Maintain a comfortable stopping distance from all other riders, vehicles and objects. Safe braking distances and forces are subject to the prevailing weather conditions. Do not lock up the brakes. When braking, always apply the rear brake first, then the front. The front brake is more powerful and if it is not correctly applied, you may lose control and fall.
- Always use the correct hand signals to indicate turning or stopping.
- Obey the traffic laws (e.g., stopping at a red light or stop sign, giving way to pedestrians).

- Wear proper riding attire, reflective if possible, and avoid open toe shoes.
- Do not use items that may restrict your hearing and vision.
- Do not carry packages or passengers that will interfere with your visibility or control of the bicycle.

Road Conditions

- Be aware of road conditions. Concentrate on the path ahead. Avoid pot holes, gravel, wet road markings, oil, curbs, speed bumps, drain grates and other obstacles.
- Cross train tracks at a 90 degree angle or walk your bicycle across.


Wet Weather

- When riding in wet weather always wear reflective clothing and use safety lights to enhance visibility.
- Exercise extreme caution when riding in wet conditions.
- Ride at a slower speed. Turn corners gradually and avoid sudden braking.
- Brake earlier, it will take a longer distance to stop.
- Pot holes and slippery surfaces such as line markings and train tracks all become more hazardous when wet.

Adres: Baoshanqu Shuangchenglu 803long 11hao 1602A-1609shi Szanghaj

Import do AUS: SIHAO PTY LTD. 1 ROKEVA STREETEASTWOOD NSW 2122 Australia

Import do USA: Sanven Technology Ltd. Suite 250, 9166 Anaheim Place, Rancho Cucamonga, CA 91730



SHUNSHUN GmbH

Römeräcker 9 Z2021,76351

Linkenheim-Hochstetten, Germany

euvertreter@gmail.com

+49 1727041930



Pooledas Group Ltd

Unit 5 Albert Edward House, The

Pavilions Preston, United Kingdom

pooledas123@gmail.com

01772418127

VEVOR[®]

TOUGH TOOLS, HALF PRICE

Techniczny Certyfikat wsparcia i e-gwarancji

www.vevor.com/support

VEVOR[®]

TOUGH TOOLS, HALF PRICE

Technisch Ondersteuning en e-garantiecertificaat www.vevor.com/support

DRIEWIELER

(Aluminium frame - serie met enkele snelheid)

**SS001-1;SS001-2;SS001-3;SS001-4;SS001-5;
SS001-6;**

We continue to be committed to provide you tools with competitive price. "Save Half", "Half Price" or any other similar expressions used by us only represents an estimate of savings you might benefit from buying certain tools with us compared to the major top brands and does not necessarily mean to cover all categories of tools offered by us. You are kindly reminded to verify carefully when you are placing an order with us if you are actually saving half in comparison with the top major brands.

VEVOR[®]

TOUGH TOOLS, HALF PRICE

Tricycle

Model: SS001-1;SS001-2;SS001-3;SS001-4;SS001-5;SS001-6;



(De afbeeldingen zijn alleen ter referentie, raadpleeg het daadwerkelijke product)

NEED HELP? CONTACT US!

Have product questions? Need technical support? Please feel free to contact

us: **Technical Support and E-Warranty Certificate**

www.vevor.com/support

This is the original instruction, please read all manual instructions carefully before operating. VEVOR reserves a clear interpretation of our user manual. The appearance of the product shall be subject to the product you received. Please forgive us that we won't inform you again if there are any technology or software updates on our product.

Beste klant

Bedankt dat u voor onze driewieler hebt gekozen. Deze handleiding laat u zien hoe u uw driewieler in elkaar zet. Lees de handleiding en volg deze op. De handleiding bevat belangrijke informatie over de montage van de driewieler. Als u enige twijfel heeft, raden wij u aan om een driewieler te vragen. monteur voor hulp. U kunt ook contact met ons opnemen via uw winkelaccount.

INHOUD

Driewieleronderdelen.....
.....03	
Gereedschappen en accessoires.....04
Montage Stappen05~18
Bewaking en veiligheid19~21

Warme tip: producten worden voortdurend bijgewerkt zonder voorafgaande kennisgeving. Als sommige onderdelen op de afbeelding niet overeenkomen met de echte, raadpleeg dan de echte.



WAARSCHUWING:

Dit product bevat kleine onderdelen. Bij inslikken kan er sprake zijn van

verstikkingsgevaar. Houd deze kleine onderdelen tijdens de montage uit de buurt van kinderen!

Driewieler onderdelen

Check all parts of the tricycle before assembly. If any parts are missing or damaged, please contact us via your account order.





NO.	Part Name
1	Rear Axle
2	Rear Wheel
3	Rear Axle Plug
4	Frame
5	Chain
6	Chain Cover
7	Front Fender
8	Front Wheel
9	Rear Fender
10	Handlebar
11	Front Brake
12	Seat Post
13	Saddle
14	Pedal
15	Rear Brake Cable
16	Rear Basket
17	Basket Long Gasket
18	Front Reflector
19	Rear Reflector
20	Spoke Reflector
21	Bell










Gereedschappen en accessoires




TOOLS

<p>A</p> 	<p>B</p> 	<p>C</p> 	<p>D</p> 
<p>Allen wrenchs</p>	<p>Wrench</p>	<p>Wrench (for wheels)</p>	<p>Screwdriver</p>

Accessories

- Some screws have been pre-installed in the corresponding positions.

				
<p>Rear left/right wheel screw and shaft sleeve x1</p>	<p>Front wheel screw and safety buckle x2</p>		<p>4 screws and 4 nuts for rear basket</p>	<p>Basket metal fixing plate x12</p>







		
<p>Front fender bracket screw x1, Front fender fixing front fork screw x1</p>	<p>Rear fender bracket screws x8</p>	<p>Rear fender screws x6</p>

Montagestappen



HOW TO ASSEMBLE THE REAR AXLE AND THE CHAIN

1

Parts And Tools


Assembly Parts	Frame	Wrench	Wrench
			
Chain	Chain magic buckle		
			

Assembly Steps




HOW TO ASSEMBLE THE REAR AXLE AND THE CHAIN


1



Insert the chain connector as shown



Insert binocular spacers as shown



Insert clasp as shown



Pull the tripod back so the chain is taut and straight



Tighten the nuts on both sides respectively



Finished

HOW TO ASSEMBLE THE REAR WHEELS

2

Parts And Tools

Assembly Parts	Rear Wheels	Nut caps	Wrench
			

Assembly Steps




Insert the rear tripod shaft to the left/right Side Wheel (note the sleeve of the yellow circle)



Insert flat washer



Screw in nut



Cover the rear axle nut caps







Finished





HOW TO ASSEMBLE THE FRONT WHEEL

3

Parts And Tools

Fork	Front Fender	Front Wheel	Tools
			


Assembly Steps





HOW TO ASSEMBLE THE CHAIN COVER

4

Parts And Tools

Assembly Parts	Chain Cover	Screwdriver
		

Assembly Steps



HOW TO ASSEMBLE THE BELL AND REFLECTORS

5

Parts And Tools

Bell	Front & Rear Reflector	Rear Fender	Screwdriver
			

Assembly Steps



Attach the bell on the handlebar



Tighten the screw




Assemble the front reflector



Tighten the screw




Put in nuts and tighten screws



Install the rear reflector



Insert the rear reflector screw into the hole as shown



Tighten the nut






Finished

HOW TO ASSEMBLE THE REAR FENDER

6

Parts And Tools

Rear Axle	Rear Fender	Screwdriver
		

Assembly Steps



Install rear fender support rods




Insert the screw and tighten the nut as shown




The single support rod is assembled




Follow the above steps to install the support rods of both fenders



Note that rear fender support rod holes correspond to frame holes



Insert screw as shown screw in nut



Tighten the nut



Follow the steps above to tighten the remaining screws as shown



Finished



HOW TO ASSEMBLE THE PEDALS

7

Parts And Tools

Handlebar Tube	Handlebar	Screwdriver
		

Assembly Steps



Parts And Tools

Saddle Tube	Saddle Post	Saddle	Wrench
			

Assembly Steps



Need to put the saddle post into the circled hole



Loosen the screw



Insert saddle post



Tighten the screw



Insert the saddle



Adjust the height and Angle of the saddle and tighten the saddle clamp

HOW TO ASSEMBLE THE PEDALS

9

Parts And Tools



Assembly Steps



Differentiate the pedals



Mounting pedal




Grip the pedal and tighten it





Finished

Parts And Tools







Assembly Steps

Note: The front brake is mounted on the left and the rear brake is mounted on the right



Parts And Tools

Rear Axle	Basket	Basket parts	Screwdriver
			


Assembly Steps



Assemble the basket as indicated in the picture and secure with metal sheets.

HOW TO ASSEMBLE THE REAR BASKET

11



Basket assembly




Secure with metal sheets



Finished




Four holes for fixing basket



Put the basket



Tighten the screw



Tighten all screws



Finished

Waring&Veiligheid

2 Safety

SAFETY SIGNAL WORDS

The following safety signal words indicate a safety message. The symbol alerts you to potential hazards. Failure to follow the warning may result in damage to property, injury, or death.

This manual contains many Warnings and Cautions concerning the consequences of failure to follow safety warnings. Because any fall can result in serious injury or even death, we do not repeat the warning of possible injury or death whenever the risk of falling is mentioned.

⚠ WARNING!

Indicates a hazard or unsafe practice that will result in severe injury or death. Failure to read, understand and follow the safety information in this manual may result in serious injury or death.

⚠ CAUTION!

Indicates a hazard or unsafe practice that could result in minor injury.

NOTICE

Indicates a hazard unrelated to personal injury, such as property damage.

USER RESPONSIBILITY

⚠ WARNING!

Do not install any kind of power plant or internal combustion engine to a bicycle. Adapting a bicycle in this manner poses an extreme safety risk to rider and could result in loss of control or death.

All persons assembling, using, and maintaining the bicycle must read and understand the safety warnings and operating instructions in this manual before using the bicycle.

It is the responsibility of the user, or in the case of a child rider, an adult, to ensure the bicycle is properly maintained and in proper operating condition. Doing so will reduce the risk of injury. Always conduct regular maintenance and inspection of your bicycle. Complete the Safety Checklist at the end of this section before each use.

A responsible adult must always supervise the use of the bicycle by a child. You must ensure:

- The child is wearing the proper protective attire and approved bicycle helmet.
- The child is seated securely and the bicycle is properly fitted to the child.
- The child understands applicable laws and common sense rules of safe responsible bicycling.

Quick-release Levers

⚠ WARNING!

Improper setup or maintenance of the quick-release levers may result in an unexpected movement, loss of control, and serious injury or death. Before riding always check that the quick-release lever is firmly locked in place and the seat does not move.

Wheels

- 1 Some bicycles will come equipped with quick-release levers for the front wheel. The wheels must be securely locked. Ensure the wheel quick-release lever is firmly locked in place. Figure 1.3

Seat Post

- 2 Ensure the seat post's *minimum insertion marks* are not visible above the quick-release seat clamp and the clamp is locked in place.

Note: See Section 4: *Adjusting the Seat Height* if adjustments are needed.




Figure 1.3

PERSONAL SAFETY

⚠ WARNING!

Riding a bicycle without protective gear, clothing, or a helmet may result in serious injury or death. Always wear protective gear, clothing, and helmet when riding the bicycle. Ensure protective gear does not interfere with steering, braking, and pedalling.

Protective Gear and Clothing


Always wear: Figure 1.4

- Colors that are easily seen and, if possible, reflective clothing.
- Clothing appropriate for the weather conditions.
- Use of protective gear such as pads for the knees and elbows is highly recommended for children.
- A properly fitted, ASTM or SNELL approved, bicycle helmet shall be worn at all times by riders of the bicycle.

Do not wear:

- Loose clothing parts, strings, or jewelry that may become entangled with moving parts on the bicycle or interfere with handling of the bicycle.

- Pants with loose pant legs. If necessary, always tuck pant legs into a sock or use a leg band to avoid the clothing becoming caught in the drive chain.
- Shoes with untied shoe laces.



Helmet Use

Important! Many states and provinces have passed helmet laws. Make sure you know your state's helmet laws. It is your job to enforce these rules with your children. Even if your state/province does not have a children's helmet law, it is recommended that everyone wear a helmet when cycling. When riding with a child carrier seat or trailer, children must wear a helmet.


It is strongly advised that a properly fitting, ASTM or SNELL approved, bicycle safety helmet be worn at all times when riding your bicycle. In addition, if you are carrying a passenger in a child safety seat, they must also be wearing a helmet.

The correct helmet should: Figure 1.5

- Be comfortable
- Have good ventilation
- Fit correctly
- Cover forehead

Incorrect helmet position: Figure 1.6

- Helmet *does not* cover the forehead



Reflectors


⚠ WARNING!

Missing, damaged, or dirty reflectors will affect the ability of others to see and recognize you as a moving bicyclist, increasing the risk of being hit, serious injury or death. Always check the reflectors are in place and make sure they are clean, straight, unbroken and securely mounted before riding the bicycle.

Important! Federal regulations require every bicycle over 16 inches to be equipped with front, rear, wheel, and pedal reflectors. Many states require specific safety devices. It is your responsibility to familiarize yourself with the laws of the state where you ride and to comply with all applicable laws, including properly equipping yourself and your bike as the law requires. Bicycles under 16 inches are considered "sidewalk bicycles" and may not be fitted with reflectors. These bicycles should **not** be ridden on streets, at night or unsupervised by an adult.

Check and confirm the front and rear reflectors are in the correct position: **Figure 1.7**

- **Front Reflector:** Should aim forward (when viewed from above) and be mounted so it is within 5 degrees of vertical.
- **Rear Reflector:** Should aim straight back (when viewed from above) and be mounted so it is within 5 degrees of vertical.



RIDING SAFETY

⚠ WARNING!

Riding the bicycle in unsafe conditions (i.e. at night), in an unsafe manner, or disregarding traffic laws may result in an unexpected movement, loss of control, and serious injury or death.

General Safety

- Familiarize yourself with all the bicycle's features before riding. Practice gear shifts, braking, and the use of toe clips and straps, if installed.
- Always ride defensively in a predictable, straight line. Never ride against traffic.
- Expect the unexpected (e.g., opening car doors or cars backing out of concealed driveways).
- Take extra care at intersections and when preparing to pass other vehicles.
- Maintain a comfortable stopping distance from all other riders, vehicles and objects. Safe braking distances and forces are subject to the prevailing weather conditions. Do not lock up the brakes. When braking, always apply the rear brake first, then the front. The front brake is more powerful and if it is not correctly applied, you may lose control and fall.
- Always use the correct hand signals to indicate turning or stopping.
- Obey the traffic laws (e.g., stopping at a red light or stop sign, giving way to pedestrians).

- Wear proper riding attire, reflective if possible, and avoid open toe shoes.
- Do not use items that may restrict your hearing and vision.
- Do not carry packages or passengers that will interfere with your visibility or control of the bicycle.

Road Conditions

- Be aware of road conditions. Concentrate on the path ahead. Avoid pot holes, gravel, wet road markings, oil, curbs, speed bumps, drain grates and other obstacles.
- Cross train tracks at a 90 degree angle or walk your bicycle across.


Wet Weather

- When riding in wet weather always wear reflective clothing and use safety lights to enhance visibility.
- Exercise extreme caution when riding in wet conditions.
- Ride at a slower speed. Turn corners gradually and avoid sudden braking.
- Brake earlier, it will take a longer distance to stop.
- Pot holes and slippery surfaces such as line markings and train tracks all become more hazardous when wet.

Adres: Baoshanqu Shuangchenglu 803long 11hao 1602A-1609shi Shanghai

Geïmporteerd naar AUS: SIHAO PTY LTD. 1 ROKEVA STREETEASTWOOD NSW 2122
Australië

Geïmporteerd naar de VS: Sanven Technology Ltd. Suite 250, 9166 Anaheim Place, Rancho
Cucamonga, CA 91730



SHUNSHUN GmbH
Römeräcker 9 Z2021,76351
Linkenheim-Hochstetten, Germany
euvertreter@gmail.com
+49 1727041930



Pooledas Group Ltd
Unit 5 Albert Edward House, The
Pavilions Preston, United Kingdom
pooledas123@gmail.com
01772418127

VEVOR[®]

TOUGH TOOLS, HALF PRICE

Technisch Ondersteuning en e-garantiecertificaat

www.vevor.com/support

VEVOR[®]

TOUGH TOOLS, HALF PRICE

Teknisk Support och e-garanticertifikat www.vevor.com/support

TREHJULING

(Aluminiumram - enhastighetsserie)

**SS001-1; SS001-2; SS001-3; SS001-4; SS001-5;
SS001-6;**

We continue to be committed to provide you tools with competitive price. "Save Half", "Half Price" or any other similar expressions used by us only represents an estimate of savings you might benefit from buying certain tools with us compared to the major top brands and does not necessarily mean to cover all categories of tools offered by us. You are kindly reminded to verify carefully when you are placing an order with us if you are actually saving half in comparison with the top major brands.

Modell: SS001-1; SS001-2; SS001-3; SS001-4; SS001-5; SS001-6;



(Bilderna är endast för referens, vänligen hänvisa till den faktiska produkten)

NEED HELP? CONTACT US!

Have product questions? Need technical support? Please feel free to contact

us: **Technical Support and E-Warranty Certificate**

www.vevor.com/support

This is the original instruction, please read all manual instructions carefully before operating. VEVOR reserves a clear interpretation of our user manual. The appearance of the product shall be subject to the product you received. Please forgive us that we won't inform you again if there are any technology or software updates on our product.

kära kund

Tack för att du valde vår trehjuling. Den här bruksanvisningen visar dig hur du monterar din trehjuling. Läs bruksanvisningen och följ den. Manualen innehåller viktig information om montering av trehjulingen. Om du är orolig rekommenderar vi att du frågar en trehjuling mekaniker för hjälp. Du kontaktar oss också via ditt shoppingkonto.

INNEHÅLL

Trehjulingsdelar.....03
Verktyg och tillbehör.....04
hopsättning	
Steg05~18
Varning och säkerhet19~21

Varmt tips: Produkterna uppdateras ständigt utan förvarning. Om vissa delar på bilden inte stämmer överens med de riktiga, hänvisa till de riktiga.



VARNING:

Denna produkt innehåller små delar. Om den sväljs kommer den att utgöra en

kvävningsrisk. Håll dessa små delar borta från barn när du monterar dem!

Trehjuling delar

Check all parts of the tricycle before assembly. If any parts are missing or damaged, please contact us via your account order.





NO.	Part Name
1	Rear Axle
2	Rear Wheel
3	Rear Axle Plug
4	Frame
5	Chain
6	Chain Cover
7	Front Fender
8	Front Wheel
9	Rear Fender
10	Handlebar
11	Front Brake
12	Seat Post
13	Saddle
14	Pedal
15	Rear Brake Cable
16	Rear Basket
17	Basket Long Gasket
18	Front Reflector
19	Rear Reflector
20	Spoke Reflector
21	Bell










Verktyg & Tillbehör




TOOLS

<p>A</p> 	<p>B</p> 	<p>C</p> 	<p>D</p> 
<p>Allen wrenchs</p>	<p>Wrench</p>	<p>Wrench (for wheels)</p>	<p>Screwdriver</p>

Accessories

- Some screws have been pre-installed in the corresponding positions.

				
<p>Rear left/right wheel screw and shaft sleeve x1</p>	<p>Front wheel screw and safety buckle x2</p>		<p>4 screws and 4 nuts for rear basket</p>	<p>Basket metal fixing plate x12</p>







		
<p>Front fender bracket screw x1, Front fender fixing front fork screw x1</p>	<p>Rear fender bracket screws x8</p>	<p>Rear fender screws x6</p>

Monteringssteg




HOW TO ASSEMBLE THE REAR AXLE AND THE CHAIN

1

Parts And Tools


Assembly Parts	Frame	Wrench	Wrench
			
Chain	Chain magic buckle		
			

Assembly Steps




HOW TO ASSEMBLE THE REAR AXLE AND THE CHAIN


1



Insert the chain connector as shown



Insert binocular spacers as shown



Insert clasp as shown



Pull the tripod back so the chain is taut and straight



Tighten the nuts on both sides respectively



Finished

HOW TO ASSEMBLE THE REAR WHEELS

2

Parts And Tools

Assembly Parts	Rear Wheels	Nut caps	Wrench
			

Assembly Steps




Insert the rear tripod shaft to the left/right Side Wheel (note the sleeve of the yellow circle)



Insert flat washer



Screw in nut



Cover the rear axle nut caps







Finished


HOW TO ASSEMBLE THE FRONT WHEEL

3

Parts And Tools

Fork	Front Fender	Front Wheel	Tools
			

Assembly Steps



Assemble the front fender



Insert screw as shown




Screw in the nut on the other side and lock



Lock both fender support rods in turn



Assemble front wheel as shown



Put in the special type washer



Then put in the nut



Lock with a wrench



HOW TO ASSEMBLE THE CHAIN COVER

4

Parts And Tools

Assembly Parts	Chain Cover	Screwdriver
		

Assembly Steps



HOW TO ASSEMBLE THE BELL AND REFLECTORS

5

Parts And Tools

Bell	Front & Rear Reflector	Rear Fender	Screwdriver
			

Assembly Steps



Attach the bell on the handlebar



Tighten the screw




Assemble the front reflector



Tighten the screw



Put in nuts and tighten screws



Install the rear reflector



Insert the rear reflector screw into the hole as shown



Tighten the nut






Finished

HOW TO ASSEMBLE THE REAR FENDER

6

Parts And Tools

Rear Axle	Rear Fender	Screwdriver
		

Assembly Steps



Install rear fender support rods




Insert the screw and tighten the nut as shown




The single support rod is assembled




Follow the above steps to install the support rods of both fenders



Note that rear fender support rod holes correspond to frame holes



Insert screw as shown screw in nut



Tighten the nut



Follow the steps above to tighten the remaining screws as shown



Finished



HOW TO ASSEMBLE THE PEDALS

7

Parts And Tools

Handlebar Tube	Handlebar	Screwdriver
		

Assembly Steps



Parts And Tools

Saddle Tube	Saddle Post	Saddle	Wrench
			

Assembly Steps



Need to put the saddle post into the circled hole



Loosen the screw



Insert saddle post



Tighten the screw



Insert the saddle



Adjust the height and Angle of the saddle and tighten the saddle clamp

HOW TO ASSEMBLE THE PEDALS

9

Parts And Tools



Assembly Steps



Differentiate the pedals



Mounting pedal




Grip the pedal and tighten it





Finished

Parts And Tools







Assembly Steps


Note: The front brake is mounted on the left and the rear brake is mounted on the right



Parts And Tools

Rear Axle	Basket	Basket parts	Screwdriver
			


Assembly Steps



Assemble the basket as indicated in the picture and secure with metal sheets.

HOW TO ASSEMBLE THE REAR BASKET

11



Basket assembly




Secure with metal sheets



Finished




Four holes for fixing basket



Put the basket



Tighten the screw



Tighten all screws



Finished

Varning och säkerhet

2 Safety

SAFETY SIGNAL WORDS

The following safety signal words indicate a safety message. The symbol alerts you to potential hazards. Failure to follow the warning may result in damage to property, injury, or death.

This manual contains many Warnings and Cautions concerning the consequences of failure to follow safety warnings. Because any fall can result in serious injury or even death, we do not repeat the warning of possible injury or death whenever the risk of falling is mentioned.

⚠ WARNING!

Indicates a hazard or unsafe practice that will result in severe injury or death. Failure to read, understand and follow the safety information in this manual may result in serious injury or death.

⚠ CAUTION!

Indicates a hazard or unsafe practice that could result in minor injury.

NOTICE

Indicates a hazard unrelated to personal injury, such as property damage.

USER RESPONSIBILITY

⚠ WARNING!

Do not install any kind of power plant or internal combustion engine to a bicycle. Adapting a bicycle in this manner poses an extreme safety risk to rider and could result in loss of control or death.

All persons assembling, using, and maintaining the bicycle must read and understand the safety warnings and operating instructions in this manual before using the bicycle.

It is the responsibility of the user, or in the case of a child rider, an adult, to ensure the bicycle is properly maintained and in proper operating condition. Doing so will reduce the risk of injury. Always conduct regular maintenance and inspection of your bicycle. Complete the Safety Checklist at the end of this section before each use.

A responsible adult must always supervise the use of the bicycle by a child. You must ensure:

- The child is wearing the proper protective attire and approved bicycle helmet.
- The child is seated securely and the bicycle is properly fitted to the child.
- The child understands applicable laws and common sense rules of safe responsible bicycling.

Quick-release Levers

⚠ WARNING!

Improper setup or maintenance of the quick-release levers may result in an unexpected movement, loss of control, and serious injury or death. Before riding always check that the quick-release lever is firmly locked in place and the seat does not move.

Wheels

- 1 Some bicycles will come equipped with quick-release levers for the front wheel. The wheels must be securely locked. Ensure the wheel quick-release lever is firmly locked in place. **Figure 1.3**

Seat Post

- 2 Ensure the seat post's *minimum insertion marks* are not visible above the quick-release seat clamp and the clamp is locked in place.

Note: See **Section 4: Adjusting the Seat Height** if adjustments are needed.




Figure 1.3

PERSONAL SAFETY

⚠ WARNING!

Riding a bicycle without protective gear, clothing, or a helmet may result in serious injury or death. Always wear protective gear, clothing, and helmet when riding the bicycle. Ensure protective gear does not interfere with steering, braking, and pedalling.

Protective Gear and Clothing


Always wear: Figure 1.4

- Colors that are easily seen and, if possible, reflective clothing.
- Clothing appropriate for the weather conditions.
- Use of protective gear such as pads for the knees and elbows is highly recommended for children.
- A properly fitted, ASTM or SNELL approved, bicycle helmet shall be worn at all times by riders of the bicycle.

Do not wear:

- Loose clothing parts, strings, or jewelry that may become entangled with moving parts on the bicycle or interfere with handling of the bicycle.

- Pants with loose pant legs. If necessary, always tuck pant legs into a sock or use a leg band to avoid the clothing becoming caught in the drive chain.
- Shoes with untied shoe laces.



Helmet Use

Important! Many states and provinces have passed helmet laws. Make sure you know your state's helmet laws. It is your job to enforce these rules with your children. Even if your state/province does not have a children's helmet law, it is recommended that everyone wear a helmet when cycling. When riding with a child carrier seat or trailer, children must wear a helmet.


It is strongly advised that a properly fitting, ASTM or SNELL approved, bicycle safety helmet be worn at all times when riding your bicycle. In addition, if you are carrying a passenger in a child safety seat, they must also be wearing a helmet.

The correct helmet should: Figure 1.5

- Be comfortable
- Have good ventilation
- Fit correctly
- Cover forehead

Incorrect helmet position: Figure 1.6

- Helmet *does not* cover the forehead



Reflectors


⚠ WARNING!

Missing, damaged, or dirty reflectors will affect the ability of others to see and recognize you as a moving bicyclist, increasing the risk of being hit, serious injury or death. Always check the reflectors are in place and make sure they are clean, straight, unbroken and securely mounted before riding the bicycle.

Important! Federal regulations require every bicycle over 16 inches to be equipped with front, rear, wheel, and pedal reflectors. Many states require specific safety devices. It is your responsibility to familiarize yourself with the laws of the state where you ride and to comply with all applicable laws, including properly equipping yourself and your bike as the law requires. Bicycles under 16 inches are considered "sidewalk bicycles" and may not be fitted with reflectors. These bicycles should **not** be ridden on streets, at night or unsupervised by an adult.

Check and confirm the front and rear reflectors are in the correct position: **Figure 1.7**

- **Front Reflector:** Should aim forward (when viewed from above) and be mounted so it is within 5 degrees of vertical.
- **Rear Reflector:** Should aim straight back (when viewed from above) and be mounted so it is within 5 degrees of vertical.



RIDING SAFETY

⚠ WARNING!

Riding the bicycle in unsafe conditions (i.e. at night), in an unsafe manner, or disregarding traffic laws may result in an unexpected movement, loss of control, and serious injury or death.

General Safety

- Familiarize yourself with all the bicycle's features before riding. Practice gear shifts, braking, and the use of toe clips and straps, if installed.
- Always ride defensively in a predictable, straight line. Never ride against traffic.
- Expect the unexpected (e.g., opening car doors or cars backing out of concealed driveways).
- Take extra care at intersections and when preparing to pass other vehicles.
- Maintain a comfortable stopping distance from all other riders, vehicles and objects. Safe braking distances and forces are subject to the prevailing weather conditions. Do not lock up the brakes. When braking, always apply the rear brake first, then the front. The front brake is more powerful and if it is not correctly applied, you may lose control and fall.
- Always use the correct hand signals to indicate turning or stopping.
- Obey the traffic laws (e.g., stopping at a red light or stop sign, giving way to pedestrians).

- Wear proper riding attire, reflective if possible, and avoid open toe shoes.
- Do not use items that may restrict your hearing and vision.
- Do not carry packages or passengers that will interfere with your visibility or control of the bicycle.

Road Conditions

- Be aware of road conditions. Concentrate on the path ahead. Avoid pot holes, gravel, wet road markings, oil, curbs, speed bumps, drain grates and other obstacles.
- Cross train tracks at a 90 degree angle or walk your bicycle across.


Wet Weather

- When riding in wet weather always wear reflective clothing and use safety lights to enhance visibility.
- Exercise extreme caution when riding in wet conditions.
- Ride at a slower speed. Turn corners gradually and avoid sudden braking.
- Brake earlier, it will take a longer distance to stop.
- Pot holes and slippery surfaces such as line markings and train tracks all become more hazardous when wet.

Adress: Baoshanqu Shuangchenglu 803long 11hao 1602A-1609shi Shanghai

Importerad till AUS: SIHAO PTY LTD. 1 ROKEVA STREETEASTWOOD NSW 2122 Australien

Importerad till USA: Sanven Technology Ltd. Suite 250, 9166 Anaheim Place, Rancho Cucamonga, CA 91730



SHUNSHUN GmbH

Römeräcker 9 Z2021,76351

Linkenheim-Hochstetten, Germany

euvertreter@gmail.com

+49 1727041930



Pooledas Group Ltd

Unit 5 Albert Edward House, The

Pavilions Preston, United Kingdom

pooledas123@gmail.com

01772418127

VEVOR[®]

TOUGH TOOLS, HALF PRICE

Teknisk Support och e-garanticertifikat

www.vevor.com/support