

# ADVANCED DURABILITY FOR LONGER LASTING BEAUTY.®





LP SmartSide Lap, Panel, Trim & Fascia



LP SmartSide Panel, Trim & Fascia



LP SmartSide Lap, Cedar Texture Shakes

**LP** SmartSide®  
TRIM & SIDING

Product Guide & Specifications



Featured: LP SmartSide Cedar Texture Shakes (Staggered), Panel (Board & Batten), Soffit, Trim & Fascia

# 01

## ENGINEERED TO IMPRESS

Durability	03
Workability	05
Sustainability	07
Beauty	09

# 11

## PRODUCTS

ExpertFinish	13
Lap Siding	17
Shakes	19
Panel & Vertical Siding	21
Trim & Fascia	23
Soffit	25

# 27

## APPLICATIONS

New Home	29
Remodel	30
Outdoor Building Solutions	31
Multifamily	32

# 33

## SPECIFICATIONS

ExpertFinish	35
Cedar Texture Lap	47
Smooth Finish Lap	48
Lap Siding Coverage Chart	49
Cedar Texture Shakes	50
Cedar Texture Panel	51
New Vertical Siding	53
Cedar Texture Trim	54
Smooth Finish Trim	55
Cedar Texture Soffit	56
Vented Soffit	57
New Smooth Finish Soffit	58

# ENGINEERED TO IMPRESS.

With over 20 years of successful performance, it's easy to see why the LP® SmartSide® brand is one of the fastest-growing brands of siding materials in the United States.

## A PIONEER OF CHANGE

LP has redefined traditional building materials with treated engineered wood products that are designed to offer game-changing durability, beauty and workability. LP is a building industry leader in a category that is shaping the way homes, outdoor building structures, and light commercial properties are being built.

See the innovation that goes into making LP SmartSide products at [YouTube.com/LPSmartSide](https://www.youtube.com/LPSmartSide).

Featured: LP SmartSide Lap, Panel & Trim (Board & Batten), Trim & Fascia

# BECAUSE STRENGTH IS MAKE OR BREAK



## A NATURAL DEFENSE AGAINST NATURE


All LP® SmartSide® products are treated to the core through our proprietary SmartGuard® process. With four components of protection, the SmartGuard process adds strength and helps LP SmartSide products withstand impacts, freeze/thaw cycles, high humidity, fungal decay and more.

See more about how LP SmartSide products are made at [YouTube.com/LPSmartSide](https://www.youtube.com/LPSmartSide).



## FOUR COMPONENTS OF PROTECTION

LP's proprietary SmartGuard® manufacturing process ensures that every LP SmartSide Trim & Siding product is treated with an advanced formula of adhesive resins, water-resistant waxes and zinc borate, after which a water-resistant, resin-saturated overlay is bonded to the product. The result: four components of protection against water damage, termites and fungal decay.



## OUTSTANDING IMPACT RESISTANCE

Testing shows that LP SmartSide strand products resist impact better than vinyl and fiber cement siding, which means they can stand up better against everything from everyday bumps to airborne storm debris. And because it doesn't break as easily as fiber cement siding, LP SmartSide strand siding is also easier to handle and install, and results in less waste.



## HAIL AND WIND RESISTANCE

Third-party test results demonstrate that LP SmartSide lap siding resisted hail damage better than fiber cement and vinyl. In fact, the LP SmartSide warranty covers impacts from hail up to 1.75" in diameter. LP SmartSide lap siding is also designed to withstand tough storms with wind gusts of up to 200 miles per hour. Refer to ESR-1301, Table 2B, Lap Siding.



Untreated wood (left), LP SmartSide (right)

## RESISTANCE TO FUNGAL DECAY AND TERMITES

Since 1996, LP SmartSide strand substrate siding has undergone brutal testing in Hilo, Hawaii. An average temperature of more than 70 degrees, high levels of humidity, and almost 170 inches of annual rainfall make Hilo's climate the perfect breeding ground for termites, moisture and fungal decay. Yet our Exterior Exposure Program continues to validate that LP SmartSide siding performs over time.

## BACKED BY STRONG WARRANTIES

LP has your back with an industry-leading, transferable limited warranty for LP® SmartSide® products: a 5-year 100% labor and material replacement warranty with a 50-year prorated limited warranty. LP® SmartSide® ExpertFinish® Trim & Siding products include an additional 15-year finish warranty.



For complete warranty details visit [LPCorp.com](https://www.LPCorp.com)

## WORKS THE WAY WOOD IS SUPPOSED TO

LP® SmartSide® treated engineered wood siding cuts out the time you spend dealing with warped and split pieces when properly stored and applied. Virtually every piece leaves the mill straight and ready to use. Plus, you'll get lengths up to 16', which may mean fewer seams and less waste to haul off the site.

### MAKES BUILDING EASIER, FASTER, MORE EFFICIENT

LP SmartSide Trim & Siding cuts with standard woodworking tools, unlike fiber cement cladding that recommends expensive diamond blades. LP SmartSide products weigh less, resist breakage during handling, and make installation more efficient. Plus, all LP SmartSide products come pre-primed and ready to paint to help you save time.

### LP HAS WORKABILITY NAILED

- Works and cuts like traditional wood
- Requires fewer tools
- Weighs less, easier to carry, less breakage than fiber cement
- Longer lengths may mean fewer seams and less waste

Watch our **Building Science** videos to see how LP makes treated engineered wood products last longer at [YouTube.com/LPSmartSide](https://www.youtube.com/LPSmartSide).



## GROW WITH US

### A SMART CHOICE FOR OUR PLANET

LP® SmartSide® Trim & Siding products are must-have materials to help builders qualify for green building programs. Plus, many homeowners and building owners are demanding sustainable products that have minimal impact on our environment.



We're not just building for the future; we're helping to protect it by using Sustainable Forestry Initiative® (SFI) certified forest management and fiber sourcing systems to help ensure that our wood comes from well-managed forests.

### NATURALLY SUSTAINABLE

The LP SmartSide manufacturing process begins with wood, a renewable resource, grown and gathered under strict SFI standards. We target fast-growing trees and use 99% of the log for either the product or the fuel to make it. Plus, all binding agents and resins are low-emitting.

### RESPONSIBLY MADE WITH WOOD

- Responsibly made with a renewable resource—wood
- 99% of the log is used
- Qualifies for green building programs

Learn more about LP's environmental programs at [LPCorp.com](https://www.lpcorp.com).

## ADVANCED DURABILITY FOR LONGER LASTING BEAUTY®

Siding plays a big role in a home's curb appeal. That's why LP® SmartSide® Trim & Siding is built to last and designed to make any home's design vision come to life. Because of its engineered wood strand technology and variety of textures, styles and colors, LP SmartSide products elevate any structure, from traditional homes to modern masterpieces. LP SmartSide products are also available in ExpertFinish® color to add another element of versatile design to your projects.

**CEDAR**

**SMOOTH**



**CEDAR TEXTURE LAP**



**SMOOTH FINISH LAP**



# BRING YOUR DESIGN VISION TO LIFE.

Choose your style. Choose your ExpertFinish® prefinished color. Get the look you want. That's the beauty of working with LP® SmartSide® products—engineered wood offers you versatility in color, texture and style to achieve stunning results with ease.

## PICTURE IT BEAUTIFUL

LP SmartSide products help homeowners bring their design visions to life. From the bold look of cedar texture and the classic look of smooth finish to versatile ExpertFinish® prefinished color options, LP SmartSide Trim & Siding is always in style. It's been the siding of choice for over 20 years for homeowners who want uncompromising quality and distinctive beauty.

See how LP SmartSide products can look on your home with the Home Visualizer tool, available at [LPCorp.com/Home-Visualizer](https://www.lpcorp.com/Home-Visualizer).

# DURABLE SIDING. NOW IN COLOR.

The advanced durability you expect from LP® SmartSide® Trim & Siding now comes in color. With 16 versatile prefinished colors there's a color that'll complement your project, no matter your style. Start visualizing how you could bring color to your design today!

## BRING COLOR TO YOUR DESIGN

LP® SmartSide® ExpertFinish® Trim & Siding offers more design options than ever. This factory finished siding with uniform color provides durability without sacrificing beauty.

- Installs easier with ExpertFinish Lap, which helps limit the need for seam caulking, joint moulds, or pan flashing
- Backed by an industry-leading 5/15/50-year limited warranty: 5-year labor and materials, 15-year finish, and 50-year substrate
- May allow for time and labor savings for the installer and builder
- Provides a polished look



Visualize your next project and discover color at [LPCorp.com/ExpertFinish](https://LPCorp.com/ExpertFinish).

Which color is best for your build? Explore our collection of 16 versatile prefinished colors.



See the complete list of colors and product availability on pages 35-36.


Please contact your local LP SmartSide sales representative for product availability.



Featured: LP SmartSide ExpertFinish Cedar Texture Lap in Summit Blue, Trim & Fascia in Snowscape White

## PREFINISHED COLOR FOR A CLEAN, POLISHED LOOK

LP® SmartSide® ExpertFinish® Trim & Siding can take your vision to the next level with several exclusive products designed to add style and a clean finish to your home. Siding and trim in colors that pop can make your home stand out, while additional details create a polished look that'll last.



EXPERTFINISH LAP



J-BLOCK



MINI-SPLIT



OUTSIDE CORNER



## DURABLE SIDING TO COMPLEMENT ANY HOME

Create the look you want with a versatile selection of LP® SmartSide® products. Engineered to stand up to extreme weather, LP SmartSide Lap Siding is a natural, durable choice for structures in any region. Plus, it's the perfect companion cladding for structures partially finished in stucco, stone and brick.



**CEDAR TEXTURE LAP**



**SMOOTH FINISH LAP**



## CRAFTED TO STAND THE TEST OF TIME

---

When you use LP® SmartSide® Shakes on your projects, people will notice your attention to every detail. The beautiful aesthetic can be used for accents, gables or siding walls and will take curb appeal to the next level. It's a must-have product for when you want your craftsmanship to stand out on any home or shed.



**CEDAR TEXTURE SHAKES**



Featured: LP SmartSide Panel & Trim (Board & Batten), Fascia and Soffit

## PANELS THAT BOAST CONSISTENCY AND TOUGHNESS


Tough to the core, LP® SmartSide® Panel Siding is a treated engineered wood product that's more durable, stable and consistent than traditional wood panels. It's easy to recommend for multifamily, shed and residential applications that require a premium look and the toughness to combat extreme weather.



CEDAR TEXTURE PANEL

## A CHARMING LOOK WITH THE DURABILITY TO LAST

LP SmartSide Vertical Siding lets you re-create the charming appearance of board and batten while providing the added protection of the SmartGuard® process.



CEDAR TEXTURE VERTICAL SIDING



NEW SMOOTH FINISH VERTICAL SIDING



Featured: LP SmartSide Panel & Trim (Board & Batten), Soffit, Trim & Fascia

## CREATE A LASTING IMPRESSION WITH A FINISHING TOUCH

LP® SmartSide® Trim & Fascia are the finishing touch that's the first to get noticed. With its smooth finish or deep cedar-grain texture and variety of widths and thicknesses, you can add custom design accents that take curb appeal to the next level. LP SmartSide Trim is a must-have product for when you want your craftsmanship to stand out on any home or shed.



**CEDAR TEXTURE TRIM**



**SMOOTH FINISH TRIM**



## AN INNOVATIVE WAY TO COVER EVERY DETAIL

When you use LP® SmartSide® Soffit on your projects, people will notice your attention to every detail. You'll get the same woodgrain or smooth look that matches other LP SmartSide products in a soffit that's pre-cut to the width you need. Vented soffits are also available with precisely cut, bug-resistant vents.



**CEDAR TEXTURE SOFFIT**



**VENTED SOFFIT**



**NEW SMOOTH FINISH SOFFIT**



# MAKE A BOLD FIRST IMPRESSION.

LP® SmartSide® Trim & Siding products come in a variety of styles for homes and other applications, including smooth finish and cedar texture to help create the exact look you want. They also come in 16 prefinished ExpertFinish® colors designed to enhance any project. Use LP SmartSide products on their own or to complement other claddings, such as brick or stone. With products and colors this versatile, the possibilities are virtually endless.



## NEW HOME

Every homeowner wants a custom look that they can take pride in. They want a style that helps differentiate their new home from the one next door. LP® SmartSide® products give builders and architects the ability to design a signature look with a wow-factor that leaves a lasting impression.

[LPCorp.com/NewHome](https://www.lpcorp.com/NewHome)

### POPULAR CHOICES FOR NEW HOMES:

- LP® SmartSide® Lap Siding
- LP® SmartSide® Cedar Texture Shakes
- LP® SmartSide® Trim & Fascia
- LP® SmartSide® Soffit
- LP® SmartSide® Vertical Siding
- LP® SmartSide® ExpertFinish® Trim & Siding



## REMODEL

LP® SmartSide® products can help give any home new life with their beautiful selection of styles and profiles. They easily transform homes from boring to bold with their rich cedar grain texture. When you start using LP SmartSide products, it's easy to see why homeowners love them and professional remodelers love to work with them.

[LPCorp.com/Remodel](https://www.lpcorp.com/Remodel)

### POPULAR CHOICES FOR REMODELING:

- LP® SmartSide® Lap Siding
- LP® SmartSide® Cedar Texture Shakes
- LP® SmartSide® Trim & Fascia
- LP® SmartSide® Soffit
- LP® SmartSide® ExpertFinish® Trim & Siding



## OUTDOOR BUILDING SOLUTIONS®

LP® Outdoor Building Solutions® engineered wood products feature innovations that help offer more value to customers. With innovations like SilverTech® panel for a brighter and cooler interior and SmartFinish® overlay for a tough, attractive appearance, LP Outdoor Building Solutions products give you quality you can see inside and out.

[LPCorp.com/Shed](https://www.lpcorp.com/Shed)

### POPULAR CHOICES FOR OUTDOOR BUILDINGS:

- LP® SmartSide® Panel Siding
- LP® SmartSide® Panel Siding with SilverTech
- LP® SmartSide® Panel Siding with SmartFinish
- LP® SmartSide® Lap Siding
- LP® ProStruct® Flooring with SmartFinish
- LP® ProStruct® Roof with SilverTech
- LP® SmartSide® Trim & Fascia
- LP® SmartSide® ExpertFinish® Trim & Siding

## MULTIFAMILY

Designed to combine style and durability, LP® SmartSide® Trim & Siding products are a great fit for multifamily developments. They are compatible with a wide range of styles, claddings and colors, offering flexibility and versatility in both function and design. Because engineered wood is built to last, multifamily structures using LP SmartSide products stand the test of time.

[LPCorp.com/Multifamily](https://www.lpcorp.com/Multifamily)

### POPULAR CHOICES FOR MULTIFAMILY:

- LP® SmartSide® Panel Siding
- LP® SmartSide® Lap Siding
- LP® SmartSide® Vertical Siding
- LP® SmartSide® Trim & Fascia
- LP® SmartSide® Soffit
- LP® SmartSide® ExpertFinish® Trim & Siding

# TAKE A CLOSER LOOK

## GET THE DETAILS ON EACH PRODUCT

LP® SmartSide® products come in different lengths, widths, textures, ExpertFinish® colors and profiles, so there's an ideal product for virtually any set of needs. Each option has its own unique combination of advantages. Find all those details and product specifications here, including ExpertFinish color availability for each product.

Specifications: LP® SmartSide® ExpertFinish® Trim & Siding

**EXPERTFINISH®**

COLOR	38 Series 6" Lap Cedar Texture & Smooth	38 Series 8" Lap Cedar Texture & Smooth	540 Series 7.25" x 7.25" J-Blocks	540 Series 7.25" x 6.75" Mini Splits	540 Series 2" Trim Cedar Texture	540 Series 4" Trim Cedar Texture & Smooth	540 Series 6" Trim Cedar Texture & Smooth	540 Series 8" Trim Cedar Texture & Smooth	540 Series 10" Trim Cedar Texture & Smooth	540 Series 12" Trim Cedar Texture & Smooth	440 Series 4" Trim Cedar Texture & Smooth	440 Series 6" Trim Cedar Texture & Smooth	440 Series 8" Trim Cedar Texture & Smooth	440 Series 10" Trim Cedar Texture & Smooth	440 Series 12" Trim Cedar Texture & Smooth	190 Series 3" Trim Cedar Texture	38 Series 12" or 16" Vented Soffit	38 Series 4" x 8' Soffit Panel	38 Series 12" or 16" Closed Soffit	38 Series 4" x 8" or 4' x 10' Soffit Panel	38 Series 16" x 16" Vertical Siding	540 Series 4" x 10" Outside Corner	540 Series 6" x 10" Outside Corner	38 Series 12" x 48" Cedar Texture Shakes
Snowscape White	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Shoreline Cream	•	•	•	•	•																			
Sand Dunes	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Desert Stone	•	•	•	•	•																			
Quarry Gray	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Prairie Clay	•	•	•	•	•																			
Marshland Moss	•	•	•	•	•																			
Terra Brown	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Timberland Suede	•	•	•	•	•																			
Canyon Brown	•	•	•	•	•																			
Redwood Red	•	•	•	•	•																			
Tundra Gray	•	•	•	•	•																			
Summit Blue	•	•	•	•	•																			
Cavern Steel	•	•	•	•	•																			
Rapids Blue	•	•	•	•	•																			
Abyss Black	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•

## SNOWSCAPE WHITE

DESCRIPTION	LENGTH	ACTUAL WIDTH	MINIMUM THICKNESS	PID NUMBER	WEIGHT
38 Series ExpertFinish Lap - Cedar Texture	16 ft. (192 in.)(4.9 m)	5.84 in. (14.8 cm)	0.315 in. (8 mm)	41715	1.5 PSF
	16 ft. (192 in.)(4.9 m)	7.84 in. (19.9 cm)	0.315 in. (8 mm)	41748	1.5 PSF
38 Series ExpertFinish Lap - Smooth Finish	16 ft. (192 in.)(4.9 m)	5.84 in. (14.8 cm)	0.315 in. (8 mm)	41722	1.5 PSF
	16 ft. (192 in.)(4.9 m)	7.84 in. (19.9 cm)	0.315 in. (8 mm)	41729	1.5 PSF
190 Series Cedar Texture Trim	16 ft. (192 in.)(4.9 m)	2.50 in. (6.4 cm)	0.530 in. (13.5 mm)	41721	2 PSF
440 Series Cedar Texture Trim	16 ft. (192 in.)(4.9 m)	3.50 in. (8.9 cm)	0.625 in. (15.9 mm)	41745	2 PSF
	16 ft. (192 in.)(4.9 m)	5.50 in. (14.0 cm)	0.625 in. (15.9 mm)	41746	2 PSF
	16 ft. (192 in.)(4.9 m)	7.21 in. (18.3 cm)	0.625 in. (15.9 mm)	41747	2 PSF
	16 ft. (192 in.)(4.9 m)	9.21 in. (23.4 cm)	0.625 in. (15.9 mm)	41743	2 PSF
	16 ft. (192 in.)(4.9 m)	11.21 in. (28.5 cm)	0.625 in. (15.9 mm)	41744	2 PSF
440 Series Smooth Finish Trim	16 ft. (192 in.)(4.9 m)	3.50 in. (8.9 cm)	0.625 in. (15.9 mm)	41726	2 PSF
	16 ft. (192 in.)(4.9 m)	5.50 in. (14.0 cm)	0.625 in. (15.9 mm)	41718	2 PSF
	16 ft. (192 in.)(4.9 m)	7.21 in. (18.3 cm)	0.625 in. (15.9 mm)	41717	2 PSF
	16 ft. (192 in.)(4.9 m)	9.21 in. (23.4 cm)	0.625 in. (15.9 mm)	41725	2 PSF
	16 ft. (192 in.)(4.9 m)	11.21 in. (28.5 cm)	0.625 in. (15.9 mm)	41716	2 PSF
540 Series Cedar Texture Trim	16 ft. (192 in.)(4.9 m)	1.50 in. (3.8 cm)	0.910 in. (23.1 mm)	41733	3 PSF
	16 ft. (192 in.)(4.9 m)	3.50 in. (8.9 cm)	0.910 in. (23.1 mm)	41734	3 PSF
	16 ft. (192 in.)(4.9 m)	5.50 in. (14.0 cm)	0.910 in. (23.1 mm)	41735	3 PSF
	16 ft. (192 in.)(4.9 m)	7.21 in. (18.3 cm)	0.910 in. (23.1 mm)	41736	3 PSF
	16 ft. (192 in.)(4.9 m)	9.21 in. (23.4 cm)	0.910 in. (23.1 mm)	41731	3 PSF
	16 ft. (192 in.)(4.9 m)	11.21 in. (28.5 cm)	0.910 in. (23.1 mm)	41732	3 PSF
	16 ft. (192 in.)(4.9 m)	11.21 in. (28.5 cm)	0.910 in. (23.1 mm)	41732	3 PSF
540 Series Smooth Finish Trim	16 ft. (192 in.)(4.9 m)	3.50 in. (8.9 cm)	0.910 in. (23.1 mm)	41728	3 PSF
	16 ft. (192 in.)(4.9 m)	5.50 in. (14.0 cm)	0.910 in. (23.1 mm)	41719	3 PSF
	16 ft. (192 in.)(4.9 m)	7.21 in. (18.3 cm)	0.910 in. (23.1 mm)	41720	3 PSF
	16 ft. (192 in.)(4.9 m)	9.21 in. (23.4 cm)	0.910 in. (23.1 mm)	41727	3 PSF
	16 ft. (192 in.)(4.9 m)	11.21 in. (28.5 cm)	0.910 in. (23.1 mm)	41724	3 PSF
38 Series Cedar Texture Shakes	4 ft. (48.56 in.)(1.2 m)	11.69 in. (29.7 cm)	0.315 in. (8 mm)	42093	2 PSF
38 Series 4' x 8' Cedar Texture Panel NGSE	8 ft. (96 in.)(2.4 m)	48.56 in. (123.4 cm)	0.315 in. (8 mm)	41741	2 PSF
38 Series 4' x 10' Cedar Texture Panel NGSE	10 ft. (120 in.)(3 m)	48.56 in. (123.4 cm)	0.315 in. (8 mm)	41714	2 PSF
38 Series Cedar Texture Vertical Siding	16 ft. (192 in.)(4.9 m)	15.94 in. (40.5 cm)	0.315 in. (8 mm)	41730	1.5 PSF
38 Series Cedar Texture 4' x 8' Soffit	8 ft. (96 in.)(2.4 m)	47.88 in. (121.6 cm)	0.315 in. (8 mm)	41742	-
38 Series Cedar Texture 12" x 16" Closed Soffit	16 ft. (192 in.)(4.9 m)	11.94 in. (30.3 cm)	0.315 in. (8 mm)	41737	-
38 Series Cedar Texture 12" x 16" Vented Soffit	16 ft. (192 in.)(4.9 m)	11.94 in. (30.3 cm)	0.315 in. (8 mm)	41739	-
38 Series Cedar Texture 16" x 16" Closed Soffit	16 ft. (192 in.)(4.9 m)	15.94 in. (40.5 cm)	0.315 in. (8 mm)	41738	-
38 Series Cedar Texture 16" x 16" Vented Soffit	16 ft. (192 in.)(4.9 m)	15.94 in. (40.5 cm)	0.315 in. (8 mm)	41740	-
540 Series Cedar Texture Outside Corners	16 ft. (192 in.)(4.9 m)	3.50 in. (8.9 cm)	0.910 in. (23.1 mm)	42005	-
	16 ft. (192 in.)(4.9 m)	5.50 in. (14.0 cm)	0.910 in. (23.1 mm)	42006	-
Cedar Texture 7.25" x 7.25" J-Block	7.21 in. (18.3 cm)	7.21 in. (18.3 cm)	0.910 in. (23.1 mm)	41972	-
Cedar Texture 7.25" x 6.75" Mini Split	6.75 in. (17.1 cm)	7.21 in. (18.3 cm)	0.910 in. (23.1 mm)	41973	-
Touch-Up Kits	-	-	-	42043	-


## SHORELINE CREAM

DESCRIPTION	LENGTH	ACTUAL WIDTH	MINIMUM THICKNESS	PID NUMBER	WEIGHT
38 Series ExpertFinish Lap - Cedar Texture	16 ft. (192 in.)(4.9 m)	5.84 in. (14.8 cm)	0.315 in. (8 mm)	41836	1.5 PSF
	16 ft. (192 in.)(4.9 m)	7.84 in. (19.9 cm)	0.315 in. (8 mm)	41856	1.5 PSF
38 Series ExpertFinish Lap - Smooth Finish	16 ft. (192 in.)(4.9 m)	5.84 in. (14.8 cm)	0.315 in. (8 mm)	41867	1.5 PSF
	16 ft. (192 in.)(4.9 m)	7.84 in. (19.9 cm)	0.315 in. (8 mm)	41880	1.5 PSF
540 Series Cedar Texture Trim	16 ft. (192 in.)(4.9 m)	1.50 in. (3.8 cm)	0.910 in. (23.1 mm)	41868	3 PSF
Cedar Texture 7.25" x 7.25" J-Block	7.21 in. (18.3 cm)	7.21 in. (18.3 cm)	0.910 in. (23.1 mm)	41984	-
Cedar Texture 7.25" x 6.75" Mini Split	6.75 in. (17.1 cm)	7.21 in. (18.3 cm)	0.910 in. (23.1 mm)	41999	-
Touch-Up Kits	-	-	-	42056	-

## DESERT STONE

DESCRIPTION	LENGTH	ACTUAL WIDTH	MINIMUM THICKNESS	PID NUMBER	WEIGHT
38 Series ExpertFinish Lap - Cedar Texture	16 ft. (192 in.)(4.9 m)	5.84 in. (14.8 cm)	0.315 in. (8 mm)	41842	1.5 PSF
	16 ft. (192 in.)(4.9 m)	7.84 in. (19.9 cm)	0.315 in. (8 mm)	41923	1.5 PSF
38 Series ExpertFinish Lap - Smooth Finish	16 ft. (192 in.)(4.9 m)	5.84 in. (14.8 cm)	0.315 in. (8 mm)	41903	1.5 PSF
	16 ft. (192 in.)(4.9 m)	7.84 in. (19.9 cm)	0.315 in. (8 mm)	41887	1.5 PSF
540 Series Cedar Texture Trim	16 ft. (192 in.)(4.9 m)	1.50 in. (3.8 cm)	0.910 in. (23.1 mm)	41869	3 PSF
Cedar Texture 7.25" x 7.25" J-Block	7.21 in. (18.3 cm)	7.21 in. (18.3 cm)	0.910 in. (23.1 mm)	41977	-
Cedar Texture 7.25" x 6.75" Mini Split	6.75 in. (17.1 cm)	7.21 in. (18.3 cm)	0.910 in. (23.1 mm)	41992	-
Touch-Up Kits	-	-	-	42049	-

### 38 SERIES EXPERTFINISH LAP



\* Same specs for all 16 colors on pages 37-46.

## SAND DUNES

DESCRIPTION	LENGTH	ACTUAL WIDTH	MINIMUM THICKNESS	PID NUMBER	WEIGHT
38 Series ExpertFinish Lap - Cedar Texture	16 ft. (192 in.)(4.9 m)	5.84 in. (14.8 cm)	0.315 in. (8 mm)	41841	1.5 PSF
	16 ft. (192 in.)(4.9 m)	7.84 in. (19.9 cm)	0.315 in. (8 mm)	41861	1.5 PSF
38 Series ExpertFinish Lap - Smooth Finish	16 ft. (192 in.)(4.9 m)	5.84 in. (14.8 cm)	0.315 in. (8 mm)	41879	1.5 PSF
	16 ft. (192 in.)(4.9 m)	7.84 in. (19.9 cm)	0.315 in. (8 mm)	41894	1.5 PSF
190 Series Cedar Texture Trim	16 ft. (192 in.)(4.9 m)	2.50 in. (6.4 cm)	0.530 in. (13.5 mm)	41805	2 PSF
440 Series Cedar Texture Trim	16 ft. (192 in.)(4.9 m)	3.50 in. (8.9 cm)	0.625 in. (15.9 mm)	41811	2 PSF
	16 ft. (192 in.)(4.9 m)	5.50 in. (14.0 cm)	0.625 in. (15.9 mm)	41814	2 PSF
	16 ft. (192 in.)(4.9 m)	7.21 in. (18.3 cm)	0.625 in. (15.9 mm)	41818	2 PSF
	16 ft. (192 in.)(4.9 m)	9.21 in. (23.4 cm)	0.625 in. (15.9 mm)	41784	2 PSF
	16 ft. (192 in.)(4.9 m)	11.21 in. (28.5 cm)	0.625 in. (15.9 mm)	41787	2 PSF
440 Series Smooth Finish Trim	16 ft. (192 in.)(4.9 m)	3.50 in. (8.9 cm)	0.625 in. (15.9 mm)	41925	2 PSF
	16 ft. (192 in.)(4.9 m)	5.50 in. (14.0 cm)	0.625 in. (15.9 mm)	41928	2 PSF
	16 ft. (192 in.)(4.9 m)	7.21 in. (18.3 cm)	0.625 in. (15.9 mm)	41932	2 PSF
	16 ft. (192 in.)(4.9 m)	9.21 in. (23.4 cm)	0.625 in. (15.9 mm)	41946	2 PSF
	16 ft. (192 in.)(4.9 m)	11.21 in. (28.5 cm)	0.625 in. (15.9 mm)	41949	2 PSF
540 Series Cedar Texture Trim	16 ft. (192 in.)(4.9 m)	1.50 in. (3.8 cm)	0.910 in. (23.1 mm)	41871	3 PSF
	16 ft. (192 in.)(4.9 m)	3.50 in. (8.9 cm)	0.910 in. (23.1 mm)	41921	3 PSF
	16 ft. (192 in.)(4.9 m)	5.50 in. (14.0 cm)	0.910 in. (23.1 mm)	41905	3 PSF
	16 ft. (192 in.)(4.9 m)	7.21 in. (18.3 cm)	0.910 in. (23.1 mm)	41908	3 PSF
	16 ft. (192 in.)(4.9 m)	9.21 in. (23.4 cm)	0.910 in. (23.1 mm)	41911	3 PSF
	16 ft. (192 in.)(4.9 m)	11.21 in. (28.5 cm)	0.910 in. (23.1 mm)	41914	3 PSF
540 Series Smooth Finish Trim	16 ft. (192 in.)(4.9 m)	3.50 in. (8.9 cm)	0.910 in. (23.1 mm)	41934	3 PSF
	16 ft. (192 in.)(4.9 m)	5.50 in. (14.0 cm)	0.910 in. (23.1 mm)	41936	3 PSF
	16 ft. (192 in.)(4.9 m)	7.21 in. (18.3 cm)	0.910 in. (23.1 mm)	41917	3 PSF
	16 ft. (192 in.)(4.9 m)	9.21 in. (23.4 cm)	0.910 in. (23.1 mm)	41939	3 PSF
	16 ft. (192 in.)(4.9 m)	11.21 in. (28.5 cm)	0.910 in. (23.1 mm)	41943	3 PSF
38 Series Cedar Texture Shakes	4 ft. (48.56 in.)(1.2 m)	11.69 in. (29.7 cm)	0.315 in. (8 mm)	42094	2 PSF
38 Series 4' x 8' Cedar Texture Panel NGSE	8 ft. (96 in.)(2.4 m)	48.56 in. (123.4 cm)	0.315 in. (8 mm)	41824	2 PSF
38 Series 4' x 10' Cedar Texture Panel NGSE	10 ft. (120 in.)(3 m)	48.56 in. (123.4 cm)	0.315 in. (8 mm)	41827	2 PSF
38 Series Cedar Texture Vertical Siding	16 ft. (192 in.)(4.9 m)	15.94 in. (40.5 cm)	0.315 in. (8 mm)	41820	1.5 PSF
38 Series Cedar Texture 4' x 8' Soffit	8 ft. (96 in.)(2.4 m)	47.88 in. (121.6 cm)	0.315 in. (8 mm)	41952	-
38 Series Cedar Texture 12" x 16' Closed Soffit	16 ft. (192 in.)(4.9 m)	11.94 in. (30.3 cm)	0.315 in. (8 mm)	41791	-
38 Series Cedar Texture 12" x 16' Vented Soffit	16 ft. (192 in.)(4.9 m)	11.94 in. (30.3 cm)	0.315 in. (8 mm)	41848	-
38 Series Cedar Texture 16" x 16' Closed Soffit	16 ft. (192 in.)(4.9 m)	15.94 in. (40.5 cm)	0.315 in. (8 mm)	41794	-
38 Series Cedar Texture 16" x 16' Vented Soffit	16 ft. (192 in.)(4.9 m)	15.94 in. (40.5 cm)	0.315 in. (8 mm)	41851	-
540 Series Cedar Texture Outside Corners	16 ft. (192 in.)(4.9 m)	3.50 in. (8.9 cm)	0.910 in. (23.1 mm)	42014	-
	16 ft. (192 in.)(4.9 m)	5.50 in. (14.0 cm)	0.910 in. (23.1 mm)	42018	-
Cedar Texture 7.25" x 7.25" J-Block	7.21 in. (18.3 cm)	7.21 in. (18.3 cm)	0.910 in. (23.1 mm)	41983	-
Cedar Texture 7.25" x 6.75" Mini Split	6.75 in. (17.1 cm)	7.21 in. (18.3 cm)	0.910 in. (23.1 mm)	41998	-
Touch Up Kits	-	-	-	42055	-

## PRAIRIE CLAY

DESCRIPTION	LENGTH	ACTUAL WIDTH	MINIMUM THICKNESS	PID NUMBER	WEIGHT
38 Series ExpertFinish Lap - Cedar Texture	16 ft. (192 in.)(4.9 m)	5.84 in. (14.8 cm)	0.315 in. (8 mm)	41834	1.5 PSF
	16 ft. (192 in.)(4.9 m)	7.84 in. (19.9 cm)	0.315 in. (8 mm)	41866	1.5 PSF
38 Series ExpertFinish Lap - Smooth Finish	16 ft. (192 in.)(4.9 m)	5.84 in. (14.8 cm)	0.315 in. (8 mm)	41854	1.5 PSF
	16 ft. (192 in.)(4.9 m)	7.84 in. (19.9 cm)	0.315 in. (8 mm)	41881	1.5 PSF
540 Series Cedar Texture Trim	16 ft. (192 in.)(4.9 m)	1.50 in. (3.8 cm)	0.910 in. (23.1 mm)	41889	3 PSF
Cedar Texture 7.25" x 7.25" J-Block	7.21 in. (18.3 cm)	7.21 in. (18.3 cm)	0.910 in. (23.1 mm)	41979	-
Cedar Texture 7.25" x 6.75" Mini Split	6.75 in. (17.1 cm)	7.21 in. (18.3 cm)	0.910 in. (23.1 mm)	41994	-
Touch-Up Kits	-	-	-	42051	-

## MARSHLAND MOSS

DESCRIPTION	LENGTH	ACTUAL WIDTH	MINIMUM THICKNESS	PID NUMBER	WEIGHT
38 Series ExpertFinish Lap - Cedar Texture	16 ft. (192 in.)(4.9 m)	5.84 in. (14.8 cm)	0.315 in. (8 mm)	41838	1.5 PSF
	16 ft. (192 in.)(4.9 m)	7.84 in. (19.9 cm)	0.315 in. (8 mm)	41878	1.5 PSF
38 Series ExpertFinish Lap - Smooth Finish	16 ft. (192 in.)(4.9 m)	5.84 in. (14.8 cm)	0.315 in. (8 mm)	41857	1.5 PSF
	16 ft. (192 in.)(4.9 m)	7.84 in. (19.9 cm)	0.315 in. (8 mm)	41897	1.5 PSF
540 Series Cedar Texture Trim	16 ft. (192 in.)(4.9 m)	1.50 in. (3.8 cm)	0.910 in. (23.1 mm)	41891	3 PSF
Cedar Texture 7.25" x 7.25" J-Block	7.21 in. (18.3 cm)	7.21 in. (18.3 cm)	0.910 in. (23.1 mm)	41978	-
Cedar Texture 7.25" x 6.75" Mini Split	6.75 in. (17.1 cm)	7.21 in. (18.3 cm)	0.910 in. (23.1 mm)	41993	-
Touch-Up Kits	-	-	-	42050	-

## QUARRY GRAY

DESCRIPTION	LENGTH	ACTUAL WIDTH	MINIMUM THICKNESS	PID NUMBER	WEIGHT
38 Series ExpertFinish Lap - Cedar Texture	16 ft. (192 in.)(4.9 m)	5.84 in. (14.8 cm)	0.315 in. (8 mm)	41837	1.5 PSF
	16 ft. (192 in.)(4.9 m)	7.84 in. (19.9 cm)	0.315 in. (8 mm)	41853	1.5 PSF
38 Series ExpertFinish Lap - Smooth Finish	16 ft. (192 in.)(4.9 m)	5.84 in. (14.8 cm)	0.315 in. (8 mm)	41860	1.5 PSF
	16 ft. (192 in.)(4.9 m)	7.84 in. (19.9 cm)	0.315 in. (8 mm)	41902	1.5 PSF
190 Series Cedar Texture Trim	16 ft. (192 in.)(4.9 m)	2.50 in. (6.4 cm)	0.530 in. (13.5 mm)	41860	2 PSF
440 Series Cedar Texture Trim	16 ft. (192 in.)(4.9 m)	3.50 in. (8.9 cm)	0.625 in. (15.9 mm)	41810	2 PSF
	16 ft. (192 in.)(4.9 m)	5.50 in. (14.0 cm)	0.625 in. (15.9 mm)	41815	2 PSF
	16 ft. (192 in.)(4.9 m)	7.21 in. (18.3 cm)	0.625 in. (15.9 mm)	41816	2 PSF
	16 ft. (192 in.)(4.9 m)	9.21 in. (23.4 cm)	0.625 in. (15.9 mm)	41783	2 PSF
	16 ft. (192 in.)(4.9 m)	11.21 in. (28.5 cm)	0.625 in. (15.9 mm)	41786	2 PSF
440 Series Smooth Finish Trim	16 ft. (192 in.)(4.9 m)	3.50 in. (8.9 cm)	0.625 in. (15.9 mm)	41924	2 PSF
	16 ft. (192 in.)(4.9 m)	5.50 in. (14.0 cm)	0.625 in. (15.9 mm)	41927	2 PSF
	16 ft. (192 in.)(4.9 m)	7.21 in. (18.3 cm)	0.625 in. (15.9 mm)	41930	2 PSF
	16 ft. (192 in.)(4.9 m)	9.21 in. (23.4 cm)	0.625 in. (15.9 mm)	41945	2 PSF
	16 ft. (192 in.)(4.9 m)	11.21 in. (28.5 cm)	0.625 in. (15.9 mm)	41948	2 PSF
540 Series Cedar Texture Trim	16 ft. (192 in.)(4.9 m)	1.50 in. (3.8 cm)	0.910 in. (23.1 mm)	41890	3 PSF
	16 ft. (192 in.)(4.9 m)	3.50 in. (8.9 cm)	0.910 in. (23.1 mm)	41922	3 PSF
	16 ft. (192 in.)(4.9 m)	5.50 in. (14.0 cm)	0.910 in. (23.1 mm)	41906	3 PSF
	16 ft. (192 in.)(4.9 m)	7.21 in. (18.3 cm)	0.910 in. (23.1 mm)	41909	3 PSF
	16 ft. (192 in.)(4.9 m)	9.21 in. (23.4 cm)	0.910 in. (23.1 mm)	41910	3 PSF
	16 ft. (192 in.)(4.9 m)	11.21 in. (28.5 cm)	0.910 in. (23.1 mm)	41913	3 PSF
540 Series Smooth Finish Trim	16 ft. (192 in.)(4.9 m)	3.50 in. (8.9 cm)	0.910 in. (23.1 mm)	41933	3 PSF
	16 ft. (192 in.)(4.9 m)	5.50 in. (14.0 cm)	0.910 in. (23.1 mm)	41937	3 PSF
	16 ft. (192 in.)(4.9 m)	7.21 in. (18.3 cm)	0.910 in. (23.1 mm)	41916	3 PSF
	16 ft. (192 in.)(4.9 m)	9.21 in. (23.4 cm)	0.910 in. (23.1 mm)	41941	3 PSF
	16 ft. (192 in.)(4.9 m)	11.21 in. (28.5 cm)	0.910 in. (23.1 mm)	41942	3 PSF
38 Series Cedar Texture Shakes	4 ft. (48.56 in.)(1.2 m)	11.69 in. (29.7 cm)	0.315 in. (8 mm)	42096	2 PSF
38 Series 4' x 8' Cedar Texture Panel NGSE	8 ft. (96 in.)(2.4 m)	48.56 in. (123.4 cm)	0.315 in. (8 mm)	41822	2 PSF
38 Series 4' x 10' Cedar Texture Panel NGSE	10 ft. (120 in.)(3 m)	48.56 in. (123.4 cm)	0.315 in. (8 mm)	41825	2 PSF
38 Series Cedar Texture Vertical Siding	16 ft. (192 in.)(4.9 m)	15.94 in. (40.5 cm)	0.315 in. (8 mm)	41730	1.5 PSF
38 Series Cedar Texture 4' x 8' Soffit	8 ft. (96 in.)(2.4 m)	47.88 in. (121.6 cm)	0.315 in. (8 mm)	41951	-
38 Series Cedar Texture 12" x 16" Closed Soffit	16 ft. (192 in.)(4.9 m)	11.94 in. (30.3 cm)	0.315 in. (8 mm)	41790	-
38 Series Cedar Texture 12" x 16" Vented Soffit	16 ft. (192 in.)(4.9 m)	11.94 in. (30.3 cm)	0.315 in. (8 mm)	41847	-
38 Series Cedar Texture 16" x 16" Closed Soffit	16 ft. (192 in.)(4.9 m)	15.94 in. (40.5 cm)	0.315 in. (8 mm)	41793	-
38 Series Cedar Texture 16" x 16" Vented Soffit	16 ft. (192 in.)(4.9 m)	15.94 in. (40.5 cm)	0.315 in. (8 mm)	41850	-
540 Series Cedar Texture Outside Corners	16 ft. (192 in.)(4.9 m)	3.50 in. (8.9 cm)	0.910 in. (23.1 mm)	42013	-
	16 ft. (192 in.)(4.9 m)	5.50 in. (14.0 cm)	0.910 in. (23.1 mm)	42017	-
Cedar Texture 7.25" x 7.25" J-Block	7.21 in. (18.3 cm)	7.21 in. (18.3 cm)	0.910 in. (23.1 mm)	41980	-
Cedar Texture 7.25" x 6.75" Mini Split	6.75 in. (17.1 cm)	7.21 in. (18.3 cm)	0.910 in. (23.1 mm)	41995	-
Touch-Up Kits	-	-	-	42052	-

## TIMBERLAND SUEDE

DESCRIPTION	LENGTH	ACTUAL WIDTH	MINIMUM THICKNESS	PID NUMBER	WEIGHT
38 Series ExpertFinish Lap - Cedar Texture	16 ft. (192 in.)(4.9 m)	5.84 in. (14.8 cm)	0.315 in. (8 mm)	41843	1.5 PSF
	16 ft. (192 in.)(4.9 m)	7.84 in. (19.9 cm)	0.315 in. (8 mm)	41876	1.5 PSF
38 Series ExpertFinish Lap - Smooth Finish	16 ft. (192 in.)(4.9 m)	5.84 in. (14.8 cm)	0.315 in. (8 mm)	41886	1.5 PSF
	16 ft. (192 in.)(4.9 m)	7.84 in. (19.9 cm)	0.315 in. (8 mm)	41900	1.5 PSF
540 Series Cedar Texture Trim	16 ft. (192 in.)(4.9 m)	1.50 in. (3.8 cm)	0.910 in. (23.1 mm)	41870	3 PSF
Cedar Texture 7.25" x 7.25" J-Block	7.21 in. (18.3 cm)	7.21 in. (18.3 cm)	0.910 in. (23.1 mm)	41987	-
Cedar Texture 7.25" x 6.75" Mini Split	6.75 in. (17.1 cm)	7.21 in. (18.3 cm)	0.910 in. (23.1 mm)	42011	-
Touch-Up Kits	-	-	-	42058	-

## CANYON BROWN

DESCRIPTION	LENGTH	ACTUAL WIDTH	MINIMUM THICKNESS	PID NUMBER	WEIGHT
38 Series ExpertFinish Lap - Cedar Texture	16 ft. (192 in.)(4.9 m)	5.84 in. (14.8 cm)	0.315 in. (8 mm)	41777	1.5 PSF
	16 ft. (192 in.)(4.9 m)	7.84 in. (19.9 cm)	0.315 in. (8 mm)	41778	1.5 PSF
38 Series ExpertFinish Lap - Smooth Finish	16 ft. (192 in.)(4.9 m)	5.84 in. (14.8 cm)	0.315 in. (8 mm)	41780	1.5 PSF
	16 ft. (192 in.)(4.9 m)	7.84 in. (19.9 cm)	0.315 in. (8 mm)	41779	1.5 PSF
540 Series Cedar Texture Trim	16 ft. (192 in.)(4.9 m)	1.50 in. (3.8 cm)	0.910 in. (23.1 mm)	41789	3 PSF
Cedar Texture 7.25" x 7.25" J-Block	7.21 in. (18.3 cm)	7.21 in. (18.3 cm)	0.910 in. (23.1 mm)	41975	-
Cedar Texture 7.25" x 6.75" Mini Split	6.75 in. (17.1 cm)	7.21 in. (18.3 cm)	0.910 in. (23.1 mm)	41990	-
Touch-Up Kits	-	-	-	42047	-



## TERRA BROWN

DESCRIPTION	LENGTH	ACTUAL WIDTH	MINIMUM THICKNESS	PID NUMBER	WEIGHT
38 Series ExpertFinish Lap - Cedar Texture	16 ft. (192 in.)(4.9 m)	5.84 in. (14.8 cm)	0.315 in. (8 mm)	41845	1.5 PSF
	16 ft. (192 in.)(4.9 m)	7.84 in. (19.9 cm)	0.315 in. (8 mm)	41884	1.5 PSF
38 Series ExpertFinish Lap - Smooth Finish	16 ft. (192 in.)(4.9 m)	5.84 in. (14.8 cm)	0.315 in. (8 mm)	41875	1.5 PSF
	16 ft. (192 in.)(4.9 m)	7.84 in. (19.9 cm)	0.315 in. (8 mm)	41898	1.5 PSF
190 Series Cedar Texture Trim	16 ft. (192 in.)(4.9 m)	2.50 in. (6.4 cm)	0.530 in. (13.5 mm)	41808	2 PSF
440 Series Cedar Texture Trim	16 ft. (192 in.)(4.9 m)	3.50 in. (8.9 cm)	0.625 in. (15.9 mm)	41812	2 PSF
	16 ft. (192 in.)(4.9 m)	5.50 in. (14.0 cm)	0.625 in. (15.9 mm)	41813	2 PSF
	16 ft. (192 in.)(4.9 m)	7.21 in. (18.3 cm)	0.625 in. (15.9 mm)	41817	2 PSF
	16 ft. (192 in.)(4.9 m)	9.21 in. (23.4 cm)	0.625 in. (15.9 mm)	41785	2 PSF
	16 ft. (192 in.)(4.9 m)	11.21 in. (28.5 cm)	0.625 in. (15.9 mm)	41829	2 PSF
440 Series Smooth Finish Trim	16 ft. (192 in.)(4.9 m)	3.50 in. (8.9 cm)	0.625 in. (15.9 mm)	41926	2 PSF
	16 ft. (192 in.)(4.9 m)	5.50 in. (14.0 cm)	0.625 in. (15.9 mm)	41929	2 PSF
	16 ft. (192 in.)(4.9 m)	7.21 in. (18.3 cm)	0.625 in. (15.9 mm)	41931	2 PSF
	16 ft. (192 in.)(4.9 m)	9.21 in. (23.4 cm)	0.625 in. (15.9 mm)	41947	2 PSF
	16 ft. (192 in.)(4.9 m)	11.21 in. (28.5 cm)	0.625 in. (15.9 mm)	41950	2 PSF
540 Series Cedar Texture Trim	16 ft. (192 in.)(4.9 m)	1.50 in. (3.8 cm)	0.910 in. (23.1 mm)	41872	3 PSF
	16 ft. (192 in.)(4.9 m)	3.50 in. (8.9 cm)	0.910 in. (23.1 mm)	41920	3 PSF
	16 ft. (192 in.)(4.9 m)	5.50 in. (14.0 cm)	0.910 in. (23.1 mm)	41904	3 PSF
	16 ft. (192 in.)(4.9 m)	7.21 in. (18.3 cm)	0.910 in. (23.1 mm)	41907	3 PSF
	16 ft. (192 in.)(4.9 m)	9.21 in. (23.4 cm)	0.910 in. (23.1 mm)	41912	3 PSF
	16 ft. (192 in.)(4.9 m)	11.21 in. (28.5 cm)	0.910 in. (23.1 mm)	41915	3 PSF
540 Series Smooth Finish Trim	16 ft. (192 in.)(4.9 m)	3.50 in. (8.9 cm)	0.910 in. (23.1 mm)	41935	3 PSF
	16 ft. (192 in.)(4.9 m)	5.50 in. (14.0 cm)	0.910 in. (23.1 mm)	41938	3 PSF
	16 ft. (192 in.)(4.9 m)	7.21 in. (18.3 cm)	0.910 in. (23.1 mm)	41918	3 PSF
	16 ft. (192 in.)(4.9 m)	9.21 in. (23.4 cm)	0.910 in. (23.1 mm)	41940	3 PSF
	16 ft. (192 in.)(4.9 m)	11.21 in. (28.5 cm)	0.910 in. (23.1 mm)	41944	3 PSF
38 Series Cedar Texture Shakes	4 ft. (48.56 in.)(1.2 m)	11.69 in. (29.7 cm)	0.315 in. (8 mm)	42095	2 PSF
38 Series 4' x 8' Cedar Texture Panel NGSE	8 ft. (96 in.)(2.4 m)	48.56 in. (123.4 cm)	0.315 in. (8 mm)	41823	2 PSF
38 Series 4' x 10' Cedar Texture Panel NGSE	10 ft. (120 in.)(3 m)	48.56 in. (123.4 cm)	0.315 in. (8 mm)	41826	2 PSF
38 Series Cedar Texture Vertical Siding	16 ft. (192 in.)(4.9 m)	15.94 in. (40.5 cm)	0.315 in. (8 mm)	41821	1.5 PSF
38 Series Cedar Texture 4' x 8' Soffit	8 ft. (96 in.)(2.4 m)	47.88 in. (121.6 cm)	0.315 in. (8 mm)	41953	-
38 Series Cedar Texture 12" x 16" Closed Soffit	16 ft. (192 in.)(4.9 m)	11.94 in. (30.3 cm)	0.315 in. (8 mm)	41792	-
38 Series Cedar Texture 12" x 16" Vented Soffit	16 ft. (192 in.)(4.9 m)	11.94 in. (30.3 cm)	0.315 in. (8 mm)	41849	-
38 Series Cedar Texture 16" x 16" Closed Soffit	16 ft. (192 in.)(4.9 m)	15.94 in. (40.5 cm)	0.315 in. (8 mm)	41795	-
38 Series Cedar Texture 16" x 16" Vented Soffit	16 ft. (192 in.)(4.9 m)	15.94 in. (40.5 cm)	0.315 in. (8 mm)	41852	-
540 Series Cedar Texture Outside Corners	16 ft. (192 in.)(4.9 m)	3.50 in. (8.9 cm)	0.910 in. (23.1 mm)	42015	-
	16 ft. (192 in.)(4.9 m)	5.50 in. (14.0 cm)	0.910 in. (23.1 mm)	42019	-
Cedar Texture 7.25" x 7.25" J-Block	7.21 in. (18.3 cm)	7.21 in. (18.3 cm)	0.910 in. (23.1 mm)	41986	-
Cedar Texture 7.25" x 6.75" Mini Split	6.75 in. (17.1 cm)	7.21 in. (18.3 cm)	0.910 in. (23.1 mm)	42001	-
Touch-Up Kits	-	-	-	42046	-

## REDWOOD RED

DESCRIPTION	LENGTH	ACTUAL WIDTH	MINIMUM THICKNESS	PID NUMBER	WEIGHT
38 Series ExpertFinish Lap - Cedar Texture	16 ft. (192 in.)(4.9 m)	5.84 in. (14.8 cm)	0.315 in. (8 mm)	41840	1.5 PSF
	16 ft. (192 in.)(4.9 m)	7.84 in. (19.9 cm)	0.315 in. (8 mm)	41874	1.5 PSF
38 Series ExpertFinish Lap - Smooth Finish	16 ft. (192 in.)(4.9 m)	5.84 in. (14.8 cm)	0.315 in. (8 mm)	41862	1.5 PSF
	16 ft. (192 in.)(4.9 m)	7.84 in. (19.9 cm)	0.315 in. (8 mm)	41896	1.5 PSF
540 Series Cedar Texture Trim	16 ft. (192 in.)(4.9 m)	1.50 in. (3.8 cm)	0.910 in. (23.1 mm)	41893	3 PSF
Cedar Texture 7.25" x 7.25" J-Block	7.21 in. (18.3 cm)	7.21 in. (18.3 cm)	0.910 in. (23.1 mm)	41982	-
Cedar Texture 7.25" x 6.75" Mini Split	6.75 in. (17.1 cm)	7.21 in. (18.3 cm)	0.910 in. (23.1 mm)	41997	-
Touch-Up Kits	-	-	-	42054	-

## TUNDRA GRAY

DESCRIPTION	LENGTH	ACTUAL WIDTH	MINIMUM THICKNESS	PID NUMBER	WEIGHT
38 Series ExpertFinish Lap - Cedar Texture	16 ft. (192 in.)(4.9 m)	5.84 in. (14.8 cm)	0.315 in. (8 mm)	41846	1.5 PSF
	16 ft. (192 in.)(4.9 m)	7.84 in. (19.9 cm)	0.315 in. (8 mm)	41865	1.5 PSF
38 Series ExpertFinish Lap - Smooth Finish	16 ft. (192 in.)(4.9 m)	5.84 in. (14.8 cm)	0.315 in. (8 mm)	41883	1.5 PSF
	16 ft. (192 in.)(4.9 m)	7.84 in. (19.9 cm)	0.315 in. (8 mm)	41901	1.5 PSF
540 Series Cedar Texture Trim	16 ft. (192 in.)(4.9 m)	1.50 in. (3.8 cm)	0.910 in. (23.1 mm)	41873	3 PSF
Cedar Texture 7.25" x 7.25" J-Block	7.21 in. (18.3 cm)	7.21 in. (18.3 cm)	0.910 in. (23.1 mm)	41988	-
Cedar Texture 7.25" x 6.75" Mini Split	6.75 in. (17.1 cm)	7.21 in. (18.3 cm)	0.910 in. (23.1 mm)	42004	-
Touch-Up Kits	-	-	-	42059	-

## ABYSS BLACK

DESCRIPTION	LENGTH	ACTUAL WIDTH	MINIMUM THICKNESS	PID NUMBER	WEIGHT
38 Series ExpertFinish Lap - Cedar Texture	16 ft. (192 in.)(4.9 m)	5.84 in. (14.8 cm)	0.315 in. (8 mm)	41774	1.5 PSF
	16 ft. (192 in.)(4.9 m)	7.84 in. (19.9 cm)	0.315 in. (8 mm)	41773	1.5 PSF
38 Series ExpertFinish Lap - Smooth Finish	16 ft. (192 in.)(4.9 m)	5.84 in. (14.8 cm)	0.315 in. (8 mm)	41759	1.5 PSF
	16 ft. (192 in.)(4.9 m)	7.84 in. (19.9 cm)	0.315 in. (8 mm)	41758	1.5 PSF
190 Series Cedar Texture Trim	16 ft. (192 in.)(4.9 m)	2.50 in. (6.4 cm)	0.530 in. (13.5 mm)	41797	2 PSF
440 Series Cedar Texture Trim	16 ft. (192 in.)(4.9 m)	3.50 in. (8.9 cm)	0.625 in. (15.9 mm)	41832	2 PSF
	16 ft. (192 in.)(4.9 m)	5.50 in. (14.0 cm)	0.625 in. (15.9 mm)	41762	2 PSF
	16 ft. (192 in.)(4.9 m)	7.21 in. (18.3 cm)	0.625 in. (15.9 mm)	41763	2 PSF
	16 ft. (192 in.)(4.9 m)	9.21 in. (23.4 cm)	0.625 in. (15.9 mm)	41765	2 PSF
	16 ft. (192 in.)(4.9 m)	11.21 in. (28.5 cm)	0.625 in. (15.9 mm)	41764	2 PSF
440 Series Smooth Finish Trim	16 ft. (192 in.)(4.9 m)	3.50 in. (8.9 cm)	0.625 in. (15.9 mm)	41751	2 PSF
	16 ft. (192 in.)(4.9 m)	5.50 in. (14.0 cm)	0.625 in. (15.9 mm)	41752	2 PSF
	16 ft. (192 in.)(4.9 m)	7.21 in. (18.3 cm)	0.625 in. (15.9 mm)	41753	2 PSF
	16 ft. (192 in.)(4.9 m)	9.21 in. (23.4 cm)	0.625 in. (15.9 mm)	41750	2 PSF
	16 ft. (192 in.)(4.9 m)	11.21 in. (28.5 cm)	0.625 in. (15.9 mm)	41749	2 PSF
540 Series Cedar Texture Trim	16 ft. (192 in.)(4.9 m)	1.50 in. (3.8 cm)	0.910 in. (23.1 mm)	41788	3 PSF
	16 ft. (192 in.)(4.9 m)	3.50 in. (8.9 cm)	0.910 in. (23.1 mm)	41830	3 PSF
	16 ft. (192 in.)(4.9 m)	5.50 in. (14.0 cm)	0.910 in. (23.1 mm)	41828	3 PSF
	16 ft. (192 in.)(4.9 m)	7.21 in. (18.3 cm)	0.910 in. (23.1 mm)	41769	3 PSF
	16 ft. (192 in.)(4.9 m)	9.21 in. (23.4 cm)	0.910 in. (23.1 mm)	41761	3 PSF
	16 ft. (192 in.)(4.9 m)	11.21 in. (28.5 cm)	0.910 in. (23.1 mm)	41760	3 PSF
540 Series Smooth Finish Trim	16 ft. (192 in.)(4.9 m)	3.50 in. (8.9 cm)	0.910 in. (23.1 mm)	41931	3 PSF
	16 ft. (192 in.)(4.9 m)	5.50 in. (14.0 cm)	0.910 in. (23.1 mm)	41757	3 PSF
	16 ft. (192 in.)(4.9 m)	7.21 in. (18.3 cm)	0.910 in. (23.1 mm)	41755	3 PSF
	16 ft. (192 in.)(4.9 m)	9.21 in. (23.4 cm)	0.910 in. (23.1 mm)	41756	3 PSF
16 ft. (192 in.)(4.9 m)	11.21 in. (28.5 cm)	0.910 in. (23.1 mm)	41754	3 PSF	
38 Series Cedar Texture Shakes	4 ft. (48.56 in.)(1.2 m)	11.69 in. (29.7 cm)	0.315 in. (8 mm)	42097	2 PSF
38 Series 4' x 8' Cedar Texture Panel NGSE	8 ft. (96 in.)(2.4 m)	48.56 in. (123.4 cm)	0.315 in. (8 mm)	41833	2 PSF
38 Series 4' x 10' Cedar Texture Panel NGSE	10 ft. (120 in.)(3 m)	48.56 in. (123.4 cm)	0.315 in. (8 mm)	41771	2 PSF
38 Series Cedar Texture Vertical Siding	16 ft. (192 in.)(4.9 m)	15.94 in. (40.5 cm)	0.315 in. (8 mm)	41775	1.5 PSF
38 Series Cedar Texture 4' x 8' Soffit	8 ft. (96 in.)(2.4 m)	47.88 in. (121.6 cm)	0.315 in. (8 mm)	41766	-
38 Series Cedar Texture 12" x 16" Closed Soffit	16 ft. (192 in.)(4.9 m)	11.94 in. (30.3 cm)	0.315 in. (8 mm)	41772	-
38 Series Cedar Texture 12" x 16" Vented Soffit	16 ft. (192 in.)(4.9 m)	11.94 in. (30.3 cm)	0.315 in. (8 mm)	41768	-
38 Series Cedar Texture 16" x 16" Closed Soffit	16 ft. (192 in.)(4.9 m)	15.94 in. (40.5 cm)	0.315 in. (8 mm)	41770	-
38 Series Cedar Texture 16" x 16" Vented Soffit	16 ft. (192 in.)(4.9 m)	15.94 in. (40.5 cm)	0.315 in. (8 mm)	41767	-
540 Series Cedar Texture Outside Corners	16 ft. (192 in.)(4.9 m)	3.50 in. (8.9 cm)	0.910 in. (23.1 mm)	42012	-
	16 ft. (192 in.)(4.9 m)	5.50 in. (14.0 cm)	0.910 in. (23.1 mm)	42016	-
Cedar Texture 7.25" x 7.25" J-Block	7.21 in. (18.3 cm)	7.21 in. (18.3 cm)	0.910 in. (23.1 mm)	41974	-
Cedar Texture 7.25" x 6.75" Mini Split	6.75 in. (17.1 cm)	7.21 in. (18.3 cm)	0.910 in. (23.1 mm)	41989	-
Touch-Up Kits				42045	-

## SUMMIT BLUE

DESCRIPTION	LENGTH	ACTUAL WIDTH	MINIMUM THICKNESS	PID NUMBER	WEIGHT
38 Series ExpertFinish Lap - Cedar Texture	16 ft. (192 in.)(4.9 m)	5.84 in. (14.8 cm)	0.315 in. (8 mm)	41844	1.5 PSF
	16 ft. (192 in.)(4.9 m)	7.84 in. (19.9 cm)	0.315 in. (8 mm)	41864	1.5 PSF
38 Series ExpertFinish Lap - Smooth Finish	16 ft. (192 in.)(4.9 m)	5.84 in. (14.8 cm)	0.315 in. (8 mm)	41885	1.5 PSF
	16 ft. (192 in.)(4.9 m)	7.84 in. (19.9 cm)	0.315 in. (8 mm)	41899	1.5 PSF
540 Series Cedar Texture Trim	16 ft. (192 in.)(4.9 m)	1.50 in. (3.8 cm)	0.910 in. (23.1 mm)	41919	3 PSF
Cedar Texture 7.25" x 7.25" J-Block	7.21 in. (18.3 cm)	7.21 in. (18.3 cm)	0.910 in. (23.1 mm)	41985	-
Cedar Texture 7.25" x 6.75" Mini Split	6.75 in. (17.1 cm)	7.21 in. (18.3 cm)	0.910 in. (23.1 mm)	42000	-
Touch-Up Kits	-	-	-	42057	-

## CAVERN STEEL

DESCRIPTION	LENGTH	ACTUAL WIDTH	MINIMUM THICKNESS	PID NUMBER	WEIGHT
38 Series ExpertFinish Lap - Cedar Texture	16 ft. (192 in.)(4.9 m)	5.84 in. (14.8 cm)	0.315 in. (8 mm)	41835	1.5 PSF
	16 ft. (192 in.)(4.9 m)	7.84 in. (19.9 cm)	0.315 in. (8 mm)	41877	1.5 PSF
38 Series ExpertFinish Lap - Smooth Finish	16 ft. (192 in.)(4.9 m)	5.84 in. (14.8 cm)	0.315 in. (8 mm)	41855	1.5 PSF
	16 ft. (192 in.)(4.9 m)	7.84 in. (19.9 cm)	0.315 in. (8 mm)	41882	1.5 PSF
540 Series Cedar Texture Trim	16 ft. (192 in.)(4.9 m)	1.50 in. (3.8 cm)	0.910 in. (23.1 mm)	41888	3 PSF
Cedar Texture 7.25" x 7.25" J-Block	7.21 in. (18.3 cm)	7.21 in. (18.3 cm)	0.910 in. (23.1 mm)	41976	-
Cedar Texture 7.25" x 6.75" Mini Split	6.75 in. (17.1 cm)	7.21 in. (18.3 cm)	0.910 in. (23.1 mm)	41991	-
Touch-Up Kits	-	-	-	42048	-

## RAPIDS BLUE

DESCRIPTION	LENGTH	ACTUAL WIDTH	MINIMUM THICKNESS	PID NUMBER	WEIGHT
38 Series ExpertFinish Lap - Cedar Texture	16 ft. (192 in.)(4.9 m)	5.84 in. (14.8 cm)	0.315 in. (8 mm)	41839	1.5 PSF
	16 ft. (192 in.)(4.9 m)	7.84 in. (19.9 cm)	0.315 in. (8 mm)	41863	1.5 PSF
38 Series ExpertFinish Lap - Smooth Finish	16 ft. (192 in.)(4.9 m)	5.84 in. (14.8 cm)	0.315 in. (8 mm)	41858	1.5 PSF
	16 ft. (192 in.)(4.9 m)	7.84 in. (19.9 cm)	0.315 in. (8 mm)	41895	1.5 PSF
540 Series Cedar Texture Trim	16 ft. (192 in.)(4.9 m)	1.50 in. (3.8 cm)	0.910 in. (23.1 mm)	41892	3 PSF
Cedar Texture 7.25" x 7.25" J-Block	7.21 in. (18.3 cm)	7.21 in. (18.3 cm)	0.910 in. (23.1 mm)	41971	-
Cedar Texture 7.25" x 6.75" Mini Split	6.75 in. (17.1 cm)	7.21 in. (18.3 cm)	0.910 in. (23.1 mm)	41996	-
Touch-Up Kits	-	-	-	42053	-

## CEDAR TEXTURE LAP

### THE BOLD LOOK OF CEDAR WITHOUT MANY OF THE WORRIES

- One of the most durable lap siding options on the market today
- 16' length can result in faster installation
- May create fewer seams than traditional 12' siding
- Pre-primed for exceptional paint adhesion
- Self-aligning SmartLock™ option eliminates the need to measure and set lap reveal; eliminating this step in the process is likely to speed up the installation process
- APA-certified lap siding
- Treated engineered wood strand substrate



Cedar Texture

## SMOOTH FINISH LAP


### SMOOTH APPEARANCE, ADVANCED DURABILITY OF ENGINEERED WOOD

- Holds up in extreme weather, including moisture, hail, freeze/thaw cycles, and up to 200 mph wind gusts
- Treated with the SmartGuard® process for superior protection against the weather, fungal decay and termites
- 16' length can result in faster installation and fewer seams
- Pre-primed for exceptional paint adhesion
- Backed by an industry-leading 5/50-year limited warranty
- APA-certified lap siding
- Treated engineered wood strand substrate



Smooth Finish


#### 38 SERIES CEDAR TEXTURE LAP




#### 76 SERIES CEDAR TEXTURE LAP



#### 76 SERIES SMARTLOCK CEDAR TEXTURE LAP



#### 38 SERIES SMOOTH FINISH LAP



DESCRIPTION	LENGTH	ACTUAL WIDTH	MINIMUM THICKNESS	PID NUMBER	WEIGHT
38 Series Cedar Texture Lap	12 ft. (144 in.)(3.7 m)	7.84 in. (19.9 cm)	0.315 in. (8 mm)	28869	1.5 PSF
	16 ft. (192 in.)(4.9 m)	5.84 in. (14.8 cm)	0.315 in. (8 mm)	25796	1.5 PSF
	16 ft. (192 in.)(4.9 m)	6.84 in. (17.4 cm)	0.315 in. (8 mm)	40610	1.5 PSF
	16 ft. (192 in.)(4.9 m)	7.84 in. (19.9 cm)	0.315 in. (8 mm)	25797	1.5 PSF
	16 ft. (192 in.)(4.9 m)	11.84 in. (30.1 cm)	0.315 in. (8 mm)	25799	1.5 PSF
76 Series Cedar Texture Lap	16 ft. (192 in.)(4.9 m)	5.84 in. (14.8 cm)	0.375 in. (9.5 mm)	25785	1.5 PSF
	16 ft. (192 in.)(4.9 m)	7.84 in. (19.9 cm)	0.375 in. (9.5 mm)	25786	1.5 PSF
	16 ft. (192 in.)(4.9 m)	11.84 in. (30.1 cm)	0.375 in. (9.5 mm)	25787	1.5 PSF
76 Series SmartLock Cedar Texture Lap	16 ft. (192 in.)(4.9 m)	7.84 in. (19.9 cm)	0.375 in. (9.5 mm)	30317	1.5 PSF

DESCRIPTION	LENGTH	ACTUAL WIDTH	MINIMUM THICKNESS	PID NUMBER	WEIGHT
38 Series Smooth Finish Lap	16 ft. (192 in.)(4.9 m)	5.84 in. (14.8 cm)	0.315 in. (8 mm)	41338	1.5 PSF
	16 ft. (192 in.)(4.9 m)	7.84 in. (19.9 cm)	0.315 in. (8 mm)	41339	1.5 PSF
	16 ft. (192 in.)(4.9 m)	11.84 in. (30.1 cm)	0.315 in. (8 mm)	41340	1.5 PSF

## Specifications: LP® SmartSide® Lap Siding Coverage

Lap Siding	Reveal (size)						
	Area (sq. ft.)	3-7/8" (5")	4-7/8" (6")	5 -7/8" (7")	6 -7/8" (8")	8 1/2" (9-1/2")	10-7/8" (12")
100		20 pcs.	16 pcs.	13 pcs.	11 pcs.	9 pcs.	7 pcs.
200		39 pcs.	31 pcs.	26 pcs.	22 pcs.	18 pcs.	14 pcs.
300		59 pcs.	47 pcs.	39 pcs.	33 pcs.	27 pcs.	21 pcs.
400		78 pcs.	62 pcs.	52 pcs.	44 pcs.	35 pcs.	28 pcs.
500		97 pcs.	77 pcs.	64 pcs.	55 pcs.	44 pcs.	35 pcs.
600		117 pcs.	93 pcs.	77 pcs.	66 pcs.	53 pcs.	42 pcs.
700		136 pcs.	108 pcs.	90 pcs.	77 pcs.	62 pcs.	49 pcs.
800		155 pcs.	124 pcs.	103 pcs.	88 pcs.	71 pcs.	56 pcs.
900		175 pcs.	139 pcs.	115 pcs.	99 pcs.	79 pcs.	63 pcs.
1000		194 pcs.	154 pcs.	128 pcs.	110 pcs.	88 pcs.	69 pcs.
1500		291 pcs.	231 pcs.	192 pcs.	164 pcs.	132 pcs.	104 pcs.
2000		388 pcs.	308 pcs.	256 pcs.	219 pcs.	177 pcs.	138 pcs.
2500		484 pcs.	385 pcs.	320 pcs.	273 pcs.	221 pcs.	173 pcs.
3000		581 pcs.	462 pcs.	383 pcs.	328 pcs.	265 pcs.	207 pcs.
3500		678 pcs.	539 pcs.	447 pcs.	382 pcs.	309 pcs.	242 pcs.
4000		755 pcs.	616 pcs.	511 pcs.	437 pcs.	353 pcs.	276 pcs.
4500		871 pcs.	693 pcs.	575 pcs.	491 pcs.	397 pcs.	311 pcs.
5000		968 pcs.	770 pcs.	639 pcs.	546 pcs.	441 pcs.	345 pcs.

Cedar Texture Shakes	Reveal (size)		
	Area (sq. ft.)	9" (12")	10" (12")
100		34 pcs.	30 pcs.
200		67 pcs.	60 pcs.
300		100 pcs.	90 pcs.
400		134 pcs.	120 pcs.
500		167 pcs.	150 pcs.
600		200 pcs.	180 pcs.
700		234 pcs.	210 pcs.
800		267 pcs.	240 pcs.
900		300 pcs.	270 pcs.
1000		334 pcs.	300 pcs.
1500		500 pcs.	450 pcs.
2000		667 pcs.	600 pcs.
2500		834 pcs.	750 pcs.
3000		1000 pcs.	900 pcs.
3500		1167 pcs.	1050 pcs.
4000		1334 pcs.	1200 pcs.
4500		1500 pcs.	1350 pcs.
5000		1667 pcs.	1500 pcs.

Cedar texture shakes offer more options for the designer and craftsman. We've included coverage for the two most common applications, 9" and 10" exposures, for your convenience.



## Specifications: LP® SmartSide® Shakes

### CEDAR TEXTURE SHAKES

#### THE LUXURIOUS APPEAL OF CEDAR

- The look of traditional cedar with easier maintenance over time
- Staggered edges offer a lively, textured effect
- Can be used on all exterior walls or as a decorative accent
- Shiplap ends for seamless appearance
- Reversible staggered or straight edge offers exceptional design versatility
- Treated engineered wood strand substrate

#### CEDAR TEXTURE SHAKES



DESCRIPTION	LENGTH	ACTUAL WIDTH	MINIMUM THICKNESS	PID NUMBER	WEIGHT
Cedar Texture Shakes	4ft. (48.56 in.)(1.2 m)	11.69 in. (29.7 cm)	0.315 in. (8 mm)	42092	2 PSF



Staggered



Straight

# CEDAR TEXTURE PANEL


## RATED FOR STRUCTURAL USE BY APA®

- Shiplap edges with advanced bead system for easier alignment
- Pre-primed for exceptional paint adhesion
- Significantly lighter than comparable fiber cement panel
- Strong enough to be nailed directly to stud, making additional sheathing unnecessary in many applications
- Eliminates need for additional bracing on load-bearing walls
- Ideal exterior for homes in areas of high winds or seismic activity
- Treated engineered wood strand substrate




Cedar Texture


### GROOVE DETAIL




### 38 SERIES CEDAR TEXTURE PANEL 8" O.C.




### 38 SERIES CEDAR TEXTURE PANEL – NO GROOVE




### 76 SERIES CEDAR TEXTURE PANEL 4" & 8" O.C.




### 76 SERIES CEDAR TEXTURE PANEL – NO GROOVE



### 190 SERIES CEDAR TEXTURE PANEL 8" O.C.



### 190 SERIES CEDAR TEXTURE PANEL – NO GROOVE



DESCRIPTION	LENGTH	GROOVE	GROOVE WIDTH	ACTUAL WIDTH	MINIMUM THICKNESS	PID NUMBER	WEIGHT
38 Series Cedar Texture Panel 8" o.c.	6 ft. (72 in.)(1.8 m)	8 in. o.c.	3/8 in. (10 mm)	48.56 in. (123.4 cm)	0.315 in. (8 mm)	27805	1.5 PSF
	7 ft. (84 in.)(2.1 m)	8 in. o.c.	3/8 in. (10 mm)	48.56 in. (123.4 cm)	0.315 in. (8 mm)	27806	1.5 PSF
	8 ft. (96 in.)(2.4 m)	8 in. o.c.	3/8 in. (10 mm)	48.56 in. (123.4 cm)	0.315 in. (8 mm)	25840	1.5 PSF
	9 ft. (108 in.)(2.7 m)	8 in. o.c.	3/8 in. (10 mm)	48.56 in. (123.4 cm)	0.315 in. (8 mm)	25843	1.5 PSF
	10 ft. (120 in.)(3.0 m)	8 in. o.c.	3/8 in. (10 mm)	48.56 in. (123.4 cm)	0.315 in. (8 mm)	25844	1.5 PSF
38 Series Cedar Texture Panel No Groove Shiplap Edge	8 ft. (96 in.)(2.4 m)	No Groove	N/A	48.56 in. (123.4 cm)	0.315 in. (8 mm)	25855 *	1.5 PSF
	9 ft. (108 in.)(2.7 m)	No Groove	N/A	48.56 in. (123.4 cm)	0.315 in. (8 mm)	29189 *	1.5 PSF
	10 ft. (120 in.)(3.0 m)	No Groove	N/A	48.56 in. (123.4 cm)	0.315 in. (8 mm)	25825 *	1.5 PSF
38 Series Cedar Texture Panel No Groove Square Edge	8 ft. (96 in.)(2.4 m)	No Groove	N/A	48.56 in. (123.4 cm)	0.315 in. (8 mm)	41044	1.5 PSF
76 Series Cedar Texture Panel 4" and 8" o.c.	8 ft. (96 in.)(2.4 m)	4 in. o.c.	3/8 in. (10 mm)	48.56 in. (123.4 cm)	0.375 in. (9.5 mm)	25831	1.5 PSF
	9 ft. (108 in.)(2.7 m)	4 in. o.c.	3/8 in. (10 mm)	48.56 in. (123.4 cm)	0.375 in. (9.5 mm)	25832 *	1.5 PSF
	10 ft. (120 in.)(3.0 m)	4 in. o.c.	3/8 in. (10 mm)	48.56 in. (123.4 cm)	0.375 in. (9.5 mm)	25833 *	1.5 PSF
	8 ft. (96 in.)(2.4 m)	8 in. o.c.	3/8 in. (10 mm)	48.56 in. (123.4 cm)	0.375 in. (9.5 mm)	25848	1.5 PSF
	9 ft. (108 in.)(2.7 m)	8 in. o.c.	3/8 in. (10 mm)	48.56 in. (123.4 cm)	0.375 in. (9.5 mm)	25850	1.5 PSF
76 Series Cedar Texture Panel No Groove Shiplap Edge	10 ft. (120 in.)(3.0 m)	8 in. o.c.	3/8 in. (10 mm)	48.56 in. (123.4 cm)	0.375 in. (9.5 mm)	25851	1.5 PSF
	8 ft. (96 in.)(2.4 m)	No Groove	N/A	48.56 in. (123.4 cm)	0.375 in. (9.5 mm)	25856	1.5 PSF
	9 ft. (108 in.)(2.7 m)	No Groove	N/A	48.56 in. (123.4 cm)	0.375 in. (9.5 mm)	25857	1.5 PSF
190 Series Cedar Texture 8" o.c.	10 ft. (120 in.)(3.0 m)	No Groove	N/A	48.56 in. (123.4 cm)	0.375 in. (9.5 mm)	25858	1.5 PSF
	8 ft. (96 in.)(2.4 m)	8 in. o.c.	3/8 in. (10 mm)	48.56 in. (123.4 cm)	0.530 in. (13.5 mm)	25852	2 PSF
	9 ft. (108 in.)(2.7 m)	8 in. o.c.	3/8 in. (10 mm)	48.56 in. (123.4 cm)	0.530 in. (13.5 mm)	25853 *	2 PSF
190 Series Cedar Texture Panel No Groove Shiplap Edge	10 ft. (120 in.)(3.0 m)	8 in. o.c.	3/8 in. (10 mm)	48.56 in. (123.4 cm)	0.530 in. (13.5 mm)	25854 *	2 PSF
	8 ft. (96 in.)(2.4 m)	No Groove	N/A	48.56 in. (123.4 cm)	0.530 in. (13.5 mm)	25859 *	2 PSF
	9 ft. (108 in.)(2.7 m)	No Groove	N/A	48.56 in. (123.4 cm)	0.530 in. (13.5 mm)	25860 *	2 PSF
10 ft. (120 in.)(3.0 m)	No Groove	N/A	48.56 in. (123.4 cm)	0.530 in. (13.5 mm)	25861 *	2 PSF	

# Specifications: LP® SmartSide® Vertical Siding

## NEW VERTICAL SIDING


### CHARMING STYLE FOR AMERICAN HOMES

- Re-creates the stylish appearance of board & batten
- 16' lengths eliminate horizontal joints
- Coordinates with LP SmartSide Trim
- Pre-primed for exceptional paint adhesion
- Not rated for structural use
- Treated engineered wood strand substrate



Cedar Texture      Smooth Finish

### VERTICAL SIDING




DESCRIPTION	LENGTH	ACTUAL WIDTH	MINIMUM THICKNESS	PID NUMBER	WEIGHT
38 Series Cedar Texture Vertical Siding	16 ft. (192 in.)(4.9 m)	15.94 in. (40.5 cm)	0.315 in. (8 mm)	40503	1.5 PSF
38 Series Smooth Finish Vertical Siding	16 ft. (192 in.)(4.9 m)	15.94 in. (40.5 cm)	0.315 in. (8 mm)	42126	1.5 PSF

# Specifications: LP® SmartSide® Trim

## CEDAR TEXTURE TRIM


### THE CLASSIC APPEARANCE OF CEDAR

- Interior or exterior use, including corner boards, windows and doors
- Narrow widths save cutting time
- Pre-primed for exceptional paint adhesion
- 16' length can result in faster installation and fewer seams
- Treated engineered wood strand substrate




Cedar Texture


### 190 SERIES CEDAR TEXTURE TRIM




### 440 SERIES CEDAR TEXTURE TRIM



### 540 SERIES CEDAR TEXTURE TRIM



### 440 SERIES CEDAR TEXTURE PLOUGHED FASCIA



DESCRIPTION	LENGTH	ACTUAL WIDTH	MINIMUM THICKNESS	PID NUMBER	WEIGHT
190 Series Cedar Texture Trim	16 ft. (192 in.)(4.9 m)	2.5 in. (6.4 cm)	0.530 in. (13.5 mm)	28448	2 PSF
	16 ft. (192 in.)(4.9 m)	3.5 in. (8.9 cm)	0.530 in. (13.5 mm)	28450	2 PSF
	16 ft. (192 in.)(4.9 m)	5.5 in. (14.0 cm)	0.530 in. (13.5 mm)	28452	2 PSF
440 Series Cedar Texture Trim	16 ft. (192 in.)(4.9 m)	1.5 in. (3.8 cm)	0.625 in. (15.9 mm)	25877	2 PSF
	16 ft. (192 in.)(4.9 m)	2.5 in. (6.4 cm)	0.625 in. (15.9 mm)	25878	2 PSF
	16 ft. (192 in.)(4.9 m)	3.5 in. (8.9 cm)	0.625 in. (15.9 mm)	25880	2 PSF
	16 ft. (192 in.)(4.9 m)	5.5 in. (14.0 cm)	0.625 in. (15.9 mm)	25882	2 PSF
	16 ft. (192 in.)(4.9 m)	7.21 in. (18.3 cm)	0.625 in. (15.9 mm)	25883	2 PSF
	16 ft. (192 in.)(4.9 m)	9.21 in. (23.4 cm)	0.625 in. (15.9 mm)	25884	2 PSF
	16 ft. (192 in.)(4.9 m)	11.21 in. (28.5 cm)	0.625 in. (15.9 mm)	25885	2 PSF
540 Series Cedar Texture Trim	16 ft. (192 in.)(4.9 m)	1.5 in. (3.8 cm)	0.910 in. (23.1 mm)	25886 *	3 PSF
	16 ft. (192 in.)(4.9 m)	2.5 in. (6.4 cm)	0.910 in. (23.1 mm)	25887 *	3 PSF
	16 ft. (192 in.)(4.9 m)	3.5 in. (8.9 cm)	0.910 in. (23.1 mm)	25888	3 PSF
	16 ft. (192 in.)(4.9 m)	4.5 in. (11.4 cm)	0.910 in. (23.1 mm)	25889 *	3 PSF
	16 ft. (192 in.)(4.9 m)	5.5 in. (14.0 cm)	0.910 in. (23.1 mm)	25890	3 PSF
	16 ft. (192 in.)(4.9 m)	7.21 in. (18.3 cm)	0.910 in. (23.1 mm)	25891	3 PSF
	16 ft. (192 in.)(4.9 m)	9.21 in. (23.4 cm)	0.910 in. (23.1 mm)	25892	3 PSF
440 Series Cedar Texture Ploughed Fascia	16 ft. (192 in.)(4.9 m)	5.5 in. (14.0 cm)	0.625 in. (15.9 mm)	27240 *	2 PSF
	16 ft. (192 in.)(4.9 m)	7.21 in. (18.3 cm)	0.625 in. (15.9 mm)	27819 *	2 PSF

## SMOOTH FINISH TRIM


### SMOOTH APPEARANCE, ADVANCED DURABILITY OF ENGINEERED WOOD

- Holds up in extreme weather, including moisture, hail, freeze/thaw cycles, and up to 200 mph wind gusts
- Treated with the SmartGuard® process for superior protection against the weather, fungal decay and termites
- 16' ft length can result in faster installation and fewer seams
- Pre-primed for exceptional paint adhesion
- Backed by an industry-leading 5/50-year limited warranty
- Treated engineered wood strand substrate




Smooth Finish

#### 440 SERIES SMOOTH FINISH TRIM



#### 540 SERIES SMOOTH FINISH TRIM



DESCRIPTION	LENGTH	ACTUAL WIDTH	MINIMUM THICKNESS	PID NUMBER	WEIGHT
440 Series Smooth Finish Trim	16 ft. (192 in.)(4.9 m)	1.50 in. (3.8 cm)	0.625 in. (15.9 mm)	41640	2 PSF
	16 ft. (192 in.)(4.9 m)	2.50 in. (6.4 cm)	0.625 in. (15.9 mm)	41627	2 PSF
	16 ft. (192 in.)(4.9 m)	3.50 in. (8.9 cm)	0.625 in. (15.9 mm)	41420	2 PSF
	16 ft. (192 in.)(4.9 m)	5.50 in. (14.0 cm)	0.625 in. (15.9 mm)	41422	2 PSF
	16 ft. (192 in.)(4.9 m)	7.21 in. (18.3 cm)	0.625 in. (15.9 mm)	41423	2 PSF
	16 ft. (192 in.)(4.9 m)	9.21 in. (23.4 cm)	0.625 in. (15.9 mm)	41492	2 PSF
	16 ft. (192 in.)(4.9 m)	11.21 in. (28.5 cm)	0.625 in. (15.9 mm)	41490	2 PSF
540 Series Smooth Finish Trim	16 ft. (192 in.)(4.9 m)	1.50 in. (3.8 cm)	0.910 in. (23.1 mm)	41629	3 PSF
	16 ft. (192 in.)(4.9 m)	2.50 in. (6.4 cm)	0.910 in. (23.1 mm)	41628	3 PSF
	16 ft. (192 in.)(4.9 m)	3.50 in. (8.9 cm)	0.910 in. (23.1 mm)	41342	3 PSF
	16 ft. (192 in.)(4.9 m)	5.50 in. (14.0 cm)	0.910 in. (23.1 mm)	41343	3 PSF
	16 ft. (192 in.)(4.9 m)	7.21 in. (18.3 cm)	0.910 in. (23.1 mm)	41344	3 PSF
	16 ft. (192 in.)(4.9 m)	9.21 in. (23.4 cm)	0.910 in. (23.1 mm)	41345	3 PSF
	16 ft. (192 in.)(4.9 m)	11.21 in. (28.5 cm)	0.910 in. (23.1 mm)	41494	3 PSF

## CEDAR TEXTURE SOFFIT

### THE FINISHING TOUCH

- The perfect alternative to MDO and plywood soffits
- Cut-to-width eliminates time spent ripping full sheets
- 38 Series engineered for closed soffit applications
- 76 Series and 190 Series are ideal for use as the starter course for roofs with exposed eaves
- Treated engineered wood strand substrate




Cedar Texture


#### 38 SERIES 4' x 8' CEDAR TEXTURE SOFFIT




#### 38 SERIES CEDAR TEXTURE SOFFIT - CUT-TO-WIDTH



#### 76 SERIES 4' x 8' CEDAR TEXTURE SOFFIT



#### 76 SERIES CEDAR TEXTURE SOFFIT - CUT-TO-WIDTH



#### 190 SERIES 4' x 8' CEDAR TEXTURE SOFFIT




DESCRIPTION	LENGTH	ACTUAL WIDTH	MINIMUM THICKNESS	PID NUMBER	WEIGHT
38 Series 4' x 8' Cedar Texture Soffit	8 ft. (96 in.)(2.4 m)	47.88 in. (121.6 cm)	0.315 in. (8 mm)	25813	-
76 Series 4' x 8' Cedar Texture Soffit	8 ft. (96 in.)(2.4 m)	47.88 in. (121.6 cm)	0.375 in. (9.5 mm)	25814	-
190 Series 4' x 8' Cedar Texture Soffit	8 ft. (96 in.)(2.4 m)	47.88 in. (121.6 cm)	0.530 in. (13.5 mm)	25816 *	-
38 Series Cedar Texture Soffit - Cut-to-Width	16 ft. (192 in.)(4.9 m)	11.94 in. (30.3 cm)	0.315 in. (8 mm)	25805	-
	16 ft. (192 in.)(4.9 m)	15.94 in. (40.5 cm)	0.315 in. (8 mm)	25806	-
	16 ft. (192 in.)(4.9 m)	23.94 in. (60.8 cm)	0.315 in. (8 mm)	25807	-
76 Series Cedar Texture Soffit - Cut-to-Width	16 ft. (192 in.)(4.9 m)	11.94 in. (30.3 cm)	0.375 in. (9.5 mm)	25808	-

## VENTED SOFFIT

### ENGINEERED TO CUT OUT PROBLEMS

- The perfect alternative to MDO, plywood or hand-installed metal vents
- Precisely cut vents offer 10 square inches of ventilation per linear foot, making it easier to meet code requirements while adding architectural beauty
- Designed to minimize paint buildup and promote continuous airflow
- 1/8" vents to help keep hornets and bees out
- Eliminates time spent ripping full sheets
- Treated engineered wood strand substrate

### 38 SERIES VENTED CEDAR TEXTURE SOFFIT – CUT-TO-WIDTH



Cedar Texture


DESCRIPTION	LENGTH	ACTUAL WIDTH	MINIMUM THICKNESS	PID NUMBER	WEIGHT
38 Series Vented Cedar Texture Soffit – Cut-to-Width	16 ft. (192 in.)(4.9 m)	11.94 in. (30.3 cm)	0.315 in. (8 mm)	25822	-
	16 ft. (192 in.)(4.9 m)	15.94 in. (40.5 cm)	0.315 in. (8 mm)	25823	-
	16 ft. (192 in.)(4.9 m)	23.94 in. (60.8 cm)	0.315 in. (8 mm)	25824	-

## NEW SMOOTH FINISH SOFFIT

### THE PERFECT MATCH

- Installs quickly and easily
- Cut-to-width eliminates time spent ripping full sheets
- Pre-primed for exceptional paint adhesion
- Smooth finish
- Treated engineered wood strand substrate

### 38 SERIES SMOOTH FINISH SOFFIT - CUT-TO-WIDTH



Smooth Finish

DESCRIPTION	LENGTH	ACTUAL WIDTH	MINIMUM THICKNESS	PID NUMBER	WEIGHT
38 Series Smooth Finish Soffit - Cut-to-Width	16 ft. (192 in.) (4.96 m)	15.94 in. (40.5 cm)	0.315 in. (8 mm)	42127	-



# START STRONG WITH LP BUILDING SOLUTIONS

## Inventing a Better Tomorrow with LP

LP's mission is to engineer extraordinary solutions for everyday problems. With a united spirit of discovery, LP is forging ahead with innovative ideas to create new products that offer exceptional performance for today's building challenges.

## LP WeatherLogic® Air & Water Barrier

LP WeatherLogic Air & Water Barrier provides moisture management technology for a better build. To protect against air and water during construction and for years to come, LP WeatherLogic Air & Water Barrier creates a tight building envelope, installs easily, and keeps the jobsite clean.

## LP® TechShield® Radiant Barrier

The original, #1 brand of radiant barrier, LP TechShield Radiant Barrier may reduce monthly cooling costs by blocking up to 97% of the radiant heat in the panel from emitting into a home's attic, lowering attic temperatures by up to 30° F.

## LP Legacy® Premium Sub-Flooring

LP Legacy Premium Sub-Flooring uses Gorilla Glue Technology® for one of the strongest, stiffest sub-floors. The resin in Gorilla Glue Technology binds wood fibers at the molecular level for premium performance.

## LP® FlameBlock® Fire-Rated Sheathing

LP FlameBlock Fire-Rated Sheathing has structural design values equal to standard sheathing in the same performance category. ICC-certified (ESR-1365) per AC264 with a Class A and 30-minute Flame Spread Rating (ASTM E84), it combines fire resistance and impressive structural performance in a single panel.



For more information, visit [LPSmartSide.com](https://www.LPSmartSide.com)

**⚠️ WARNING:** Drilling, sawing, sanding or machining wood products can expose you to wood dust, a substance known to the State of California to cause cancer. Avoid inhaling wood dust or use a dust mask or other safeguards for personal protection. For more information go to [www.P65Warnings.ca.gov/wood](http://www.P65Warnings.ca.gov/wood).

© 2020 Louisiana-Pacific Corporation. All rights reserved. Sustainable Forestry Initiative, SFI and associated logo are registered trademarks of Sustainable Forestry Initiative, Inc. APA is a registered trademark of The Engineered Wood Association. Gorilla Glue Technology is a registered trademark of Gorilla Glue, Inc. All other trademarks are owned by Louisiana-Pacific Corporation. Specifications subject to change without notice.

LPZB0825 1/20