



WEED & GRASS KILLER
PLUS 12 MONTH PREVENTER

EXCLUSIVE FORMULA

**FOR USE ON: DRIVEWAYS, PATIOS,
SIDEWALKS & GRAVEL AREAS**

**KILLS
THE ROOTS
GUARANTEED***



Keep Out of Reach of Children

CAUTION

See back panel booklet for additional
precautionary statements.

Mantener Fuera del Alcance de los Niños

PRECAUCIÓN

Vea los avisos adicionales de
precaución en el panel posterior.

ACTIVE INGREDIENTS:

Triclopyr, triethylamine salt	0.122%
Fluazifop-P-butyl	0.097%
Imazapic, ammonium salt	0.078%
Diquat dibromide	0.073%
OTHER INGREDIENTS	99.630%
TOTAL	100.000%
Contains 0.0073 lbs. triclopyr acid equivalent, 0.0081 lbs. fluazifop-p-butyl, 0.0061 lbs imazapic acid equivalent, and 0.0061 lbs diquat dibromide per US gallon.	

PPN 40162V1-02



LS18023

NET 1.25 GAL (160 FL OZ/4.73L)

REFILL

LB18651 PPN 40162V1-06



**Roundup® Dual Action 365 Weed & Grass Killer
Plus 12 Month Preventer**
**Roundup® Mata Malezas Y Gramas 365 de Doble
Acción con Supresor para 12 Meses**

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS

Keep Out of Reach of Children

CAUTION: May cause eye irritation. Avoid contact with eyes, skin or clothing. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Wear long-sleeved shirt and long pants, shoes plus socks and gloves. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove and wash contaminated clothing before reuse. Such items should be kept and washed separately from other laundry.



Do not allow people or pets to enter the treated area or touch treated plants until spray has dried.

FIRST AID

IF ON SKIN OR CLOTHING	- Take off contaminated clothing. - Rinse skin immediately with plenty of water for 15-20 minutes. - Call a poison control center or doctor for treatment advice.
IF IN EYES	- IMMEDIATELY hold eye open and rinse slowly and gently with water for 15-20 minutes. - Remove contact lenses, if present, after first 5 minutes, then continue rinsing eyes. - Call a poison control center or doctor for additional treatment advice.

Note to Physician: If in eyes, treat symptomatically. Symptoms may develop gradually. Severe damage may be caused by apparently trivial contact and healing may be delayed. Medical supervision should be continued until healing is complete.

Emergency Medical Information: Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may contact 1-800-246-7219 for emergency medical treatment information.

ENVIRONMENTAL HAZARDS: To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather and when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Diquat is toxic to aquatic invertebrates. Do not apply directly to water. Do not contaminate water when cleaning equipment or disposing of equipment wash waters. **GROUNDWATER ADVISORY:** Triclopyr, imazapic and fluzifop-P-butyl have properties and characteristics associated with chemicals detected in groundwater. The use of this product in areas where soil is permeable, particularly where the water table is shallow, may result in groundwater contamination. **NON-TARGET ORGANISM ADVISORY:** Triclopyr, imazapic,

fluzifop-P-butyl and diquat are toxic to plants and may adversely impact the forage and habitat of non-target organisms, including pollinators, in areas adjacent to the treated site. Protect the forage and habitat of non-target organisms by following label directions intended to minimize spray drift. **SURFACE WATER ADVISORY:** Triclopyr, imazapic and fluzifop-P-butyl may impact surface water quality due to runoff of rain water. This is especially true for poorly draining soils and soils with shallow ground water.

STORAGE AND DISPOSAL

PESTICIDE STORAGE: Store product in original container in a safe place away from direct sunlight. Keep from freezing. If frozen, allow to thaw and shake well before using. To prevent accidental poisoning, never store this product in food, drink, or unlabeled containers.

PESTICIDE DISPOSAL AND CONTAINER HANDLING: Nonrefillable container. Do not reuse or refill this container. **If Empty:** Place in trash or offer for recycling, if available. **If Partly Filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.



Questions, Comments or Information
¿Preguntas, Comentarios o Información?

1-800-246-7219
www.roundup.com

Roundup and Roundup & Design are registered trademarks of Monsanto Technology LLC.

For a list of patents, if any, covering this product or its use, please go to www.monsantotechnology.com/lawnandgarden.

©2022 Monsanto Company
Produced for Monsanto Company
Lawn & Garden Products
800 N. Lindbergh Blvd.
St. Louis, MO 63167

EPA Reg. No. 71995-67

EPA Est. 239-4A-3

Assembled in USA

PPN 40162V1-04
537720405
LB18024



FPO

0 70183 00024 1

Did You Know?

People and pets may enter treated area after spray has dried.

OPEN / ABRA

©2022 Monsanto Company
Produced for Monsanto Company
Lawn & Garden Products
800 N. Lindbergh Blvd.
St. Louis, MO 63167
www.roundup.com
EPA Reg. No. 71995-67
EPA Est. 239-IA-3
Assembled in USA

DO NOT USE: In areas that will be planted or seeded within 12 months (see booklet for details).

***CONSUMER GUARANTEE:** If for any reason you are not satisfied after using this product, simply send us original proof of purchase and we will refund the purchase price.

This bottle may contain an anti-theft device, either inside or on the back of the bottle. It does not affect product performance.

PPN 40162V1-04

537720405



LB18024

FPO

0 70183 00024 1




IMPORTANT!

To prevent new weeds and grasses from growing, YOU MUST SPRAY THE ENTIRE AREA you want to control, NOT JUST the emerged weeds.

1 Step Weed Protection For Up To 12 Months

Use this product in areas where control of vegetation is desired for up to 12 months. It is not for use on lawns, on or around fruits, vegetables, flowers, trees, shrubs or other plants, or over the root zones of desirable vegetation.



PRODUCT FACTS

KILLS & PREVENTS MANY TYPES OF TOUGH WEEDS & GRASSES FOR UP

TO 12 MONTHS including Bahiagrass, Barnyardgrass, Bermudagrass, Bindweed, Black Medic, Broadleaf Signalgrass, Buckhorn Plantain, Burning Nettle, Bush Honeysuckle, Carolina Geranium, Carpetweed, Chamber-Bitter, Chickweed (Common), Chickweed (Mouseear), Cinquefoil, Clover, Common Lespedeza, Common Purslane, Creeping Woodsorrel, Curly Dock, Dandelion, Dichondra, Downy Brome, Evening Primrose, Fall Panicum, Field Sandbur, Florida Pusley, Giant Foxtail, Goosegrass, Green Foxtail, Guineagrass (Seedling), Himalayan Blackberry, Ironweed, Italian Ryegrass, Itchgrass, Johnsongrass (Rhizome), Johnsongrass (Seedling), Junglerice, Kentucky Bluegrass, Kikuyugrass, Lambsquarters, Large Crabgrass, Lespedeza, Maypop Passionflower, Morning Glory, Oxalis, Pennywort, Plantain (Broadleaf), Poison Ivy, Prairie Cupgrass, Quackgrass, Rabbitfootgrass, Red Clover, Red Rice, Red Sorrel, Shattercane, Smooth Crabgrass, Sorghum Almum, Southern Crabgrass, Southern Dewberry, Southern Sandbur, Southwestern Cupgrass, Speedwell (Veronica), Spotted Spurge, Sprawling Horseweed, Spurge (Garden), St. Augustinegrass, Tall Fescue, Texas Panicum, Thistle, Timothy, Tropical Crabgrass, Volunteer Barley, Volunteer Corn, Volunteer Rye, Volunteer Wheat, White Clover, Wild Oats, Wild Proso Millet, Wild Strawberry, Wild Violet, Wirestem Muhly, Witchgrass, Woolly Cupgrass, Yellow Bluestem, Yellow Foxtail.

Container treats up to 375 sq ft.

For outdoor residential use, This product is intended for use in areas where control of vegetation is desired for up to 12 months. It is not for use on lawns, on or around fruits, vegetables, flowers, trees, shrubs or other plants, or over the root zones of desirable vegetation.

HOW IT WORKS

Dual Action Formula Works 2 Ways:

1. This product is absorbed by the weed's leaves and moves through the weed to the roots. Weeds die, down to the root – so they don't grow back. Weeds will begin to yellow and wilt within hours with complete kill in 1 to 2 weeks.
2. Imazapic prevents new weeds from growing for up to 1 year by creating an invisible barrier in the soil.

IMPORTANT: To prevent new weeds and grasses from growing, **YOU MUST SPRAY THE ENTIRE AREA** you want to control, **NOT JUST** the emerged weeds.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Always read and follow label directions.

WHERE TO USE

Apply only where you want to kill existing weeds AND prevent future weed growth for up to 1 year, such as:

- On cracks and crevices in driveways, sidewalks and walkways
- Patios, paths and under decks
- Along fences, foundations and curbs
- Gravel areas and parking areas
- Along retaining walls and landscape borders

Note: In heavy clay soils, plant growth may be prevented for more than one year. In areas of heavy rainfall, applications every 6-8 months may be necessary. To avoid damage to desirable plants, **DO NOT** apply over their root systems. For shrubs and trees, **DO NOT** apply closer than twice the distance from the trunk to the drip line as roots may be within this area.

WHERE NOT TO USE

- **DO NOT SPRAY** plants or grasses you like – they will die.
- **DO NOT USE** in areas that will be planted or seeded within 12 months.
- **DO NOT SPRAY** landscaped areas around young plants or in areas next to any desirable plants or grasses.
- **DO NOT USE** over the root zone of desirable trees or shrubs.
- **DO NOT USE** on steep slopes as movement on soil surface may damage desirable plants down the slope.
- **DO NOT SPRAY** next to a fence if desirable plants and grasses are growing on the other side.
- **DO NOT USE** in lawns or for lawn renovation as this product prevents desirable grasses from growing too.
- **DO NOT USE** for vegetable garden preparation or in and around fruits and vegetables.

Note: For weed control in these areas use Roundup® Weed & Grass Killer, or Roundup® Weed & Grass Killer, Concentrate.

REFILL DIRECTIONS

Use this product to refill the empty Roundup® Dual Action 365 Weed & Grass Killer Plus 12 Month Preventer container by pouring product carefully and directly into the container. **DO NOT** add water.

WHEN TO APPLY

- For best results, apply during warm, sunny weather above 60°F.
- Spray when air is calm to prevent drift to desirable plants.
- **RAINPROOF:** Rain or watering 30 minutes after application will **NOT** wash away effectiveness.

APPLICATION RESTRICTIONS: Do not apply this product in a way that will contact any person or pet, either directly or through drift. Keep people and pets out of the area during application. Only persons applying this product may be in the area during application. People and pets may enter treated area after spray has dried. Do not exceed the maximum single application rate of 1 gallon of product per 300 sq ft, a yearly application rate of 2 gallons of product per 300 sq ft and wait a minimum of 6 months before repeating application. Do not apply this product via backpack sprayer.

WHEN TO REPLANT

- **All** ornamental bedding plants (annuals and perennials), trees, shrubs, sod and seed can be planted 12 months after application.

STORAGE AND DISPOSAL

PESTICIDE STORAGE: Store product in original container in a safe place away from direct sunlight. Keep from freezing. If frozen, allow to thaw and shake well before using. To prevent accidental poisoning, never store this product in food, drink, or unlabeled containers.

PESTICIDE DISPOSAL AND CONTAINER HANDLING: Nonrefillable container. Do not reuse or refill this container. If Empty: Place in trash or offer for recycling, if available. If Partly Filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS

Keep Out of Reach of Children

CAUTION: May cause eye irritation. Avoid contact with eyes, skin or clothing. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Wear long-sleeved shirt and long pants, shoes plus socks and gloves. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove and wash contaminated clothing before reuse. Such items should be kept and washed separately from other laundry.



Do not allow people or pets to enter the treated area or touch treated plants until spray has dried.

Español



Roundup® Mata Malezas Y Gramas 365 de Doble Acción con Supresor para 12 Meses

DATOS DEL PRODUCTO

ELIMINA Y PREVIENE MUCHOS TIPOS DE MALEZAS Y GRAMAS RESISTENTES POR HASTA 12 MESES

Envase para tratar hasta 375 pies cuadrados.

Para uso en exteriores de áreas residenciales. Este producto está diseñado para su uso en áreas donde se desea el control de la vegetación durante un máximo de 12 meses. No es para uso en el césped, en o alrededor de las plantas frutales, hortalizas, flores, arbustos u otras plantas, o sobre las zonas profundas de la vegetación deseable.

CÓMO FUNCIONA

La fórmula de acción doble funciona de dos maneras:

1. Este producto lo absorben las hojas de las malezas y se mueve a través de la planta hasta las raíces. Las malezas comienzan a ponerse amarillentas y se marchitan en horas, y se produce la eliminación completa en 1 a 2 semanas. Las malezas se mueren, hasta la raíz, por lo que no vuelven a crecer.
2. El imazapic forma una barrera invisible en la tierra que evita el crecimiento de malezas nuevas por hasta 1 año.

IMPORTANTE: Para evitar el crecimiento de nuevas malezas y gramas, **DEBE ROCÍAR TODA EL ÁREA** que desee controlar y **NO SÓLO** las malezas que germinen.

INSTRUCCIONES DE USO

Utilizar este producto de modo inconsistente con las declaraciones de su etiqueta constituye una violación de las leyes federales. Siempre lea y siga las indicaciones de la etiqueta.

DÓNDE USAR

Aplicarlo sólo donde desee eliminar las malezas existentes Y prevenir su crecimiento por hasta 1 año, en lugares tales como:

- En las grietas y rajaduras en caminos de acceso, aceras y pasos peatonales
- Patios, caminos y debajo de terrazas
- A lo largo de las cercas, cimientos y bordillos
- En áreas con grava y de estacionamiento
- A lo largo de muros de contención y arriates ajardinados

NOTA: En tierra sumamente arcillosa, el crecimiento de plantas se puede prevenir por más de un año. En áreas con fuertes lluvias puede ser necesario realizar aplicaciones cada 6-8 meses. Para evitar el daño a plantas que no desee eliminar, NO se debe aplicar sobre sus sistemas de raíces. Para arbustos y árboles, NO se debe aplicar más cerca que dos veces la distancia desde el tronco hasta la línea de goteo pues las raíces pueden estar bajo esta área.

DÓNDE NO USAR

- NO ROCÍE las plantas o gramas que desee conservar, pues morirán.
- NO USAR en áreas que se plantarán o sembrarán en los próximos 12 meses.
- NO ROCÍAR alrededor de plantas jóvenes en áreas ajardinadas, o en unas áreas junto a las plantas o gramas deseables.
- NO USAR sobre la zona de las raíces de árboles o arbustos que desee conservar.
- NO USAR en laderas empinadas debido a que el movimiento de tierra de la superficie puede dañar las plantas abajo de la ladera que no desee eliminar.
- NO ROCÍAR al lado de una cerca si del otro lado están creciendo plantas y gramas que no desea eliminar.
- NO LO UTILICE en césped o para renovación del césped, pues este producto también evita el crecimiento del césped que se desea conservar.
- NO LO UTILICE en la preparación de jardines de vegetales o alrededor de frutas y vegetales

NOTA: Para controlar las malezas en estas áreas, utilice Roundup® Mata Malezas Y Gramas, o Roundup® Concentrado Mata Malezas Y Gramas.

INSTRUCCIONES DE RELLENO

Utilice este producto para rellenar el envase vacío de Roundup® Mata Malezas y Gramas 365 de Doble Acción con Supresor para 12 Meses vertiendo el producto cuidadosa y directamente en el envase. NO agregue agua.

FIRST AID	
IF ON SKIN OR CLOTHING	• Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
IF IN EYES	• IMMEDIATELY hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after first 5 minutes, then continue rinsing eyes. • Call a poison control center or doctor for additional treatment advice.
Note to Physician: If in eyes, treat symptomatically. Symptoms may develop gradually. Severe damage may be caused by apparently trivial contact and healing may be delayed. Medical supervision should be continued until healing is complete. Emergency Medical Information: Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may contact 1-800-246-7219 for emergency medical treatment information.	

ENVIRONMENTAL HAZARDS: To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather and when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Diquat is toxic to aquatic invertebrates. Do not apply directly to water. Do not contaminate water when cleaning equipment or disposing of equipment wash waters. **GROUNDWATER ADVISORY:** Triclopyr, imazapic and fluzifop-P-butyl have properties and characteristics associated with chemicals detected in groundwater. The use of this product in areas where soil is permeable, particularly where the water table is shallow, may result in groundwater contamination. **NON-TARGET ORGANISM ADVISORY:** Triclopyr, imazapic, fluzifop-P-butyl and diquat are toxic to plants and may adversely impact the forage and habitat of non-target organisms, including pollinators, in areas adjacent to the treated site. Protect the forage and habitat of non-target organisms by following label directions intended to minimize spray drift. **SURFACE WATER ADVISORY:** Triclopyr, imazapic and fluzifop-P-butyl may impact surface water quality due to runoff of rain water. This is especially true for poorly draining soils and soils with shallow ground water.

NOTICE: To the extent consistent with applicable law, buyer assumes all responsibility for safety and use not in accordance with directions.

*CONSUMER GUARANTEE

If for any reason you are not satisfied after using this product, simply send us original proof of purchase and we will refund the purchase price.

Roundup® Lawn & Garden products have the solutions to your toughest weed problems. Visit the Roundup® website, www.roundup.com, to learn more about the Roundup® brand family of products. For weeds in your lawn, try Roundup® For Lawns products.

CUÁNDO APLICAR

- Para obtener los mejores resultados, aplique durante clima cálido y soleado arriba de 60°F.
- Rocíe cuando el aire se encuentre calmo para evitar la diseminación a plantas que desee conservar.
- A PRUEBA DE LLUVIA: La lluvia o el riego 30 minutos después de la aplicación NO eliminarán su eficacia.

RESTRICCIONES DE APLICACIÓN: No aplique este producto de tal forma que entre en contacto con alguna persona o mascota, ya sea directamente o por su diseminación. Mantenga a las personas y las mascotas alejadas del área durante la aplicación. Sólo la persona que aplica el producto puede estar dentro del área durante la aplicación. Las personas y las mascotas pueden ingresar al área tratada luego de que se seque el rocío. No exceda la proporción máxima para una sola aplicación de 1 galón de producto por cada 300 pies², a una tasa de aplicación anual de 2 galones por cada 300 pies², y espere un mínimo de 6 meses antes de repetir la aplicación. No aplique este producto con un rociador de mochila.

CUÁNDO REPLANTAR

- Se pueden sembrar o plantar todas las plantas de macizo ornamentales (anuales y perennes), árboles, arbustos, tepes y semillas 12 meses después de la aplicación.

ALMACENAMIENTO Y ELIMINACIÓN

ALMACENAMIENTO DEL PESTICIDA: Guarde el producto en el envase original en un lugar seguro lejos y alejado de la luz directa del sol. Proteja del congelamiento. Si se congela, deje que se descongele y agítelo bien antes de usarlo. Para evitar una intoxicación accidental, nunca almacene este producto en recipientes de alimentos, bebidas o sin etiqueta.

ELIMINACIÓN DEL PESTICIDA Y MANEJO DEL ENVASE: Este envase no se puede rellenar. No vuelva a usar ni llenar este envase. Si está vacío: Colóquelo en la basura u ofrézcalo para reciclaje, si está disponible. Si está parcialmente lleno: Llame a su agencia local de desechos sólidos para obtener instrucciones de eliminación. Nunca elimine el producto sin usar en ningún drenaje interior o exterior.

AVISOS DE PRECAUCIÓN

RIESGOS PARA HUMANOS Y ANIMALES DOMÉSTICOS
Mantener Fuera del Alcance de Los Niños

PRECAUCIÓN: Puede causar irritación en los ojos. Evite el contacto con los ojos, la piel o la ropa. El contacto prolongado o reiterado de este producto con la piel puede causar reacciones alérgicas en algunas personas. Lleve camisa de manga larga y pantalones largos, zapatos con calcetines y guantes. Lávese completamente con agua y jabón después de usarlo y antes de comer, beber, masticar chicle, consumir tabaco o usar el inodoro. Debe quitarse y lavar la ropa contaminada antes de volver a usarla. Estos artículos deben guardarse y lavarse separado del resto de la ropa sucia.



No permita que las personas o las mascotas ingresen al área tratada o toquen las plantas tratadas hasta que se seque el rocío.

PRIMEROS AUXILIOS	
SI CAE EN LA PIEL O ROPA	• Quite la ropa contaminada. • Enjuague la piel inmediatamente con abundante agua durante 15 a 20 minutos. • Llame al centro de control de envenenamiento o al médico para obtener más recomendaciones sobre tratamiento.
SI ENTRA EN LOS OJOS	• INMEDIATAMENTE mantenga el ojo abierto y enjuague lenta y suavemente con agua durante 15–20 minutos. • Si tiene lentes de contacto, quítelos después de lavarse los primeros 5 minutos y continúe lavando los ojos. • Llame al centro de control de envenenamientos o al médico para obtener más recomendaciones sobre tratamiento.
Aviso para el médico: Si ha entrado en los ojos, tratar los síntomas. Los síntomas pueden presentarse gradualmente. El contacto aparentemente trivial puede causar daños graves y retrasar la curación. La supervisión médica debe continuar hasta que la curación sea completa. INFORMACIÓN MÉDICA DE EMERGENCIA: Tenga con usted el envase o etiqueta del producto cuando llame al centro de control de envenenamientos o al médico, o acuda al tratamiento. Puede llamar al 1-800-246-7219 para obtener información sobre tratamiento médico de emergencia.	

RIESGOS AMBIENTALES: Para proteger el ambiente, no permita que el pesticida entre o se escurra en drenajes pluviales, zanjas de drenaje, cunetas o aguas superficiales. Aplicar este producto en clima tranquilo cuando no haya pronóstico de lluvia en las siguientes 24 horas ayudará a asegurarse de que el viento o la lluvia no soplen o laven el pesticida fuera del área de tratamiento. Dicuat es tóxico para los invertebrados acuáticos. No aplique este producto directamente al agua. No contamine el agua al limpiar los utensilios ni al deshacerse del agua que use para lavarlos. **ADVERTENCIA SOBRE LAS AGUAS SUBTERRÁNEAS:** Triclopir, imazapic y fluazifop-P-butilo tienen propiedades y características que se asocian con productos químicos detectados en aguas del subsuelo. El uso de este producto químico en áreas donde el suelo es permeable, en particular donde el manto freático está cerca de la superficie, puede resultar en la contaminación del agua del subsuelo. **ADVERTENCIA SOBRE LOS ORGANISMOS QUE NO SE PRETENDE AFECTAR:** Triclopir, imazapic, fluazifop-P-butilo y dicuat son tóxico para las plantas y pueden afectar de manera adversa las fuentes de alimento y el hábitat de organismos que no se pretende afectar, como los polinizadores, en las áreas adyacentes al sitio tratado. Proteja las fuentes de alimento y el hábitat de estos organismos siguiendo las instrucciones de la etiqueta dirigidas a reducir al mínimo la dispersión del rocío. **ADVERTENCIA SOBRE LAS AGUAS SUPERFICIALES:** Triclopir, imazapic y fluazifop-P-butilo pueden afectar la calidad de las aguas superficiales debido a la escorrentía del agua de lluvia. Esto es especialmente cierto para los suelos con mal drenaje y los suelos con aguas subterráneas poco profundas.

ADVERTENCIA: En la medida contemplada por las leyes aplicables, el comprador asume toda responsabilidad por la seguridad y uso que no sea de acuerdo con las instrucciones.

***GARANTÍA PARA EL CONSUMIDOR**

Si por algún motivo usted no queda satisfecho después de usar este producto, simplemente envíenos el comprobante de venta original y reembolsaremos el precio de compra.

Los productos Roundup® para el césped y jardín proveen las soluciones a sus problemas de malezas más difíciles. Visite el sitio web de Roundup® www.roundup.com, para conocer más sobre la familia de productos de la marca Roundup®. Para las malezas en su césped, pruebe los productos de Roundup® For Lawns.