

CRUZE

Tile Saw Products and Accessories





96-110 10 inch Wet Tile/Stone Saw





120v
4,200
15A
99 lbs.
10 in.
5/8 in.

Maximum Cut Capacities:	
Depth Cut 90°:	3-3/8 in.
Depth Cut 45°:	1-7/8 in.
Tilting Range:	0°,22.5°,45°
Rip Cut:	34 in.
Diagonal Cut:	24 in.

Features

- Powerful 15 amp motor will cut through natural and manmade tile and pavers
- 10 inch diamond cutting wheel handles stone up to 3-3/8"
- Largest rip/diagonal cutting capacity in its class
- Accurate to within 1/32" across a 24" tile
- Heavy-duty fence with positive stops at 0°, 22.5° and 45°
- Durable 12 bearing rail system for accurate cuts and smooth operations
- Removable extension table for use with larger format tiles
- Saw frame constructed of durable steel pipe
- Flexible water nozzles allow precise water control
- Front access to water tray greatly simplifies cleaning and draining processes
- Water supply lines are externally mounted and easily accessible for cleaning or replacement
- Blade guard easily opens and secures with finger knob
- Blade splash guard and back splash tray keeps work area dry and returns water to water tray
- Water pump designed for use in water tray or side bucket
- Divider in water tray filters slurry and extends pump life

Also Available:

96-110FS 10 inch Tile Saw and Folding Stand Combo







Voltage: Speed (RPM): Amps: Weight: Diamond Wheel Size: Arbor Size: 120v 4,200 13A 63 lbs. 7 in. 5/8 in.

Maximum Cut Capacities:Depth Cut 90°:2-3Depth Cut 45°:1-1Tilting Range:0°,Rip Cut:24Diagonal Cut:18

2-3/8 in. 1-1/4 in. 0°,22.5°,45° 24 in. 18 in.

Features

- Powerful 13 amp motor will cut through natural and manmade tile and pavers
- 7 inch diamond cutting wheel handles stone up to 2 3/8"
- Largest rip/diagonal cutting capacity in its class
- Heavy duty fence with positive stops at 0°, 22.5° and 45°
- Durable 12 bearing rail system for accurate cuts and smooth operations
- Removable extension table for use with larger format tiles
- Saw frame constructed of durable steel pipe
- Flexible water nozzles allow precise water control
- Front access to water tray greatly simplifies cleaning and draining processes
- Water supply lines are externally mounted and easily accessible for cleaning or replacement
- Blade guard easily opens and secures with finger knob
- Blade splash guard and back splash tray keeps work area dry and returns water to water tray
- Water pump designed for use in water tray or side bucket
- Divider in water tray filters slurry and extends pump life

Also Available:

96-107FS 7 inch Tile Saw and Folding Stand Combo





DELTA® 96-270 Scissor Stand



Features

- Adjustable height for comfortable use by different size users
- Powder coated paint for added durability
- Steel pipe construction for strength and durability
- Designed to work with the 96-110 10 inch tile saw



DELTA® 96-267 Scissor Stand





Features

- Adjustable height for comfortable use by different size users
- Powder coated paint for added durability
- Steel pipe construction for strength and durability
- Designed to work with the 96-107 7 inch tile saw



DELTA® 96-014 Folding Stand

Features Specifically designed to fit the 7 inch and 10 inch DELTA[®] Cruzer tile saws

- One-step setup and fold using the foot actuated pedal
- Designed for quick setup and easy transport
- Lightweight steel tube construction provides a stable work surface



Works with 96-110 10 inch or 96-107 7 inch DELTA[®] tile saws. Securely bolts to saw base for easy one-man transport across the job site and into the vehicle. Simply put the handles on the tailgate or rear of vehicle and lift the other end to load. 8 inch wheels roll down stairs and over obstacles with ease.





