



# SAFETY DATA SHEET

Classified in accordance 29 CFR 1910.1200

## 1. Identification

**Product identifier:** SPRAYWAY GLASS CLEANER - SW-050

**Other means of identification**

**SDS number:** RE1000000075

**Recommended restrictions**

**Recommended use:** Cleaner

**Restrictions on use:** Not known.

**Manufacturer/Importer/Distributor Information**

**Manufacturer**

**Company Name:** Sprayway, Inc.  
**Address:** 1000 INTEGRAM DR.  
Pacific, MO 63069  
US  
**Telephone:** 1-630-628-3000

**Emergency telephone number:** 1-866-836-8855

## 2. Hazard(s) identification

**Hazard Classification**

**Physical Hazards**

Gases under pressure

Compressed gas

**Label Elements**

**Hazard Symbol:**



**Signal Word:** Warning

**Hazard Statement:** Contains gas under pressure; may explode if heated.

**Precautionary Statements**

**Storage:** Protect from sunlight. Store in a well-ventilated place.

**Hazard(s) not otherwise classified (HNOC):** None.



### 3. Composition/information on ingredients

#### Mixtures

Chemical Identity	CAS number	Content in percent (%)*
Ethanol	64-17-5	1 - <5%
Ethanol, 2-butoxy-	111-76-2	1 - <5%
Propane	74-98-6	1 - <5%
Butane	106-97-8	1 - <5%

\* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

The exact concentration has been withheld as a trade secret.

### 4. First-aid measures

#### Description of necessary first-aid measures

<b>Inhalation:</b>	Move to fresh air.
<b>Skin Contact:</b>	Wash skin thoroughly with soap and water. If skin irritation occurs: Get medical advice/attention.
<b>Eye contact:</b>	Any material that contacts the eye should be washed out immediately with water. If easy to do, remove contact lenses. If eye irritation persists: Get medical advice/attention.
<b>Ingestion:</b>	Call a POISON CENTER/doctor if you feel unwell. Rinse mouth.
<b>Personal Protection for First-aid Responders:</b>	Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.

#### Most important symptoms/effects, acute and delayed

<b>Symptoms:</b>	No data available.
<b>Hazards:</b>	No data available.

#### Indication of immediate medical attention and special treatment needed

<b>Treatment:</b>	Get medical attention if symptoms occur.
-------------------	--

### 5. Fire-fighting measures

<b>General Fire Hazards:</b>	Use water spray to keep fire-exposed containers cool. Fight fire from a protected location. Move containers from fire area if you can do so without risk.
------------------------------	---

#### Suitable (and unsuitable) extinguishing media

<b>Suitable extinguishing media:</b>	Use fire-extinguishing media appropriate for surrounding materials.
<b>Unsuitable extinguishing media:</b>	Do not use water jet as an extinguisher, as this will spread the fire.

<b>Specific hazards arising from the chemical:</b>	Pressurized container may explode when exposed to heat or flame.
--	--



**Special protective equipment and precautions for firefighters**

**Special fire fighting procedures:** No data available.

**Special protective equipment for fire-fighters:** Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.

**6. Accidental release measures**

**Personal precautions, protective equipment and emergency procedures:** No data available.

**Methods and material for containment and cleaning up:** Stop the flow of material, if this is without risk. Absorb with sand or other inert absorbent.

**Environmental Precautions:** Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Do not contaminate water sources or sewer. Environmental manager must be informed of all major spillages.

**7. Handling and storage**

**Handling**

**Technical measures (e.g. Local and general ventilation):** No data available.

**Safe handling advice:** Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

**Contact avoidance measures:** No data available.

**Storage**

**Safe storage conditions:** Protect from sunlight. Store in a cool place. Aerosol Level 1

**Safe packaging materials:** No data available.

**Storage Temperature:** No data available.

**8. Exposure controls/personal protection**

**Control Parameters  
Occupational Exposure Limits**

Chemical Identity	Type	Exposure Limit Values	Source
Ethanol	REL	1,000 ppm 1,900 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards, as amended
	PEL	1,000 ppm 1,900 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended
	TWA	1,000 ppm 1,900 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended
	STEL	1,000 ppm	US. ACGIH Threshold Limit Values, as amended
Ethanol, 2-butoxy-	TWA	20 ppm	US. ACGIH Threshold Limit Values, as amended
	REL	5 ppm 24 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards, as amended
	PEL	50 ppm 240 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended
	TWA	25 ppm 120 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended



Propane	REL	1,000 ppm	1,800 mg/m <sup>3</sup>	US. NIOSH: Pocket Guide to Chemical Hazards, as amended
	PEL	1,000 ppm	1,800 mg/m <sup>3</sup>	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended
	TWA	1,000 ppm	1,800 mg/m <sup>3</sup>	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended
Butane	REL	800 ppm	1,900 mg/m <sup>3</sup>	US. NIOSH: Pocket Guide to Chemical Hazards, as amended
	STEL	1,000 ppm		US. ACGIH Threshold Limit Values, as amended
	TWA	800 ppm	1,900 mg/m <sup>3</sup>	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended
Morpholine	REL	20 ppm	70 mg/m <sup>3</sup>	US. NIOSH: Pocket Guide to Chemical Hazards, as amended
	STEL	30 ppm	105 mg/m <sup>3</sup>	US. NIOSH: Pocket Guide to Chemical Hazards, as amended
	TWA	20 ppm		US. ACGIH Threshold Limit Values, as amended
	TWA	20 ppm	70 mg/m <sup>3</sup>	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended
	STEL	30 ppm	105 mg/m <sup>3</sup>	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended
	PEL	20 ppm	70 mg/m <sup>3</sup>	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended
2-Propanol, 2-methyl-	STEL	150 ppm	450 mg/m <sup>3</sup>	US. NIOSH: Pocket Guide to Chemical Hazards, as amended
	TWA	100 ppm	300 mg/m <sup>3</sup>	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended
	PEL	100 ppm	300 mg/m <sup>3</sup>	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended
	TWA	100 ppm		US. ACGIH Threshold Limit Values, as amended
	STEL	150 ppm	450 mg/m <sup>3</sup>	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended
	REL	100 ppm	300 mg/m <sup>3</sup>	US. NIOSH: Pocket Guide to Chemical Hazards, as amended
Silica	REL		6 mg/m <sup>3</sup>	US. NIOSH: Pocket Guide to Chemical Hazards, as amended
	TWA		20 millions of particles per cubic foot of air	US. OSHA Table Z-3 (29 CFR 1910.1000), as amended
	TWA		6 mg/m <sup>3</sup>	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended
	TWA		0.8 mg/m <sup>3</sup>	US. OSHA Table Z-3 (29 CFR 1910.1000), as amended
2,6-Octadienal, 3,7-dimethyl- - Inhalable fraction and vapor.	TWA	5 ppm		US. ACGIH Threshold Limit Values, as amended

### Biological Limit Values

Chemical Identity	Exposure Limit Values	Source
Ethanol, 2-butoxy- (Butoxyacetic acid (BAA), with hydrolysis: Sampling time: End of shift.)	200 mg/g (Creatinine in urine)	ACGIH BEL

### Exposure guidelines

Morpholine	US. ACGIH Threshold Limit Values, as amended	Can be absorbed through the skin.
2,6-Octadienal, 3,7-dimethyl-	US. ACGIH Threshold Limit Values, as amended	Can be absorbed through the skin.

### Appropriate Engineering Controls

No data available.

### Individual protection measures, such as personal protective equipment

#### Eye/face protection:

Wear goggles/face shield.

### Skin Protection

#### Hand Protection:

No data available.

#### Skin and Body Protection:

No data available.



**Respiratory Protection:** In case of inadequate ventilation use suitable respirator. Seek advice from local supervisor.

**Hygiene measures:** Observe good industrial hygiene practices.

## 9. Physical and chemical properties

### Appearance

<b>Physical state:</b>	liquid
<b>Form:</b>	Spray Aerosol
<b>Color:</b>	No data available.
<b>Odor:</b>	No data available.
<b>Odor Threshold:</b>	No data available.
<b>pH:</b>	8.7 - 9.7
<b>Freezing point:</b>	No data available.
<b>Boiling Point:</b>	No data available.
<b>Flash Point:</b>	Not applicable
<b>Evaporation Rate:</b>	No data available.
<b>Flammability (solid, gas):</b>	Non-flammable Aerosol
<b>Explosive limit - upper (%):</b>	No data available.
<b>Explosive limit - lower (%):</b>	No data available.
<b>Vapor pressure:</b>	5,515 - 6,894 hPa (20 °C)
<b>Vapor density (air=1):</b>	No data available.
<b>Density:</b>	No data available.
<b>Relative density:</b>	No data available.
<b>Solubility in Water:</b>	No data available.
<b>Solubility (other):</b>	No data available.
<b>Partition coefficient (n-octanol/water):</b>	No data available.
<b>Self Ignition Temperature:</b>	No data available.
<b>Decomposition Temperature:</b>	No data available.
<b>Kinematic viscosity:</b>	No data available.
<b>Dynamic viscosity:</b>	No data available.
<b>Other information</b>	
<b>Explosive properties:</b>	No data available.
<b>Oxidizing properties:</b>	No data available.
<b>Minimum ignition temperature:</b>	Ignition does not occur at >= 15cm

## 10. Stability and reactivity

<b>Reactivity:</b>	No data available.
<b>Chemical Stability:</b>	Material is stable under normal conditions.
<b>Possibility of hazardous reactions:</b>	No data available.
<b>Conditions to avoid:</b>	Avoid heat or contamination.
<b>Incompatible Materials:</b>	No data available.
<b>Hazardous Decomposition Products:</b>	No data available.



## 11. Toxicological information

### Information on likely routes of exposure

<b>Inhalation:</b>	No data available.
<b>Skin Contact:</b>	No data available.
<b>Eye contact:</b>	No data available.
<b>Ingestion:</b>	No data available.

### Symptoms related to the physical, chemical and toxicological characteristics

<b>Inhalation:</b>	No data available.
<b>Skin Contact:</b>	No data available.
<b>Eye contact:</b>	No data available.
<b>Ingestion:</b>	No data available.

### Information on toxicological effects

#### Acute toxicity (list all possible routes of exposure)

##### Oral

**Product:** ATEmix: 36,844.23 mg/kg

##### Dermal

**Product:** ATEmix: 32,120.9 mg/kg

##### Inhalation

**Product:** ATEmix: 690.87 mg/l Vapour  
ATEmix : 172.72 mg/l Dusts, mists and fumes

#### Repeated dose toxicity

**Product:** No data available.

##### Components:

Ethanol	NOAEL (Rat(Male), Oral, 7 - 14 Weeks): 10 %(m) Oral Experimental result, Key study
Ethanol, 2-butoxy-	NOAEL (Rat(Female), Inhalation, 2 yr): < 31 ppm(m) Inhalation Experimental result, Key study NOAEL (Rat(Female), Oral, 90 d): < 82 mg/kg Oral Experimental result, Key study NOAEL (Rabbit(Female, Male), Dermal, 90 d): > 150 mg/kg Dermal Experimental result, Key study
Propane	NOAEL (Rat(Female, Male), Inhalation, >= 28 d): 4,000 ppm(m) Inhalation Experimental result, Key study LOAEL (Rat(Female, Male), Inhalation, >= 28 d): 12,000 ppm(m) Inhalation Experimental result, Key study
Butane	LOAEL (Rat(Female, Male), Inhalation, >= 28 d): 12,000 ppm(m) Inhalation Experimental result, Key study NOAEL (Rat(Female, Male), Inhalation, >= 28 d): 4,000 ppm(m) Inhalation Experimental result, Key study

#### Skin Corrosion/Irritation

**Product:** No data available.

##### Components:

Ethanol	in vivo (Rabbit): Not irritant
Ethanol, 2-butoxy-	in vivo (Rabbit): Irritating



### Serious Eye Damage/Eye Irritation

**Product:** No data available.

**Components:**

Ethanol Rabbit, 1 - 24 hrs: Not irritating

Ethanol, 2-butoxy- Rabbit, 24 - 72 hrs: Irritating

### Respiratory or Skin Sensitization

**Product:** No data available.

**Components:**

Ethanol Skin sensitization:, in vivo (Guinea pig): Non sensitising

Ethanol, 2-butoxy- Skin sensitization:, in vivo (Guinea pig): Non sensitising

### Carcinogenicity

**Product:** No data available.

### IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:

No carcinogenic components identified

### US. National Toxicology Program (NTP) Report on Carcinogens:

No carcinogenic components identified

### US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050), as amended:

No carcinogenic components identified

### Germ Cell Mutagenicity

**In vitro**

**Product:** No data available.

**In vivo**

**Product:** No data available.

### Reproductive toxicity

**Product:** No data available.

### Specific Target Organ Toxicity - Single Exposure

**Product:** No data available.

### Specific Target Organ Toxicity - Repeated Exposure

**Product:** No data available.

### Aspiration Hazard

**Product:** No data available.

**Other effects:** No data available.

## 12. Ecological information

### Ecotoxicity:

#### Acute hazards to the aquatic environment:

**Fish**

**Product:** No data available.

**Components:**

Ethanol LC 50 (Pimephales promelas, 96 h): 15.3 g/l Experimental result, Key study



Ethanol, 2-butoxy- LC 50 (Oncorhynchus mykiss, 96 h): 1,474 mg/l Experimental result, Key study

Propane LC 50 (Various, 96 h): 147.54 mg/l QSAR QSAR, Key study

Butane LC 50 (Various, 96 h): 147.54 mg/l QSAR QSAR, Key study

**Aquatic Invertebrates**

**Product:** No data available.

**Components:**

Ethanol LC 50 (Ceriodaphnia dubia, 48 h): 5,012 mg/l Experimental result, Key study

Ethanol, 2-butoxy- EC 50 (Daphnia magna, 48 h): 1,550 mg/l Experimental result, Key study

Butane LC 50 (Daphnia sp., 48 h): 69.43 mg/l QSAR QSAR, Key study

**Chronic hazards to the aquatic environment:**

**Fish**

**Product:** No data available.

**Components:**

Ethanol NOAEL (Oryzias latipes): 7,900 mg/l Read-across from supporting substance (structural analogue or surrogate), Supporting study

Ethanol, 2-butoxy- NOAEL (Danio rerio): > 100 mg/l Experimental result, Key study

**Aquatic Invertebrates**

**Product:** No data available.

**Components:**

Ethanol LC 50 (Daphnia magna): 454 mg/l Experimental result, Key study  
NOAEL (Daphnia magna): 9.6 mg/l Experimental result, Key study

Ethanol, 2-butoxy- EC 10 (Daphnia magna): 134 mg/l Experimental result, Key study  
EC 50 (Daphnia magna): 297 mg/l Experimental result, Key study

**Toxicity to Aquatic Plants**

**Product:** No data available.

**Persistence and Degradability**

**Biodegradation**

**Product:** No data available.

**Components:**

Ethanol 95 % Detected in water. Experimental result, Key study

Ethanol, 2-butoxy- 90.4 % Detected in water. Experimental result, Key study

Propane 100 % (385.5 h) Detected in water. Experimental result, Key study  
50 % (3.19 d) Detected in water. QSAR, Weight of Evidence study

Butane 100 % (385.5 h) Detected in water. Experimental result, Key study

**BOD/COD Ratio**

**Product:** No data available.

**Bioaccumulative potential**

**Bioconcentration Factor (BCF)**

**Product:** No data available.







## 15. Regulatory information

### US Federal Regulations

**Restrictions on use:** Not known.

### TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

**US. Toxic Substances Control Act (TSCA) Section 5(a)(2) Final Significant New Use Rules (SNURs) (40 CFR 721, Subpt E)**

**US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050), as amended**  
None present or none present in regulated quantities.

### CERCLA Hazardous Substance List (40 CFR 302.4):

**Chemical Identity**

RCRA HAZARDOUS WASTE NO. D001

GLYCOL ETHERS

UNLISTED HAZARDOUS WASTES CHARACTERISTIC OF IGNITABILITY

SODIUM NITRITE

### Superfund Amendments and Reauthorization Act of 1986 (SARA)

#### Hazard categories

**US. EPCRA (SARA Title III) Section 304 Extremely Hazardous Substances Reporting Quantities and the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) Hazardous Substances**

**US. EPA Emergency Planning and Community Right-To-Know Act (EPCRA) SARA Title III Section 313 Toxic Chemicals (40 CFR 372.65) - Supplier Notification Required**

**Chemical Identity**

Ethanol, 2-butoxy-

**% by weight**

1.0%

**Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130):**

**Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3)**

### US State Regulations

#### US. California Proposition 65

No ingredient requiring a warning under CA Prop 65.

#### US. New Jersey Worker and Community Right-to-Know Act

**Chemical Identity**

Ethanol

Ethanol, 2-butoxy-

Propane

Butane

#### US. Massachusetts RTK - Substance List

No ingredient regulated by MA Right-to-Know Law present.

#### US. Pennsylvania RTK - Hazardous Substances

**Chemical Identity**

Ethanol

Ethanol, 2-butoxy-

Propane

Butane



**US. Rhode Island RTK**

No ingredient regulated by RI Right-to-Know Law present.

**International regulations**

**Montreal protocol**

Not applicable

**Stockholm convention**

Not applicable

**Rotterdam convention**

Not applicable

**Kyoto protocol**

Not applicable

**Inventory Status:**

Australia AICS	On or in compliance with the inventory
Canada DSL Inventory List	On or in compliance with the inventory
Canada NDSL Inventory	Not in compliance with the inventory.
Ontario Inventory	On or in compliance with the inventory
China Inv. Existing Chemical Substances	On or in compliance with the inventory
Japan (ENCS) List	On or in compliance with the inventory
Japan ISHL Listing	Not in compliance with the inventory.
Japan Pharmacopoeia Listing	Not in compliance with the inventory.
Korea Existing Chemicals Inv. (KECI)	Not in compliance with the inventory.
Mexico INSQ	Not in compliance with the inventory.
New Zealand Inventory of Chemicals	Not in compliance with the inventory.
Philippines PICCS	Not in compliance with the inventory.
Taiwan Chemical Substance Inventory	On or in compliance with the inventory
US TSCA Inventory	On or in compliance with the inventory
EINECS, ELINCS or NLP	Not in compliance with the inventory.

**16. Other information, including date of preparation or last revision**

**Issue Date:** 09/15/2020

**Revision Information:** No data available.

**Version #:** 2.1

**Further Information:** No data available.

**Disclaimer:** This information is provided without warranty. The information is believed to be correct. This information should be used to make an independent determination of the methods to safeguard workers and the environment.