


USE AND CARE GUIDE

2-DRAWER TV STAND



Questions, problems, missing parts? Before returning to the store,
call Home Decorators Collection Customer Service.
8 a.m. – 7 p.m., EST, Monday – Friday, 9 a.m. – 6 p.m., EST, Saturday

1-800-998-7021

HOMEDEPOT.COM/HOMEDECORATORS

THANK YOU

We appreciate the trust and confidence you have placed in Home Decorators Collection through the purchase of this 2-drawer TV stand. We strive to continually create quality products designed to enhance your home. Visit us online to see our full line of products available for your home improvement needs. Thank you for choosing Home Decorators Collection!

Table of Contents

Table of Contents.....	2
Safety Information.....	2
Warranty.....	2
3 Year Warranty	2
What is Covered	2
What is Not Covered	2
Pre-assembly.....	3
Planning Assembly.....	3
Tools Required	3

Hardware Included.....	3
Pre-assembly (continued)	4
Package Contents	4
Assembly	5

Safety Information



DANGER

- ☐ Keep small parts away from children during assembly.
- ☐ Read and follow instructions carefully.



WARNING

- ☐ Read these instructions carefully and keep in a safe place.
- ☐ TO GUARANTEE THE SAFE USE OF THIS PRODUCT, FOLLOW THE WARNINGS, GUIDELINES AND RECOMMENDATIONS IN THIS MANUAL.
- ☐ Adult assembly required.
- ☐ Small parts may present choking hazard prior to assembly.
- ☐ Do not place heavy objects on the glass top.
- ☐ Some assembly may involve attaching glass or mirrors.
- ☐ Be very careful handling the glass or mirrors, as severe injury may result if the glass or mirror breaks.
- ☐ Never handle large pieces of glass or mirrors by yourself.



CAUTION

- ☐ Do not use power tools to assemble your furniture. Power tools may strip or damage parts/product.
- ☐ Do not overtighten connectors (screws, bolts, etc.). Overtightening can lead to product damage.
- ☐ Be sure to check all packing materials carefully for small parts that may have come loose inside the carton during shipment. If parts are missing, contact THE HOME DEPOT to obtain any missing parts.
- ☐ DO NOT USE SUBSTITUTE PARTS.
- ☐ This product should only be used on a flat, level surface.

Warranty

3 YEAR WARRANTY

WHAT IS COVERED

We guarantee this product to be free of manufacturing defects to the original purchaser for three years.

WHAT IS NOT COVERED


This warranty does not cover commercial use, acts of nature, and abusive use.

Pre-assembly


PLANNING ASSEMBLY

Keep children and pets away from build area. Make sure your area is large enough to unpack, sort and assemble the unit.

TOOLS REQUIRED



Small head
Phillips
screwdriver




Large head
Phillips
screwdriver

HARDWARE INCLUDED



NOTE: Hardware not shown to actual size.




Part	Description	Quantity
AA	Wood dowel	36
BB	Cam lock bolt	30
CC	Cam lock	30
DD	Plastic cover	20
EE	1 in. Flat head screw	24
FF	5/8 in. Round head screw	42
GG	Magnet	2

Part	Description	Quantity
HH	Metal plate	6
II	Shelf support	8
JJ	1/2 in. Flat head screw	8
KK	Handle	4
LL	Bolt	8
MM	Wire plug	3
NN	Anti-tipping hardware package	1

Pre-assembly (continued)

PACKAGE CONTENTS




Part	Description	Quantity
A	Top panel	1
B	Left side panel	1
C	Right side panel	1
D	Top left partition	1
E	Top right partition	1
F	Fixed panel	1
G	Top crossbar	1
H	Front crossbar	1
I	Bottom left partition	1
J	Bottom right partition	1
K	Bottom panel	1

Part	Description	Quantity
L	Adjustable shelf	2
M	Left door	1
N	Right door	1
O	Support panel	1
P	Top back panel	1
Q	Bottom back panel	1
R	Drawer front panel	2
S	Drawer left side panel	2
T	Drawer right side panel	2
U	Drawer back panel	2
V	Drawer bottom panel	2


Assembly

1 Attaching the front crossbar to Bottom right partition


- a) Install dowel (AA) and bolt (BB) into partition (J).




- b) Insert lock (CC) into bar (H).



- c) Join bar (H) to the partition (J).



- d) Tighten bolt (BB) with lock (CC) in the pre-drilled hole.






Wood dowel Cam lock bolt Cam lock Small head Large head

(AA) x 2

(BB) x 1


(CC) x 1




Assembly (continued)

2 Attaching the bottom left partition


- a) Install dowel (AA) and bolt (BB) into partition (I).




- b) Insert lock (CC) into bar (H).



- c) Join partition (I) to the assembled body with dowel (AA).



- d) Tighten bolt (BB) with lock (CC) in the pre-drilled hole.






Wood dowel Cam lock bolt Cam lock Small head Large head

(AA) x 2

(BB) x 1


(CC) x 1



Assembly (continued)

3 Attaching the magnet

- Attach magnet (GG) to panel (F) with screw (FF) as shown.




5/8 in. Round
head screw
(FF) x 4



Magnet
(GG) x 2




Small head




Assembly (continued)

4 Attaching the fixed panel


- a) Install dowel (AA) and bolt (BB) into panel (F).




- b) Insert lock (CC) into partitions (I) and (J).



- c) Join panel (F) to the assembled body with dowel (AA).



- d) Tighten bolt (BB) with lock (CC) in the pre-drilled holes.



- e) Cover the cam holes with the cover (DD).


Wood dowel Cam lock bolt Cam lock Plastic cover

(AA) x 4

(BB) x 4



(CC) x 4

(DD) x 4



Small head


Large head




Assembly (continued)

5 Attaching the top right partition and top left partition


- a) Install dowel (AA) and bolt (BB) into panel (F).




- b) Insert lock (CC) into partitions (E) and (D).




- c) Join partitions (D) and (E) to the assembled body with dowel (AA).



- d) Tighten bolt (BB) with lock (CC) in the pre-drilled holes.



- e) Cover the cam holes with the cover (DD).




Wood dowel Cam lock bolt Cam lock Plastic cover

(AA) x 4

(BB) x 4



(CC) x 4

(DD) x 4



Small head


Large head




Assembly (continued)

6 Attaching the support panel

- a) Join panel (O) to panel (K) with dowel (AA).




- b) Tighten panel (O) with screw (EE).



Wood dowel 1 in. Flat head screw Small head

(AA) x 2


(EE) x 4




Assembly (continued)

7 Attaching the bottom panel


- a) Install dowel (AA) and bolt (BB) into panel (K).




- b) Insert lock (CC) into partitions (I) and (J).



- c) Join panel (K) to the assembled body with dowel (AA).



- d) Tighten bolt (BB) with lock (CC) in the pre-drilled holes.



- e) Cover the cam holes with the cover (DD).


Wood dowel Cam lock bolt Cam lock Plastic cover

(AA) x 4

(BB) x 4



(CC) x 4

(DD) x 4



Small head


Large head




Assembly (continued)

8 Attaching the left side panel


- a) Install dowel (AA) and bolt (BB) into panel (B).




- b) Insert lock (CC) into panels (F) and (K).



- c) Join panel (B) to the assembled body with dowel (AA).



- d) Tighten bolt (BB) with lock (CC) in the pre-drilled holes.






Wood dowel Cam lock bolt Cam lock Small head Large head

(AA) x 4

(BB) x 4


(CC) x 4




Assembly (continued)

9 Attaching the right side panel


- a) Install dowel (AA) and bolt (BB) into panel (C).




- b) Insert lock (CC) into panels (F) and (K).



- c) Join panel (C) to the assembled body with dowel (AA).



- d) Tighten bolt (BB) with lock (CC) in the pre-drilled holes.



Wood dowel

Cam lock bolt

Cam lock




Small head

Large head

(AA) x 4

(BB) x 4


(CC) x 4




Assembly (continued)

10 Attaching the top crossbar

- a) Join bar (G) to the panel (A) with dowel (AA).



- b) Tighten bar (G) with screw (EE).




Wood dowel

1 in. Flat head screw

Small head

(AA) x 2


(EE) x 4




Assembly (continued)

11 Attaching the top panel


- a) Install dowel (AA) and bolt (BB) into panel (A).




- b) Insert lock (CC) into panels (B) and (C), and partitions (D) and (E).




- c) Join panel (A) to the assembled body with dowel (AA).



- d) Tighten bolt (BB) with lock (CC) in the pre-drilled holes.



- e) Cover the cam holes with the cover (DD).




Wood dowel Cam lock bolt Cam lock Plastic cover

(AA) x 8

(BB) x 8



(CC) x 8

(DD) x 8



Small head


Large head




Assembly (continued)

12 Assembling the back panel

- a) Install wire plug (MM) into panel (P) as shown.



- b) Tighten panels (P) and (Q) to the assembled body with screws (FF) and metal plates (HH) as shown.




5/8 in. Round
head screw
(FF) x 38

Metal plate
(HH) x 6

Wire plug
(MM) x 3


Small head



Assembly (continued)

13 Assembling the adjustable shelf

- Insert shelf supports (II) in desired positions and place shelf (L) on the support.



Shelf support


(II) x 8



Assembly (continued)

14 Attaching the door

- a) Attach left door (M) and right door (N) to the assembled body with screw (JJ) as shown.



NOTE: Metal plate needs to be to the top.

- b) Attach handle (KK) to door (M) and door (N) with the bolt (LL).



NOTE: A helper who can hold the door in position makes the door installation easier.

1/2 in. Flat head screw

Handle



Bolt

Small head

(JJ) x 8

(KK) x 2


(LL) x 4




Assembly (continued)

15 Assembling the drawer


- a) Tighten panels (S) and (T) to panel (R) with screw (EE).




- c) Tighten panel (U) to the assembled body with screw (EE).



- b) Slide panel (V) into the grooves on panels (S) and (T).



- d) Tighten handle (KK) to panel (R) with bolt (LL).



1 in. Flat head screw

Handle



Bolt

Small head

(EE) x 16

(KK) x 2


(LL) x 4




Assembly (continued)

16 Inserting the drawer


- Insert the drawer into the assembled body as shown.





1. Pull out slide. Slide bearings forward.



2. Push slide back inside.
Repeat for every slide!



NOTE: Make sure the slide piece is at the front end of the glide when installing the drawer into the body.





NOTE: When removing the drawer, tip-up the safety release tab to remove the drawer from the body.

Assembly (continued)

17 Finalizing the assembly

- Install the anti-tipping hardware as shown.



Rectangle
metal plate
(1) x 2



1/2 in. Flat head screw
(2) x 1




Plastic anchor
(3) x 1



Plastic band
(4) x 1




1-1/2 in. Flat head
screw
(5) x 1



Small head

NN



The logo for Home Decorators Collection is centered within a dark gray rectangular box. The word "HOME" is in a large, white, serif font. Below it, "DECORATORS" is in a smaller, white, serif font. At the bottom, "COLLECTION®" is in an even smaller, white, sans-serif font.

HOME DECORATORS COLLECTION®

Questions, problems, missing parts?
Before returning to the store, call Home Decorators Collection Customer Service.
8 a.m. – 7 p.m., EST, Monday – Friday, 9 a.m. – 6 p.m., EST, Saturday

1-800-998-7021

[HOMEDEPOT.COM/HOMEDECORATORS](https://www.homedepot.com/homedecorators)

Retain this manual for future use.