

Roundup

DUAL ACTION

365

WEED & GRASS KILLER

PLUS 12 MONTH PREVENTER

CONCENTRATE

**KILLS
THE ROOTS
GUARANTEED***

EXCLUSIVE FORMULA

FOR USE ON: DRIVEWAYS, PATIOS,
SIDEWALKS & GRAVEL AREAS

**TO PREVENT ACCIDENTAL POISONING,
NEVER STORE THIS PRODUCT IN FOOD,
DRINK, OR UNLABELED CONTAINERS.**

ACTIVE INGREDIENTS:

Trifluralin, diflufenican salt	2.0%
Fluroxypyr, 2-isopropyl	2.0%
Imazapyr, ammonium salt	1.0%
Diquat dibromide	1.0%
OTHER INGREDIENTS	83.0%
TOTAL	100.0%
Contains 0.50 lbs. trifluralin acid equivalent, 0.57 lbs. fluroxypyr acid, 0.50 lbs. imazapyr acid equivalent, and 0.50 lbs. diquat dibromide per 946 grams.	

**Keep Out of
Reach of Children**

CAUTION

See back panel (back) for additional
precautionary statements.

**Mantener Fuera del
Alcance de los Niños**

PRECAUCIÓN

Ver los otros avisos de
precaución en el panel posterior.

FYI 491007-01



NET 32 FL. OZ (1 QT / 946 mL)



**Roundup® Dual Action 365 Weed & Grass
Killer Plus 12 Month Preventer Concentrate**
Roundup® Concentrado Mata Malezas Y Gramas 365
de Doble Acción con Supresor para 12 Meses

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS & DOMESTIC ANIMALS

Keep Out of Reach of Children

CAUTION May cause eye irritation. Avoid contact with eyes, skin or clothing. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Wear long-sleeved shirt and long pants, shoes plus socks and gloves. Protective eyewear is strongly recommended when mixing and applying this product. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse. Such items should be kept and washed separately from other laundry.



Do not allow people or pets to enter the treated area or touch treated plants until spray has dried.

FIRST AID	
IF ON SKIN OR CLOTHING	<ul style="list-style-type: none"> Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
IF IN EYES	<ul style="list-style-type: none"> IMMEDIATELY hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing eyes. Call a poison control center or doctor for treatment advice.
<p>Note to Physician: If in eyes, treat symptomatically. Symptoms may develop gradually. Severe damage may be caused by apparently trivial contact and healing may be delayed. Medical supervision should be continued until healing is complete.</p> <p>EMERGENCY MEDICAL INFORMATION: Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may contact 1-800-246-7219 for emergency medical treatment information.</p> <p>ENVIRONMENTAL HAZARDS: To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid run off to water bodies or drainage systems. Diquat is toxic to aquatic invertebrates. Do not apply directly to water. Do not contaminate water when cleaning equipment or disposing of equipment wash waters. GROUNDWATER ADVISORY: Triclopyr, imazapic and fluzafop-P-butyl have properties and characteristics associated with chemicals detected in groundwater. The use of this product in areas where soil is permeable, particularly where the water table is shallow, may result in groundwater contamination. NON-TARGET ORGANISM ADVISORY: Triclopyr, imazapic and fluzafop-P-butyl and diquat are toxic to plants and may adversely impact the forage and habitat of non-target organisms, including pollinators, in areas adjacent to the treated site. Protect the forage and habitat of non-target organisms by following label directions intended to minimize spray drift. SURFACE WATER ADVISORY: Triclopyr, imazapic and fluzafop-P-butyl may impact surface water quality due to runoff of rain water. This is especially true for poorly draining soils and soils with shallow ground water.</p>	
<p>STORAGE AND DISPOSAL</p> <p>PESTICIDE STORAGE: Store product in original container in a safe place away from direct sunlight. Keep from freezing. If frozen, allow to thaw and shake well before using.</p> <p>PESTICIDE DISPOSAL AND CONTAINER HANDLING: Nonrefillable container. Do not reuse or refill this container. If Empty: Place in trash or offer for recycling, if available. If Partly Filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.</p>	



Questions, Comments or Information
Preguntas, Comentarios o Información?

1-800-246-7219
www.roundup.com

Roundup and Roundup & Design are registered trademarks of Monsanto Technology LLC.

For a list of patents, if any, covering this product or its use, please go to
www.monsantotechnology.com/la/brandgarder.

©2022 Monsanto Company
Produced for Monsanto Company
Lawn & Garden Products
800 N. Lindbergh Blvd.
St. Louis, MO 63167
EPA Reg. No. 71895-68
EPA Est. 2394A-3
Assembled in USA

PPN 40163V1-02
537810605
LE180027



FPO

0 70183 00035 7

Resealable Label for Directions & Precautions /
Etiqueta resealable para instrucciones y avisos de precaución.

KILLS & PREVENTS FOR UP TO
12 MONTHS
LB18228 PPM 4016314-63

DID YOU KNOW?

People and pets may enter treated area after spray has dried.

OPEN / ABRA

WHERE TO USE: Driveway & Sidewalk Cracks, Patios and Paths, Gravel Areas. Yellow color represents area to be sprayed to protect up to 12 months weed-free control.

WHAT TO KNOW: Rainproof in as Fast as 30 Minutes, Visible Results in as Fast as 6 Hours, Covers Up To 1,600 sq ft.

HOW TO USE: Add 6 fl oz per Gallon of Water, Mix Into Tank Sprayer.

IMPORTANT!

To prevent new weeds and grasses from growing, YOU MUST SPRAY THE ENTIRE AREA you want to control, NOT JUST the emerged weeds.

HOW TO USE

1 Step Weed Protection For Up To 12 Months

Use this product in areas where control of vegetation is desired for up to 12 months. It is not for use on lawns, on or around fruits, vegetables, flowers, trees, shrubs or other plants, or over the root zones of desirable vegetation.

DO NOT USE: In areas that will be planted or seeded within 12 months (see booklet for details).

*** CONSUMER GUARANTEE:** If for any reason you are not satisfied after using this product, simply send us original proof of purchase and we will refund the purchase price.

This bottle contains an anti-theft device, either inside or on the back of the bottle. It does not affect product performance.

©2022 Monsanto Company
Produced for Monsanto Company
Lawn & Garden Products
800 N. Lindbergh Blvd.
St. Louis, MO 63167
www.roundup.com

EPA Reg. No. 71995-68
EPA Est. 239-1A-3
Assembled in USA

FPO

0 70183 00035 7



PRODUCT FACTS

KILLS & PREVENTS MANY TYPES OF

TOUGH WEEDS & GRASSES FOR UP TO

12 MONTHS including Bahiagrass, Barnyardgrass,

Bermudagrass, Bindweed, Black Medic, Broadleaf

Signalgrass, Buckhorn Plantain, Burning Nettle, Bush

Honeysuckle, Carolina Geranium, Carpetweed, Chamber-Bitter,

Chickweed (Common), Chickweed (Mouseear), Cinquefoil,

Clover, Common Lespedeza, Common Purslane, Creeping

Woodsorrel, Curly Dock, Dandelion, Dichondra, Downy Brome,

Evening Primrose, Fall Panicum, Field Sandbur, Florida Pusley,

Giant Foxtail, Goosegrass, Green Foxtail, Guineagrass (Seedling),

Himalayan Blackberry, Ironweed, Italian Ryegrass, Itchgrass,

Johnsongrass (Rhizome), Johnsongrass (Seedling), Junglerice,

Kentucky Bluegrass, Kikuyugrass, Lambsquarters, Large Crabgrass,

Lespedeza, Maypop Passionflower, Morning Glory, Oxalis, Pennywort,

Plantain (Broadleaf), Poison Ivy, Prairie Cupgrass, Quackgrass,

Rabbitfootgrass, Red Clover, Red Rice, Red Sorrel, Shattercane,

Smooth Crabgrass, Sorghum Almum, Southern Crabgrass, Southern

Dewberry, Southern Sandbur, Southwestern Cupgrass, Speedwell

(Veronica), Spotted Spurge, Sprawling Horseweed, Spurge (Garden),

St. Augustinegrass, Tall Fescue, Texas Panicum, Thistle, Timothy,

Tropical Crabgrass, Volunteer Barley, Volunteer Corn, Volunteer Rye,

Volunteer Wheat, White Clover, Wild Oats, Wild Proso Millet, Wild

Strawberry, Wild Violet, Wirestem Muhly, Witchgrass, Woolly Cupgrass,

Yellow Bluestem, Yellow Foxtail.

Makes up to 5.3 gallons. Covers up to 1,600 sq ft.

Coverage may vary based on the number, type or size of weeds treated in a given area. For outdoor residential use. This product is intended for use in areas where control of vegetation is desired for up to 12 months. It is not for use on lawns, on or around fruits, vegetables, flowers, trees, shrubs or other plants, or over the root zones of desirable vegetation.

HOW IT WORKS

Dual Action Formula Works 2 Ways:

1. This product is absorbed by the weed's leaves. It moves through the weed to the root. Weeds will begin to yellow and wilt within hours with complete kill in 1 to 2 weeks. Weeds die, down to the root – so they don't grow back.
2. Imazapic prevents new weeds from growing for up to 1 year by creating an invisible barrier in the soil.

IMPORTANT: To prevent new weeds and grasses from growing, YOU MUST SPRAY THE ENTIRE AREA you want to control, NOT JUST the emerged weeds.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Always read and follow label directions.

WHERE TO USE

Apply only where you want to kill existing weeds AND prevent future weed growth for up to 12 months, such as:

- On cracks and crevices in driveways, sidewalks and walkways
- Patios, paths and under decks
- Along fences, foundations and curbs
- Gravel areas and parking areas
- Along retaining walls and landscape borders

NOTE: In heavy clay soils, plant growth may be prevented for more than one year. In areas of heavy rainfall, applications every 6-8 months may be necessary. To avoid damage to desirable plants, DO NOT apply over their root systems. For shrubs and trees, DO NOT apply closer than twice the distance from the trunk to the drip line as roots may be within this area.

WHERE NOT TO USE

- DO NOT SPRAY plants or grasses you like – they will die.
- DO NOT USE in areas that will be planted or seeded within 12 months.
- DO NOT SPRAY landscaped areas around young plants or in areas next to any desirable plants or grasses.
- DO NOT USE over the root zone of desirable trees or shrubs.
- DO NOT USE on steep slopes as movement on soil surface may damage desirable plants down the slope.
- DO NOT SPRAY next to a fence if desirable plants and grasses are growing on the other side.
- DO NOT USE in lawns or for lawn renovation as this product prevents desirable grasses from growing too.
- DO NOT USE for vegetable garden preparation or in and around fruits and vegetables.

NOTE: For weed control in these areas use Roundup® Weed & Grass Killer₄ or Roundup® Weed & Grass Killer₄ Concentrate.

MIXING INSTRUCTIONS

1 Tablespoon (Tbs) = 3 teaspoons (tsp)

1 fl oz = 2 Tbs

6 fl oz = 12 Tbs

To measure the right amount of product, use the convenient easy-measure cap with volume markings inside.

TANK SPRAYER: Use of a Roundup® brand tank sprayer is recommended. A plastic, fiberglass, plastic-lined steel or stainless steel sprayer may also be used.

- Remove tamper evident band on bottom of cap.
- Add 6 fl oz (12 Tbs) per gallon of water using the measuring cap provided. Close cap tightly after use.
- Spot treat or spray evenly each gallon of spray solution over 300 sq ft.

Refer to the sprayer label for additional information and cleaning instructions.

**TO REFILL ROUNDUP® DUAL ACTION
365 WEED & GRASS KILLER PLUS 12 MONTH
PREVENTER CONTAINER:**

This concentrate product can be used to refill the empty Roundup® Dual Action 365 Weed & Grass Killer Plus 12 Month Preventer container. See specific container label for refill instructions. Do not refill or reuse this container.

HOW TO APPLY

- Spray the existing weeds AND the entire surrounding weed-prone area you want to keep weed free for up to 12 months. Spray the area until **thoroughly wet**.
- When applying to targeted weed-prone areas, shield desirable plants from drift with a sheet of cardboard or plastic. If desirable plants are accidentally sprayed, rinse off immediately with water.

WHEN TO APPLY

- For best results, apply during warm, sunny weather above 60° F. Development of visible results could be delayed in cool or cloudy conditions.
- Spray when air is calm to prevent drift to desirable plants.
- RAINPROOF: Rain or watering 30 minutes after application will NOT wash away effectiveness.
- Wait at least 6-8 months before spraying a previously treated area.

APPLICATION RESTRICTIONS: Do not apply this product in a way that will contact any person or pet, either directly or through drift. Keep people and pets out of the area during application. Only persons applying this product may be in the area during application. People and pets may enter treated area after spray has dried. Do not exceed the maximum single application rate of 6 fl oz of product per 300 sq ft, a yearly application rate of 12 fl oz product per 300 sq ft and wait a minimum of 6 months before repeating application. Do not apply this product via backpack sprayer.

WHEN TO REPLANT

All ornamental bedding plants (annuals and perennials), trees, shrubs, sod and seed may be planted **12 months after** application.

HOW TO CLEAN SPRAYER

To clean sprayer after use, rinse sprayer and sprayer parts with water 3 times. Spray rinse water on treated area. After cleaning, sprayer may be used for other products.

STORAGE AND DISPOSAL

PESTICIDE STORAGE: Store product in original container in a safe place away from direct sunlight. Keep from freezing. If frozen, allow to thaw and shake well before using.

PESTICIDE DISPOSAL AND CONTAINER HANDLING: Nonrefillable container. Do not reuse or refill this container. If **Empty:** Place in trash or offer for recycling, if available. If **Partly Filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS

Keep Out of Reach of Children

CAUTION: May cause eye irritation. Avoid contact with eyes, skin or clothing. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Wear long-sleeved shirt and long pants, shoes plus socks and gloves. Protective eyewear is strongly recommended when mixing and applying this product. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse. Such items should be kept and washed separately from other laundry.



Do not allow people or pets to enter the treated area or touch treated plants until spray has dried.

FIRST AID	
IF ON SKIN OR CLOTHING	<ul style="list-style-type: none">• Take off contaminated clothing.• Rinse skin immediately with plenty of water for 15-20 minutes.• Call a poison control center or doctor for treatment advice.
IF IN EYES	<ul style="list-style-type: none">• IMMEDIATELY hold eye open and rinse slowly and gently with water for 15-20 minutes.• Remove contact lenses, if present, after first 5 minutes, then continue rinsing eyes.• Call a poison control center or doctor for treatment advice.
<p>Note to Physician: If in eyes, treat symptomatically. Symptoms may develop gradually. Severe damage may be caused by apparently trivial contact and healing may be delayed. Medical supervision should be continued until healing is complete.</p> <p>EMERGENCY MEDICAL INFORMATION: Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may contact 1-800-246-7219 for emergency medical treatment information.</p>	

ENVIRONMENTAL HAZARDS: To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather and when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid run off to water bodies or drainage systems. Diquat is toxic to aquatic invertebrates. Do not apply directly to water. Do not contaminate water when cleaning equipment or disposing of equipment wash waters. **GROUNDWATER ADVISORY:** Triclopyr, imazapic and fluzifop-P-butyl have properties and characteristics associated with chemicals detected in groundwater. The use of this product in areas where soil is permeable, particularly where the water table is shallow, may result in groundwater contamination. **NON-TARGET ORGANISM ADVISORY:** Triclopyr, imazapic, fluzifop-P-butyl and diquat are toxic to plants and may adversely impact the forage and habitat of non-target organisms, including pollinators, in areas adjacent to the treated site. Protect the forage and habitat of non-target organisms by following label directions intended to minimize spray drift. **SURFACE WATER ADVISORY:** Triclopyr, imazapic and fluzifop-P-butyl may impact surface water quality due to runoff of rain water. This is especially true for poorly draining soils and soils with shallow ground water.

NOTICE: To the extent consistent with applicable law, buyer assumes all responsibility for safety and use not in accordance with directions.

***CONSUMER GUARANTEE**

If for any reason you are not satisfied after using this product, simply send us original proof of purchase and we will refund the purchase price.

Roundup® Lawn & Garden products have the solutions to your toughest weed problems. Visit the Roundup® website, www.roundup.com, to learn more about the Roundup® brand family of products. For weeds in your lawn, try Roundup® For Lawns products.

Español



Roundup® Concentrado Mata Malezas Y Gramas 365 de Doble Acción con Supresor para 12 Meses

DATOS DEL PRODUCTO

ELIMINA Y PREVIENE MUCHOS TIPOS DE MALEZAS Y GRAMAS RESISTENTES POR HASTA 12 MESES.

Produce hasta 5.3 galones. Cubre hasta 1,600 pies cuadrados.

Para uso en exteriores de áreas residenciales. Este producto está diseñado para usar en áreas donde se desea controlar la vegetación por hasta 12 meses. No es para usar sobre el césped, sobre o cerca de las frutas, hortalizas, flores, árboles, arbustos u otras plantas, ni sobre zonas con raíces de vegetación que no se quiere eliminar.

CÓMO FUNCIONA

La fórmula de acción doble funciona de dos maneras:

1. Este producto lo absorben las hojas de las malezas. Se mueve a través de la planta hasta la raíz. Las malezas comienzan a ponerse amarillentas y se marchitan en horas, y se produce la eliminación completa en 1 a 2 semanas. Las malezas mueren, hasta la raíz, por lo que no vuelven a crecer.
2. El imazapic forma una barrera invisible en la tierra que evita el crecimiento de malezas nuevas por hasta 1 año.

IMPORTANTE: Para evitar el crecimiento de nuevas malezas y gramas, DEBE ROCIAR TODA EL ÁREA que desee controlar y NO SÓLO las malezas que germinen.

INSTRUCCIONES DE USO

Utilizar este producto de modo inconsistente con las declaraciones de su etiqueta constituye una violación de las leyes federales. Siempre lea y siga las indicaciones de la etiqueta.

DÓNDE USAR

Aplicarlo sólo donde desee eliminar las malezas existentes Y prevenir su crecimiento por hasta 12 meses, en lugares tales como:

- En las grietas y rajaduras en caminos de acceso, aceras y pasos peatonales
- Patios, caminos y debajo de terrazas
- A lo largo de las cercas, cimientos y bordillos
- En áreas con grava y de estacionamiento
- A lo largo de muros de contención y arriates ajardinados

NOTA: En tierra sumamente arcillosa, el crecimiento de plantas se puede prevenir por más de un año. En áreas con fuertes lluvias puede ser necesario realizar aplicaciones cada 6-8 meses. Para evitar el daño a plantas que no desee eliminar, NO se debe aplicar sobre sus sistemas de raíces. Para arbustos y árboles, NO se debe aplicar más cerca que dos veces la distancia desde el tronco hasta la línea de goteo, pues las raíces pueden estar bajo esta área.

DÓNDE NO USAR

- NO ROCÍE las plantas o gramas que desee conservar, pues morirán.
- NO USAR en áreas que se plantarán o sembrarán en los próximos 12 meses.
- NO ROCIAR alrededor de plantas jóvenes en áreas ajardinadas, o en unas áreas junto a las plantas o gramas deseables.
- NO USAR sobre la zona de las raíces de árboles o arbustos que desee conservar.
- NO USAR en laderas empinadas debido a que el movimiento de tierra de la superficie puede dañar las plantas abajo de la ladera que no desee eliminar.
- NO ROCIAR al lado de una cerca si del otro lado están creciendo plantas y gramas que no desea eliminar.
- NO LO UTILICE en césped o para renovación del césped, pues este producto también elimina el césped que desea conservar y evita su crecimiento.
- NO LO UTILICE en la preparación de jardines de vegetales o alrededor de frutas y vegetales.

NOTA: Para controlar las malezas en estas áreas, utilice Roundup® Mata Malezas Y Gramas, o Roundup® Concentrado Mata Malezas Y Gramas.

INSTRUCCIONES PARA LA MEZCLA

1 cucharada (cda.) = 3 cucharaditas (cdtas.)

1 onza líquida = 2 cucharadas (cdas.)

6 onzas líquidas = 12 cucharadas (cdas.)

Para medir la cantidad correcta de producto, use la conveniente tapa de fácil medición con marcas de volumen en el interior.

TANQUE ROCIADOR: Se recomienda utilizar un tanque rociador de la marca Roundup®. También se puede usar un rociador de plástico, fibra de vidrio, acero revestido con plástico o acero inoxidable.

- Retire la banda a prueba de manipulación en la parte inferior de la tapa.
- Añada 6 onzas líquidas (12 cdas) por cada galón de agua utilizando la tapa de medición provista. Cierre bien la tapa de la botella después de usarla.
- Trate de forma focalizada o rocíe uniformemente cada galón de solución de rociado en área de 300 pies cuadrados.

Consulte la etiqueta del rociador para obtener información adicional e instrucciones de limpieza.

PARA RELLENAR EL ENVASE DE ROUNDUP®

MATA MALEZAS Y GRAMAS 365 DE DOBLE

ACCIÓN CON SUPRESOR PARA 12 MESES:

Este concentrado se puede usar para rellenar el envase vacío de Roundup® Mata Malezas Y Gramas 365 de Doble Acción con Supresor para 12 Meses. Consulte la etiqueta del envase específico para las instrucciones de rellenado. No vuelva a usar ni llenar este envase.

CÓMO APLICAR

- Rocíe las malezas existentes y toda el área circundante propensa a las malezas que usted desea mantener libre de malezas por hasta 12 meses. Rocíe el área hasta que se **humedezca completamente**.
- Cuando lo aplique en áreas específicas propensas a malezas, proteja de la deriva las plantas que desea conservar con una hoja de cartón o de plástico. Si rocía accidentalmente las plantas que desea conservar, lávelas inmediatamente con agua.

CUÁNDO APLICAR

- Para obtener los mejores resultados, aplique durante clima cálido y soleado arriba de 60°F. El desarrollo de resultados visibles podría retrasarse en condiciones de frío o nubosidad.
- Rocíe cuando el aire se encuentre calmo para evitar la diseminación a plantas que desee conservar.
- A PRUEBA DE LLUVIA: La lluvia o el riego 30 minutos después de la aplicación NO eliminará su eficacia.
- Espere al menos 6-8 meses antes de volver a rociar las áreas ya tratadas.

RESTRICCIONES DE APLICACIÓN: No aplique este producto de cualquier forma que entre en contacto con las personas o las mascotas, ya sea directamente o por la deriva. Mantenga a las personas y las mascotas alejadas del área durante la aplicación. Sólo la persona que aplica el producto puede estar dentro del área durante la aplicación. Las personas y las mascotas pueden ingresar al área tratada luego de que se seque el rocío. No exceda la proporción máxima para una sola aplicación de 6 onzas líquidas de producto por cada 300 pies², a una tasa de aplicación anual de 12 onzas líquidas por cada 300 pies², y espere un mínimo de 6 meses antes de repetir la aplicación. No aplique este producto con un rociador de mochila.

CUÁNDO REPLANTAR

Se pueden sembrar todas las plantas (anuales y perennes), árboles, arbustos, tepes y semillas **12 meses después** de la aplicación.

CÓMO LIMPIAR EL ROCIADOR

Para limpiar el rociador después de usarlo, enjuague con agua el rociador y todas sus piezas 3 veces. Rocíe el agua del enjuagado sobre el área tratada. Después de limpiarlo, el rociador se puede utilizar para otros productos.

ALMACENAMIENTO Y ELIMINACIÓN

ALMACENAMIENTO DEL PESTICIDA: Guarde el producto en el envase original en un lugar seguro lejos de la luz directa del sol. Proteja del congelamiento. Si se congela, deje que se descongele y agítelo bien antes de usarlo.

ELIMINACIÓN DEL PESTICIDA Y MANEJO DEL ENVASE: Este envase no se puede rellenar. No vuelva a usar ni llenar este envase. **Si está vacío:** Colóquelo en la basura u ofrézcalo para reciclaje, si está disponible. **Si está parcialmente lleno:** Llame a su agencia local de desechos sólidos para obtener instrucciones de eliminación. Nunca elimine el producto sin usar en ningún drenaje interior o exterior.

AVISOS DE PRECAUCIÓN

RIESGOS PARA HUMANOS Y ANIMALES DOMÉSTICOS

Mantener Fuera de Alcance de los Niños

PRECAUCIÓN: Puede causar irritación en los ojos. Evite el contacto con los ojos, la piel o la ropa. El contacto prolongado o reiterado de este producto con la piel puede causar reacciones alérgicas en algunas personas. Lleve camisa de manga larga y pantalones largos, zapatos con calcetines y guantes. Se recomienda encarecidamente usar protección ocular al mezclar y aplicar este producto. Lávese completamente con agua y jabón después de usarlo y antes de comer, beber, masticar chicle, consumir tabaco o usar el inodoro. Debe quitarse y lavar la ropa contaminada antes de volver a usarla. Estos artículos deben guardarse y lavarse separado del resto de la ropa sucia.



No permita que las personas o las mascotas ingresen al área tratada o toquen las plantas tratadas hasta que se seque el rocío.

PRIMEROS AUXILIOS	
SI CAE EN LA PIEL O ROPA	<ul style="list-style-type: none"> • Qíttese la ropa contaminada. • Enjuague la piel inmediatamente con abundante agua durante 15 a 20 minutos. • Llame al centro de control de envenenamiento o al médico para obtener más recomendaciones sobre tratamiento.
SI ENTRA EN LOS OJOS	<ul style="list-style-type: none"> • INMEDIATAMENTE mantenga el ojo abierto y enjuague lenta y suavemente con agua durante 15 – 20 minutos. • Si tiene lentes de contacto, quítelos después de lavarse los primeros 5 minutos y continúe lavando los ojos. • Llame al centro de control de envenenamientos, o al médico para obtener más recomendaciones sobre tratamiento.
<p>Aviso para el médico: Si ha entrado en los ojos, tratar los síntomas. Los síntomas pueden presentarse gradualmente. El contacto aparentemente trivial puede causar daños graves y retrasar la curación. La supervisión médica debe continuar hasta que la curación sea completa.</p> <p>INFORMACIÓN MÉDICA DE EMERGENCIA: Tenga con usted el envase o etiqueta del producto cuando llame al centro de control de envenenamientos o al médico, o acuda al tratamiento. Puede llamar al 1-800-246-7219 para obtener información sobre tratamiento médico de emergencia.</p>	

RIESGOS AMBIENTALES: Para proteger el ambiente, no permita que el pesticida entre o se escurra en drenajes pluviales, zanjas de drenaje, cunetas o aguas superficiales. Aplicar este producto en clima tranquilo cuando no haya pronóstico de lluvia en las siguientes 24 horas ayudará a asegurarse de que el viento o la lluvia no soplen o laven el pesticida del área de tratamiento. Enjuagar el equipo usado para la aplicación sobre el área tratada ayudará a evitar escurrimientos hacia cuerpos de agua o sistemas de drenaje. Dicut es tóxico para los invertebrados acuáticos. No aplique este producto directamente al agua. No contamine el agua al limpiar los utensilios ni al deshacerse del agua que use para lavarlos. **ADVERTENCIA SOBRE LAS AGUAS SUBTERRÁNEAS:** Triclopir, imazapic y fluazifop-P-butilo tienen propiedades y características que se asocian con productos químicos detectados en aguas del subsuelo. El uso de este producto químico en áreas donde el suelo es permeable, en particular donde el manto freático está cerca de la superficie, puede resultar en la contaminación del agua del subsuelo. **ADVERTENCIA SOBRE LOS ORGANISMOS QUE NO SE PRETENDE AFECTAR:** Triclopir, imazapic, fluazifop-P-butilo y dicuat son tóxicos para las plantas y pueden afectar de manera adversa las fuentes de alimento y el hábitat de organismos que no se pretende afectar, como los polinizadores, en las áreas adyacentes

al sitio tratado. Proteja las fuentes de alimento y el hábitat de estos organismos siguiendo las instrucciones de la etiqueta dirigidas a reducir al mínimo la dispersión del rocío. ADVERTENCIA SOBRE LAS AGUAS SUPERFICIALES: Trietopir, imazapic y fluzifop-P-butilo pueden afectar la calidad de las aguas superficiales debido a la escorrentía del agua de lluvia. Esto es especialmente cierto para los suelos con mal drenaje y los suelos con aguas subterráneas poco profundas.

ADVERTENCIA: En la medida contemplada por las leyes aplicables, el comprador asume toda responsabilidad de la seguridad y uso que no sea de acuerdo con las instrucciones.

***GARANTÍA PARA EL CONSUMIDOR**

Si por algún motivo usted no queda satisfecho después de usar este producto, simplemente envíenos el comprobante de venta original y reembolsaremos el precio de compra.

Los productos Roundup® para el césped y jardín proveen las soluciones a sus problemas de malezas más difíciles. Visite el sitio web de Roundup®, www.roundup.com, para conocer más sobre la familia de productos de la marca Roundup®. Para las malezas en su césped, pruebe los productos de Roundup® For Lawns.