Material Name: Elmer's Carpenter's Wood Filler-MAX

SDS ID: SDS-2

Section 1 - PRODUCT AND COMPANY IDENTIFICATION

Material Name

Elmer's Carpenter's Wood Filler-MAX

Trade Names

Elmer's Carpenter's Wood Filler-MAX

Synonyms

E9010; E9011; E9012; E9013; E9014; E9015; E9016; E9017; E9020; E9021; E9022

Product Use

building/construction product

Restrictions on Use

None known.

Manufacturer Information

Elmer's Products, Inc. 460 Polaris Parkway, Suite 500 Westerville, OH 43082 **USA**

Phone:1-888-435-6377 Fax:1-800-741-6046

Email:comments@elmers.com

Emergency Phone Number: Poison Control Center 1-888-516-2502

For additional product information, access our website at www.elmers.com. To place an order, call 1-800-848-9400.

Issue Date: 08-07-2014 Revision 1.0 Print Date: 08/07/2014 Page 1 of 13

ELMER'S

Safety Data Sheet

Material Name: Elmer's Carpenter's Wood Filler-MAX

SDS ID: SDS-2

Section 2 - HAZARDS IDENTIFICATION

Classification in accordance with paragraph (d) of 29 CFR 1910.1200.

None needed according to classification criteria

GHS Label Elements

Symbol(s)

None needed according to classification criteria

Signal Word

None needed according to classification criteria

Hazard Statement(s)

None needed according to classification criteria

Precautionary Statement(s)

Prevention

None needed according to classification criteria

Response

None needed according to classification criteria

Storage

None needed according to classification criteria

Disposal



SDS ID: SDS-2

Material Name: Elmer's Carpenter's Wood Filler-MAX

None needed according to classification criteria

Section 3 - COMPOSITION / INFORMATION ON INGREDIENTS

CAS	Component Name	Percent		
NA	Non-hazardous substance	100		

Section 4 - FIRST AID MEASURES

Inhalation

If adverse effects occur, remove to uncontaminated area. If discomfort persists, contact a physician.

Skin

If on skin, wash immediately with plenty of soap and water. Get medical attention if irritation develops.

Eyes

Remove contact lenses, if present and easy to do. IMMEDIATELY wash with large amounts of warm water, occasionally lifting upper and lower lids, until no evidence of chemical remains (at least 15-20 minutes). Get medical attention immediately.

Ingestion

Rinse mouth thoroughly with water. Never give anything by mouth to an unconscious or convulsive person. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor/physician.

Most Important Symptoms/Effects

Page 3 of 13 Issue Date: 08-07-2014 Revision 1.0 Print Date: 08/07/2014



Material Name: Elmer's Carpenter's Wood Filler-MAX

SDS ID: SDS-2

Acute

No information on significant adverse effects.

Delayed

No information on significant adverse effects.

Section 5 - FIRE FIGHTING MEASURES

Extinguishing Media

Suitable Extinguishing Media

carbon dioxide, regular dry chemical, regular foam, water

Unsuitable Extinguishing Media

None known.

Hazardous Combustion Products

oxides of carbon

Special Protective Equipment and Precautions for Firefighters

Slight fire hazard.

Fire Fighting Measures

Move container from fire area if it can be done without risk. Avoid inhalation of material or combustion by-products. Stay upwind and keep out of low areas.

Section 6 - ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

Page 4 of 13 Issue Date: 08-07-2014 Revision 1.0 Print Date: 08/07/2014



Material Name: Elmer's Carpenter's Wood Filler-MAX

SDS ID: SDS-2

Wear personal protective clothing and equipment. See Section 8 for personal protection information.

Methods and Materials for Containment and Cleaning Up

Stop leak if possible without personal risk. Absorb with earth, sand or other non-combustible material and transfer to container. Collect spilled material in appropriate container for disposal.

Section 7 - HANDLING AND STORAGE

Precautions for Safe Handling

Use only with adequate ventilation. Wash thoroughly after handling.

Conditions for Safe Storage, Including any Incompatibilities

None needed according to classification criteria Store in accordance with all current regulations and standards. Protect from freezing. Keep separated from incompatible substances.

Section 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

Component Exposure Limits

ACGIH, NIOSH, EU, OSHA (US) and Mexico have not developed exposure limits for any of this product's components

Biological limit value

There are no biological limit values for any of this product's components.

Engineering Controls

Provide local exhaust ventilation system. Ensure compliance with applicable exposure limits.



SDS ID: SDS-2

Material Name: Elmer's Carpenter's Wood Filler-MAX

Individual Protection Measures, such as Personal Protective Equipment

Eye/face protection

Wear splash resistant safety goggles. When sanding: Wear safety glasses or safety goggles, with a faceshield, as appropriate. Provide an emergency eye wash fountain and quick drench shower in the immediate work area.

Skin Protection

Wear appropriate chemical resistant clothing.

Respiratory Protection

Under conditions of frequent use or heavy exposure, respiratory protection may be needed. Respiratory protection is ranked in order from minimum to maximum. Consider warning properties before use. Any chemical cartridge respirator with organic vapor cartridge(s). Any chemical cartridge respirator with a full facepiece and organic vapor cartridge(s). Any airpurifying respirator with a full facepiece and an organic vapor canister. For Unknown Concentrations or Immediately Dangerous to Life or Health -. Any supplied-air respirator with a full facepiece that is operated in a pressure-demand or other positive-pressure mode in combination with an auxiliary self-contained breathing apparatus operated in pressure-demand or other positive-pressure mode. Any self-contained breathing apparatus that has a full facepiece and is operated in a pressure-demand or other positive-pressure mode.

Glove Recommendations

Wear appropriate chemical resistant gloves.

Section 9 - PHYSICAL AND CHEMICAL PROPERTIES

Appearance	paste	Physical State	Liquid		
Odor	mild acrylic odor	Color	various colors		
Odor Threshold	Not available	рН	8.3 - 9.2		
Melting Point	Not available	Boiling Point	100 °C		
Freezing point	0 °C	Evaporation Rate	Not available		
Boiling Point Range	Not available	Flammability (solid, gas)	Not flammable		

Page 6 of 13 Issue Date: 08-07-2014 Revision 1.0 Print Date: 08/07/2014



SDS ID: SDS-2

Material Name: Elmer's Carpenter's Wood Filler-MAX

Autoignition	Not available	Flash Point	Not available		
Lower Explosive Limit	Not available	Decomposition	Not available		
Upper Explosive Limit	Not available	Vapor Pressure	Not available		
Vapor Density (air=1)	Not available	Specific Gravity (water=1)	1.038		
Water Solubility	miscible	Partition coefficient: n-octanol/water	Not available		
Viscosity	Not available	Solubility (Other)	Not available		
Density	Not available	Physical Form	paste		
Percent Solids	76 - 78 %				

Section 10 - STABILITY AND REACTIVITY

Reactivity

No hazard expected.

Chemical Stability

Stable at normal temperatures and pressure.

Possibility of Hazardous Reactions

Will not polymerize.

Conditions to Avoid

Avoid heat, flames, sparks and other sources of ignition. Avoid contact with incompatible materials.

Incompatible Materials

strong oxidizing materials.

Page 7 of 13 Issue Date: 08-07-2014 Revision 1.0 Print Date: 08/07/2014



Material Name: Elmer's Carpenter's Wood Filler-MAX

SDS ID: SDS-2

Hazardous decomposition products

Combustion

oxides of carbon

Section 11 - TOXICOLOGICAL INFORMATION

Information on Likely Routes of Exposure

Inhalation

No information on significant adverse effects.

Skin Contact

No information on significant adverse effects.

Eve Contact

May cause irritation.

Ingestion

No information on significant adverse effects.

Acute and Chronic Toxicity

Component Analysis - LD50/LC50

The components of this material have been reviewed in various sources and no selected endpoints have been identified

Immediate Effects

No information on significant adverse effects.

Delayed Effects

No information on significant adverse effects.

Page 8 of 13 Issue Date: 08-07-2014 Revision 1.0 Print Date: 08/07/2014

Material Name: Elmer's Carpenter's Wood Filler-MAX

SDS ID: SDS-2

Irritation/Corrosivity Data

No information on significant adverse effects.

Respiratory Sensitization

No information available for the product.

Dermal Sensitization

No information available for the product.

Component Carcinogenicity

None of this product's components are listed by ACGIH, IARC, NTP, DFG or OSHA

Germ Cell Mutagenicity

No information available for the product.

Reproductive Toxicity

No information available for the product.

Specific Target Organ Toxicity - Single Exposure

No target organs identified.

Specific Target Organ Toxicity - Repeated Exposure

No target organs identified.

Aspiration hazard

No data available.

Medical Conditions Aggravated by Exposure

No data available.

Issue Date: 08-07-2014 Revision 1.0 Print Date: 08/07/2014

Material Name: Elmer's Carpenter's Wood Filler-MAX

SDS ID: SDS-2

Section 12 - ECOLOGICAL INFORMATION

Component Analysis - Aquatic Toxicity

No LOLI ecotoxicity data are available for this product's components

Persistence and Degradability

No information available for the product.

Bioaccumulative Potential

No information available for the product.

Biodegradation

No information available for the product.

Section 13 - DISPOSAL CONSIDERATIONS

Disposal Methods

Dispose in accordance with all applicable regulations.

Component Waste Numbers

The U.S. EPA has not published waste numbers for this product's components

Section 14 - TRANSPORT INFORMATION

Issue Date: 08-07-2014 Revision 1.0 Print Date: 08/07/2014



Material Name: Elmer's Carpenter's Wood Filler-MAX SDS ID: SDS-2

US DOT Information: UN/NA #: Not regulated.

TDG Information: UN#: Not regulated.

Section 15 - REGULATORY INFORMATION

U.S. Federal Regulations

None of this products components are listed under SARA Sections 302/304 (40 CFR 355 Appendix A), SARA Section 313 (40 CFR 372.65), CERCLA (40 CFR 302.4), TSCA 12(b), or require an OSHA process safety plan.

SARA Section 311/312 (40 CFR 370 Subparts B and C)

Acute Health: No Chronic Health: No Fire: No Pressure: No Reactivity: No

U.S. State Regulations

None of this product's components are listed on the state lists from CA, MA, MN, NJ or PA

Not listed under California Proposition 65

Canada Regulations

This product has been classified in accordance with the criteria of the Controlled Products Regulations (CPR) and the MSDS contains all of the information required by the CPR.

Canadian WHMIS Ingredient Disclosure List (IDL)

The components of this product are either not listed on the IDL or are present below the threshold limit listed on the IDL.

WHMIS Classification

Not a Controlled Product under Canada's Workplace Hazardous Material Information System.

Component Analysis - Inventory



SDS ID: SDS-2

Material Name: Elmer's Carpenter's Wood Filler-MAX

Compone	CAS #	U S	C A	E U	A U	P H	JP - ENC S	JP - ISH L	KR - KECI/ KECL	KR - TCCA	C N	N Z	M X
Non- hazardous substance	NA	No	No	No	No	No	No	No	No	No	No	No	No

U.S. Inventory (TSCA)

All the components of this substance are listed on or are exempt from the inventory.

Section 16 - OTHER INFORMATION

NFPA Ratings

Health: 1 Fire: 1 Reactivity: 0

Hazard Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe

Summary of Changes

New SDS: 08/07/2014

Key / Legend

ACGIH - American Conference of Governmental Industrial Hygienists; ADR - European Road Transport; AU - Australia; BOD - Biochemical Oxygen Demand; C - Celsius; CA - Canada; CAS - Chemical Abstracts Service; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CLP - Classification, Labelling, and Packaging; CN - China; CPR - Controlled Products Regulations; DFG - Deutsche Forschungsgemeinschaft; DOT - Department of Transportation; DSD - Dangerous Substance Directive; DSL - Domestic Substances List; EEC - European Economic Community; EINECS - European Inventory of Existing Commercial Chemical Substances; EPA - Environmental Protection Agency; EU - European Union; F - Fahrenheit; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; ICAO - International Civil Aviation Organization; IDL - Ingredient Disclosure List; IDLH - Immediately Dangerous to Life and Health; IMDG - International Maritime Dangerous Goods; JP - Japan; Kow - Octanol/water partition coefficient; KR - Korea; LEL - Lower Explosive Limit; LLV - Level Limit Value; LOLI - List Of LIstsTM - ChemADVISOR's Regulatory Database; MAK - Maximum Concentration Value in the

Page 12 of 13 Issue Date: 08-07-2014 Revision 1.0 Print Date: 08/07/2014



SDS ID: SDS-2

Material Name: Elmer's Carpenter's Wood Filler-MAX

Workplace; MEL - Maximum Exposure Limits; NFPA - National Fire Protection Agency; NIOSH - National Institute for Occupational Safety and Health; NJTSR - New Jersey Trade Secret Registry; NTP - National Toxicology Program; NZ - New Zealand; OSHA - Occupational Safety and Health Administration; PH - Philippines; RCRA - Resource Conservation and Recovery Act; REACH- Registration, Evaluation, Authorisation, and restriction of Chemicals; RID - European Rail Transport; SARA - Superfund Amendments and Reauthorization Act; STEL - Short-term Exposure Limit; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act; TWA - Time Weighted Average; UEL - Upper Explosive Limit; US - United States.

Other Information

Reasonable care has been taken in the preparation of this information; however, the manufacturer makes no warranty whatsoever including the warranty of merchantability, expressed or implied, with respect to this information. The manufacturer makes no representations and assumes no liability for any direct, incidental, consequential, or other such damages resulting from its use or misuse.

Disclaimer:

Supplier gives no warranty whatsoever, including the warranties of merchantability or of fitness for a particular purpose. Any product purchased is sold on the assumption the purchaser shall determine the quality and suitability of the product. Supplier expressly disclaims any and all liability for incidental, consequential or any other damages arising out of the use or misuse of this product. No information provided shall be deemed to be a recommendation to use any product in conflict with any existing patent rights

Page 13 of 13 Issue Date: 08-07-2014 Revision 1.0 Print Date: 08/07/2014