

fiberon® ARMORGUARD®

INSTALLATION GUIDE & WARRANTY INFORMATION

EDGE™ Hidden Deck Clips

FOR 90° DECK PATTERNS



Installation Instructions

For use with traditional 90° deck patterns.



Before you begin

Set your drill to **30% of max torque**.

Note: Do not use impact drivers.

1 Place clip on joist



Place clip on the joist with the gusset in the groove. Clip stays in place until you're ready to fasten.

2 Repeat along the board



Place clip at every joist along the length of the board.

3 Slide on next board



Place the next board up against the clips.


4 Lock in your boards



Hold the boards tightly, or lock them in place with CAMO® LEVER™ (sold separately).



5 Fasten the clips



INCLUDED




OPTIONAL
DRIVE™ tool

Screw down all of the clips between the boards. Use the NEVER-MISS™ Guide (included) for fast manual installation, or DRIVE™ tool to fasten while standing up.

Butt Joint Installation

Always install a double joist at the butt joints.

Use a separate clip to secure each board end. Please follow your deck board manufacturer's instructions for end-to-end board gapping distance to allow for expansion and contraction at this joint.



fiberon
ARMORGUARD®
EDGE
Hidden Deck Clips

1 Remove legs on EDGE Clip



You will need 4 clips for each butt joint. Remove the legs of the EDGE Clip so that they can sit side-by-side on the double joists.

2 Fasten screws



With boards positioned correctly, place the clips in the groove, centered on joists on both sides of the boards. Partially fasten the screws to hold them in place until next board is set, then fully fasten the screws.

Removing & Replacing a Deck Board

1 Back out screws from joist




EDGE Clips make removing or replacing a board easy. Start by backing all of the screws out of the joist on both sides of the board.

2 Pull up board



Pull up on the board to easily remove it.

3 Lay new deck board



Clean away any clips remaining on the joists and lay the new deck board in position **without** any clips in place.

4 Remove legs




Count the number of clips needed and snap off the legs on each clip.

5 Slide clips down groove



Slide the clips (screws and gussets) down the groove positioning one over each joist on both sides of the board.

6 Fasten at each joist



Fasten clips securely in place using the NEVER-MISS™ Guide.



Warranty Information

Fiberon® ARMORGUARD® EDGE™ Clip Limited Warranty

What This Limited Warranty Covers; Period of Coverage. NNC warrants to the first retail purchaser that Fiberon ARMORGUARD EDGE Clip (the "Product") will be (1) free from defects in material and workmanship for the life of the Product, and (2) is guaranteed against rust and corrosion for the life of the project in which the Product is first used. NNC will replace any defective Product at no charge, including shipping cost of replacement Product, subject to the limitations or exclusions contained in this Limited Warranty.

Additionally, if Fiberon ARMORGUARD EDGE Clip, installed in accordance with applicable building codes, laws, rules and regulations, installation instructions or other deck board manufacturer's installation instructions, and accepted building practices, cause the deck board product to fail, NNC will replace the damaged deck board product at no charge. This does not replace any deck board manufacturers' warranties, does not apply in cases where defects or damage are not solely and exclusively attributable to the Product, and is subject to the limitations described below. This Limited Warranty does not apply where damage to the deck board product is attributable, in whole or in part, to improper installation of either the deck board product itself or the Fiberon ARMORGUARD EDGE Clip. This is your sole and exclusive remedy for any product defect. NNC assumes no liability for confirming that any product is appropriate for a particular purpose, and each intended use of a product must be reviewed and approved by qualified professionals. This warranty is not transferable.

To review the complete Fiberon® ARMORGUARD® EDGE™ Clip Limited Warranty, please visit fiberondecking.com/resources/warranty-registration.

Follow Us on Social Media



@FIBERON
@CAMOFASTENERS



@FIBERONDECKING
@CAMODECKFASTENERS



YOUTUBE.COM/FIBERONDECKS
YOUTUBE.COM/CAMOFASSTENERS

CONTACT US:

INFO@FIBERONDECKING.COM

INFO@CAMOFASTENERS.COM



BUILD YOUR DECK UP TO 5X FASTER WHEN YOU USE THE TOTAL CAMO® SYSTEM



fibron
ARMORGUARD®
EDGE™ CLIPS

Fasten all grooved
deck boards



CAMO
LEVER™

Lock rows of boards
and clips in place



**FASTEN CLIPS WITH
DRIVE™ TO INSTALL
UP TO 5X FASTER**



CAMO
DRIVE™

Stand-up tool with 3
fastening methods



Get your tools at [homedepot.com](https://www.homedepot.com)



20058 CMO | 12/2020

INNOVATION BY

CAMO®