

Product data sheet

Characteristics

HEPD25

Surge protection device, HEPD, 25kA, 120/240 V,
1 phase, 3 wire, SPD type 1

Product availability : Non-Stock - Not normally stocked in distribution facility

Price* : 95.00 USD



Main

Product	Surge protection device
Range	Square D
Device Short Name	HEPD

Complementary

Surge Current	25 kA per phase
Voltage Rating	120/240 V AC
Number of Phases	1 phase
Wiring Configuration	3-wire (isolated ground)
MCOV	150 V
Nominal Discharge Current	10 kA
SCCR	22 kA
Local Signalling	1 LED green normal operation
Product destination	Load center
Input voltage	600 V L-N
Height	2.45 in (62.23 mm)
Width	2.89 in (73.41 mm)
Depth	2.06 in (52.32 mm)

Environment

Enclosure Rating	NEMA 4X
------------------	---------

Ordering and shipping details

Category	08461 - SURGE PROTECTION RESI
Discount Schedule	DE1B
GTIN	00785901479611
Nbr. of units in pkg.	1
Package weight(Lbs)	1 lb(US) (0.45 kg)

* Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.


Jul 30, 2021

Returnability	Yes
Country of origin	MX

Offer Sustainability

California proposition 65	WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov
REACH Regulation	REACH Declaration
EU RoHS Directive	Compliant EU RoHS Declaration
Mercury free	Yes
RoHS exemption information	Yes
China RoHS Regulation	China RoHS declaration Product out of China RoHS scope. Substance declaration for your information.

Dimensions



in.
[mm]

TI_DIM_HEPD25