

3-IN-1 HOT AND COLD WATER COOLER BUILT-IN BULLET ICE MAKER MACHINE

MODEL EFWC530

- BUILT IN ICE MAKER THE SYSTEM AUTOMATICALLY TRANSFERS WATER FROM THE BOTTLE INTO THE ICE MAKER COMPARTMENT, WHERE IT PRODUCES ICE. IF THE ICE MELTS, THE WATER IS RETURNED TO THE ICE MAKER COMPARTMENT TO CREATE MORE ICE, ENSURING A CONTINUOUS ICE-MAKING PROCESS
 - COLD WATER TANK CAPACITY: 2.0 L.HOT WATER TANK CAPACITY: 0.8 L.
 - WATER SUPPLY: USES A FIVE-GALLON BOTTLE.
 - DISPLAY: INDICATOR LIGHTS.
 - CONTROL: COMBINATION OF 3 TOUCH BUTTONS AND 3 MECHANICAL PUSH BUTTONS.
 - CLEANING AND DRAINING: INCLUDES ICE MAKING DRIP TRAY, ICE STORAGE BIN, AND COLD WATER TANK.
 - INDICATORS:WATER SHORTAGE AND SUPPLY.ICE MAKING STATUS.ICE FULL STATUS.
 - CLIMATE COMPATIBILITY: OPERATES WITHIN A TEMPERATURE RANGE OF 10-43°C (SN, N, ST, T).
 - BUILT IN ICE MAKER SPECIFICATIONS:
 - ICE CAPACITY: 15 KG PER 24 HOURS (AT 25°C AIR, 15°C WATER).
 - CYCLE TIME: 7-11 MINUTES PER CYCLE (APPROX. 8 MINUTES AT 21°C AMBIENT AND 13°C WATER TEMPERATURE).
 - ICE QUANTITY PER CYCLE: 9 PIECES.
 - ICE CUBE SHAPE: BULLET.
 - ICE WEIGHT PER CYCLE: 80 G.
 - ICE STORAGE CAPACITY: 2.5 L / 1.1 KG.
 - HEATING CURRENT: 1.5 A / 330 W.
 - RATED ICE MELT CURRENT: AT 43°C AMBIENT TEMPERATURE: 1.5 A / 255 W.
 - RATED COOLING CURRENT: AT 43°C AMBIENT TEMPERATURE: 1.2 A / 180 W.
- WATER SPECIFICATIONS
- HOT WATER:TEMPERATURE: ≥90°C.
 - FLOW RATE: 1.2 L/MIN.
 - CAPACITY: 4 L/H.
 - COLD WATER:TEMPERATURE: ≤8°C.
 - FLOW RATE: 1.5 L/MIN.
 - CAPACITY: 5 L/H.
- RATED ICE MAKING CURRENT:
 - AT 43°C AMBIENT TEMPERATURE: 1.3 A / 230 W.
 - AT 25°C AMBIENT TEMPERATURE: 136 W / 0.9 A.

DOMESTIC COST:\$

DI COST:\$

CURTIS
INTERNATIONAL LTD

DIMENSIONS	
LENGTH X WIDTH X HEIGHT IN INCHES:	11.65 x 11.81 x 32.91
40 HQ CONTAINER QTY:	630

FRIGIDAIRE GALLERY

