

SAFETY DATA SHEET

Issuing Date August 26, 2015 Revision Date New Revision Number 0

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier

Product Name Liquid-Plumr® Industrial Strength Urgent Clear™ Clog Remover

Other means of identification

Synonyms None

Recommended use of the chemical and restrictions on use

Recommended use Drain cleaner/opener

Uses advised against No information available

Details of the supplier of the safety data sheet

Supplier Address

The Clorox Company 1221 Broadway Oakland, CA 94612

Phone: 1-510-271-7000

Emergency telephone number

Emergency Phone Numbers For Medical Emergencies, call: 1-800-446-1014

For Transportation Emergencies, call Chemtrec: 1-800-424-9300

2. HAZARDS IDENTIFICATION

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200).

| Skin corrosion/irritation | Category 1 |
|-----------------------------------|------------|
| Serious eye damage/eye irritation | Category 1 |

GHS Label elements, including precautionary statements

Emergency Overview

Signal word Danger

Hazard Statements

Causes severe skin burns and eye damage Causes serious eye damage



Appearance Clear, pale yellow

Physical State Viscous liquid

Odor Bleach

Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling.

Wear protective gloves, protective clothing, face protection, and eye protection such as safety glasses.

Precautionary Statements - Response

Immediately call a poison center or doctor.

If swallowed: Rinse mouth. Do NOT induce vomiting.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water.

Wash contaminated clothing before reuse.

If inhaled: Remove person to fresh air and keep comfortable for breathing.

Specific treatment (see supplemental first aid instructions on this label).

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Precautionary Statements - Storage

Store locked up.

Precautionary Statements - Disposal

Dispose of contents in accordance with all applicable federal, state, and local regulations.

Hazards not otherwise classified (HNOC)

Although not expected, heart conditions or chronic respiratory problems such as asthma, chronic bronchitis, or obstructive lung disease may be aggravated by exposure to high concentrations of vapor or mist.

Unknown Toxicity

Not applicable.

Other information

Very toxic to aquatic life with long lasting effects.

Keep children away from basins containing this product.

Do not use with a plunger or in toilets.

Interactions with Other Chemicals

Reacts with other household chemicals such as ammonia, toilet bowl cleaners, acids, and non-Liquid-Plumr® drain openers to produce hazardous gases, such as chlorine and other chlorinated compounds.

3. COMPOSITION/INFORMATION ON INGREDIENTS

| Chemical Name | CAS-No | Weight % | Trade Secret |
|---------------------|-----------|----------|--------------|
| Sodium hypochlorite | 7681-52-9 | 5 - 10 | * |
| Sodium hydroxide | 1310-73-2 | 1 - 2.5 | * |
| Myristamine oxide | 3332-27-2 | 0.1 - 1 | * |
| Lauramine oxide | 1643-20-5 | 0.1 - 1 | * |

^{*} The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

First aid measures

General Advice Show this safety data sheet to the doctor in attendance.

Eye Contact Flush immediately with water for at least 15 minutes. If wearing contact lenses, remove after

first 5 minutes. Call a doctor or poison control center immediately.

Skin Contact Remove contaminated clothing. Wash immediately with water. Call a doctor or poison

control center immediately.

Inhalation Move to fresh air. If breathing is affected, call a doctor.

Ingestion Drink a glassful of water. DO NOT induce vomiting unless told to do so by a poison control

center or doctor. Call a doctor or poison control center immediately.

Protection of First-aiders Avoid contact with skin, eyes, and clothing. Use personal protective equipment as required.

Wear personal protective clothing (see section 8).

Most important symptoms and effects, both acute and delayed

Most Important Symptoms and

Effects

Burning of eyes and skin.

Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically. Use of gastric lavage or emesis is contraindicated.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media

CAUTION: Use of water spray when fighting fire may be inefficient.

Specific Hazards Arising from the Chemical

This product causes burns to eyes, skin, and mucous membranes. Thermal decomposition can release sodium chlorate and irritating gases and vapors.

Explosion Data

Sensitivity to Mechanical Impact None.

Sensitivity to Static Discharge None.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions Avoid contact with eyes, skin, and clothing. Ensure adequate ventilation. Use personal

protective equipment as required. For spills of multiple products, responders should evaluate the MSDSs of the products for incompatibility with sodium hypochlorite. Breathing protection should be worn in enclosed and/or poorly-ventilated areas until hazard assessment is

complete.

Other Information Refer to protective measures listed in Sections 7 and 8.

Environmental precautions

Environmental Precautions See Section 12 for ecological Information.

Methods and material for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for Cleaning Up Absorb and containerize. Wash residual down to sanitary sewer. Contact the sanitary

treatment facility in advance to assure ability to process washed-down material.

7. HANDLING AND STORAGE

Precautions for safe handling

Handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with

skin, eyes, and clothing. Do not eat, drink, or smoke when using this product.

Conditions for safe storage, including any incompatibilities

Storage Keep containers tightly closed in a dry, cool, and well-ventilated place.

Incompatible Products Ammonia, toilet bowl cleaners, acids, and non-Liquid-Plumr® drain openers.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

| Chemical Name | Name ACGIH TLV OSHA PEL | | NIOSH IDLH | |
|----------------------------------|------------------------------|--------------|--|--|
| Sodium hydroxide 1310-73-2 | Ceiling: 2 mg/m ³ | TWA: 2 mg/m³ | IDLH: 10 mg/m ³ Ceiling: 2 mg/m ³ | |
| Sodium hypochlorite 7681-52-9 | None | None | None | |
| Myristamine oxide 3332-27-2 | | | None | |
| Lauramine oxide 1643-20-5 | None | None | None | |

ACGIH TLV: American Conference of Governmental Industrial Hygienists - Threshold Limit Value. OSHA PEL: Occupational Safety and Health Administration - Permissible Exposure Limits. NIOSH IDLH: Immediately Dangerous to Life or Health.

Appropriate engineering controls

Engineering Measures Showers

Eyewash stations Ventilation systems

Individual protection measures, such as personal protective equipment

Eye/Face Protection If splashes are likely to occur: Wear safety glasses with side shields (or goggles) or face

shield.

Skin and Body ProtectionWear rubber or neoprene gloves and protective clothing such as long-sleeved shirt.

Respiratory Protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

Hygiene MeasuresWash hands after direct contact. Do not wear product-contaminated clothing for prolonged

periods. Remove and wash contaminated clothing before re-use. Do not eat, drink, or

smoke when using this product.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical and Chemical Properties

Physical State Viscous liquid

AppearanceClearOdorBleach

Color Pale yellow Odor Threshold No information available

Property Values Remarks/ Method

~13 None known Hq Melting/freezing point No data available None known Boiling point / boiling range No data available None known Flash Point Not flammable None known **Evaporation rate** No data available None known Flammability (solid, gas) No data available None known

Flammability Limits in Air

Upper flammability limit
Lower flammability limit
No data available
None known
None known
Vapor pressure
No data available
None known
None known
None known
None known
None known
None known
Specific Gravity
None known
Soluble in water
None known
None known
None known

Water Solubility Soluble in water None known Solubility in other solvents No data available None known Partition coefficient: n-octanol/waterNo data available None known **Autoignition temperature** No data available None known **Decomposition temperature** No data available None known Kinematic viscosity No data available None known Dynamic viscosity No data available None known

Explosive Properties Not explosive
Oxidizing Properties No data available

Other Information

Softening Point

VOC Content (%)

Particle Size

Particle Size Distribution

No data available
No data available
No data available

10. STABILITY AND REACTIVITY

Reactivity

Reacts with other household chemicals such as ammonia, toilet bowl cleaners, acids, and non-Liquid-Plumr® drain openers to produce hazardous gases, such as chlorine and other chlorinated compounds.

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Conditions to avoid

None known based on information supplied.

Incompatible materials

Ammonia, toilet bowl cleaners, acids, and non-Liquid-Plumr® drain openers.

Hazardous Decomposition Products

None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information .

Inhalation Exposure to vapor or mist may irritate respiratory tract and cause coughing. Inhalation of

high concentrations may cause pulmonary edema.

Eye Contact Corrosive. May cause severe damage to eyes.

Skin Contact May cause severe irritation to skin. Prolonged contact may cause burns to skin.

Ingestion Ingestion may cause burns to gastrointestinal tract and respiratory tract, nausea, vomiting,

and diarrhea.

Component Information

| Chemical Name | LD50 Oral | LD50 Dermal | LC50 Inhalation | |
|----------------------------------|------------------|-----------------------|-----------------|--|
| Sodium hypochlorite 7681-52-9 | 8200 mg/kg (Rat) | >10000 mg/kg (Rabbit) | - | |
| Sodium hydroxide 1310-73-2 | - | 1350 mg/kg (Rabbit) | - | |

Information on toxicological effects

Symptoms May cause redness and tearing of the eyes. May cause burns to eyes. May cause redness

or burns to skin. Inhalation may cause coughing.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization No information available.

Mutagenic Effects No information available.

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

| Chemical Name | ACGIH | IARC | NTP | OSHA |
|----------------------------------|-------|---------|-----|------|
| Sodium hypochlorite 7681-52-9 | - | Group 3 | - | - |

IARC (International Agency for Research on Cancer)
Group 3 - Not Classifiable as to Carcinogenicity in Humans

Reproductive Toxicity No information available.

STOT - single exposure No information available.

STOT - repeated exposureNo information available.

Chronic Toxicity Carcinogenic potential is unknown.

Target Organ Effects Respiratory system, eyes, skin, gastrointestinal tract (GI).

Aspiration Hazard No information available.

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (dermal)

64 g/kg (ATE)

12. ECOLOGICAL INFORMATION

Ecotoxicity

Very toxic to aquatic life with long lasting effects.

Persistence and Degradability

No information available.

Bioaccumulation

No information available.

Other adverse effects

No information available.

13. DISPOSAL CONSIDERATIONS

Disposal methods

Dispose of in accordance with all applicable federal, state, and local regulations.

Contaminated Packaging

Do not reuse empty containers. Dispose of in accordance with all applicable federal, state, and local regulations.

14. TRANSPORT INFORMATION

DOT LIMITED QUANTITY.

TDG

UN-No UN1791

Proper Shipping Name HYPOCHLORITE SOLUTION

Hazard Class 8
Packing Group ||

Description UN1791, HYPOCHLORITE SOLUTION, 8, II

<u>ICAO</u>

UN-No UN1791

Proper Shipping Name HYPOCHLORITE SOLUTION

Hazard Class 8
Packing Group II

Description UN1791, HYPOCHLORITE SOLUTION, 8, II

<u>IATA</u>

UN-No UN1791

Proper Shipping Name HYPOCHLORITE SOLUTION

Hazard Class 8
Packing Group ||

Description UN1791, HYPOCHLORITE SOLUTION, 8, II

IMDG/IMO

UN-No UN1791

Proper Shipping Name HYPOCHLORITE SOLUTION

Hazard Class 8
Packing Group | |

EmS No. F-A, S-B

Marine PollutantMarine Pollutant exception per IMDG Code 2.10.2.7DescriptionUN1791, HYPOCHLORITE SOLUTION, 8, II

15. REGULATORY INFORMATION

Chemical Inventories

TSCA All components of this product are either on the TSCA 8(b) Inventory or otherwise exempt

from listing.

DSL/NDSL All components are on the DSL or NDSL.

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

| Acute Health Hazard | Yes |
|-----------------------------------|-----|
| Chronic Health Hazard | No |
| Fire Hazard | No |
| Sudden Release of Pressure Hazard | No |
| Reactive Hazard | No |
| | |

Clean Water Act

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

| Chemical Name | CWA - Reportable Quantities | CWA - Toxic Pollutants | CWA - Priority Pollutants | CWA - Hazardous Substances |
|----------------------------------|--------------------------------|------------------------|---------------------------|-------------------------------|
| Sodium hypochlorite 7681-52-9 | 100 lb | | | X |
| Sodium hydroxide 1310-73-2 | 1000 lb | | | X |

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

| Chemical Name | Hazardous Substances RQs | Extremely Hazardous Substances RQs | RQ |
|----------------------------------|--------------------------|------------------------------------|---|
| Sodium hypochlorite 7681-52-9 | 100 lb | - | RQ 100 lb final RQ RQ 45.4 kg final RQ |
| Sodium hydroxide 1310-73-2 | 1000 lb | - | RQ 1000 lb final RQ RQ 454 kg final RQ |

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

| Chemical Name | New Jersey | Massachusetts | Pennsylvania | Rhode Island | Illinois |
|----------------------------------|------------|---------------|--------------|--------------|----------|
| Sodium hypochlorite 7681-52-9 | X | X | X | X | |
| Sodium hydroxide 1310-73-2 | Х | Х | Х | Х | |

International Regulations

Canada WHMIS Hazard Class E - Corrosive material



16. OTHER INFORMATION

NFPA Health Hazard 3 Flammability 0 Instability 0 Physical and Chemical Hazards -

HMIS Health Hazard 3 Flammability 0 Physical Hazard 0 Personal Protection B

Prepared By Product Stewardship

23 British American Blvd. Latham, NY 12110 1-800-572-6501

Revision Date New

Revision Note New

Reference 1280186/188816.001

General Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal, and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet