

# SAFETY DATA SHEET

## 1. Identification

Product number 1000016304  
Product identifier 18 OZ WM RCK DOC GRNT SLR STC CAP LT 6PK  
Revision date 7-22-2019  
Company information APEX PRODUCTS  
8333 MELROSE  
LENEXA, KS 66214 United States  
Company phone General Assistance 1-800-543-8371  
Emergency telephone US 1-866-836-8855  
Emergency telephone outside US 1-952-852-4646  
Version # 05  
Supersedes date 12-2-2016  
Recommended use COATING  
Recommended restrictions None known.

## 2. Hazard(s) identification

Physical hazards Flammable aerosols Category 1  
Gases under pressure Liquefied gas  
Health hazards Not classified.  
OSHA defined hazards Not classified.  
Label elements



Signal word Danger  
Hazard statement Extremely flammable aerosol. Contains gas under pressure; may explode if heated.  
Precautionary statement  
Prevention Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use.  
Response Wash hands after handling.  
Storage Protect from sunlight. Store in a well-ventilated place. Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.  
Disposal Dispose of waste and residues in accordance with local authority requirements.  
Hazard(s) not otherwise classified (HNO C) None known.  
Supplemental information None.

## 3. Composition/information on ingredients

### Mixtures

| Chemical name                            | Common name and synonyms | CAS number | %        |
|------------------------------------------|--------------------------|------------|----------|
| Butane                                   |                          | 106-97-8   | 2.5 - 10 |
| Ethyl Alcohol                            |                          | 64-17-5    | 2.5 - 10 |
| Propane                                  |                          | 74-98-6    | 1 - 2.5  |
| Other components below reportable levels |                          |            | 90 - 100 |

\*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

#### 4. First-aid measures

|                                                                        |                                                                                                                  |
|------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------|
| Inhalation                                                             | Move to fresh air. Call a physician if symptoms develop or persist.                                              |
| Skin contact                                                           | No adverse effects due to skin contact are expected.                                                             |
| Eye contact                                                            | No specific first aid measures noted.                                                                            |
| Ingestion                                                              | Not likely, due to the form of the product.                                                                      |
| Most important symptoms/effects, acute and delayed                     | Direct contact with eyes may cause temporary irritation.                                                         |
| Indication of immediate medical attention and special treatment needed | Provide general supportive measures and treat symptomatically.                                                   |
| General information                                                    | Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. |

#### 5. Fire-fighting measures

|                                                               |                                                                                                                                                                                                                                                                                                                                                                                         |
|---------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Suitable extinguishing media                                  | Water fog. Foam. Dry chemical powder. Carbon dioxide (CO <sub>2</sub> ).                                                                                                                                                                                                                                                                                                                |
| Unsuitable extinguishing media                                | None known.                                                                                                                                                                                                                                                                                                                                                                             |
| Specific hazards arising from the chemical                    | Contents under pressure. Pressurized container may explode when exposed to heat or flame. During fire, gases hazardous to health may be formed.                                                                                                                                                                                                                                         |
| Special protective equipment and precautions for firefighters | Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.                                                                                                                                                                                                                        |
| Fire fighting equipment/instructions                          | In case of fire: Stop leak if safe to do so. Do not move cargo or vehicle if cargo has been exposed to heat. Move containers from fire area if you can do so without risk. Containers should be cooled with water to prevent vapor pressure build up. For massive fire in cargo area, use unmanned hose holder or monitor nozzles, if possible. If not, withdraw and let fire burn out. |
| Specific methods                                              | Use standard firefighting procedures and consider the hazards of other involved materials. Move containers from fire area if you can do so without risk. Cool containers exposed to flames with water until well after the fire is out. In the event of fire and/or explosion do not breathe fumes.                                                                                     |
| General fire hazards                                          | Extremely flammable aerosol. Contents under pressure. Pressurized container may explode when exposed to heat or flame.                                                                                                                                                                                                                                                                  |

#### 6. Accidental release measures

|                                                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|---------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Personal precautions, protective equipment and emergency procedures | Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Many gases are heavier than air and will spread along ground and collect in low or confined areas (sewers, basements, tanks). Wear appropriate protective equipment and clothing during clean-up. Emergency personnel need self-contained breathing equipment. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS. |
| Methods and materials for containment and cleaning up               | Refer to attached safety data sheets and/or instructions for use. Stop leak if you can do so without risk. Move the cylinder to a safe and open area if the leak is irreparable. Isolate area until gas has dispersed. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil, etc.) away from spilled material. For waste disposal, see section 13 of the SDS.                                                                                                                                                                                                                        |
| Environmental precautions                                           | Avoid discharge into drains, water courses or onto the ground.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |

#### 7. Handling and storage

|                               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|-------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Precautions for safe handling | Pressurized container: Do not pierce or burn, even after use. Do not use if spray button is missing or defective. Do not spray on a naked flame or any other incandescent material. Do not smoke while using or until sprayed surface is thoroughly dry. Do not cut, weld, solder, drill, grind, or expose containers to heat, flame, sparks, or other sources of ignition. All equipment used when handling the product must be grounded. Close valve after each use and when empty. Protect cylinders from physical damage; do not drag, roll, slide, or drop. When moving cylinders, even for short distances, use a cart (trolley, hand truck, etc.) designed to transport cylinders. Suck back of water into the container must be prevented. Do not allow backfeed into the container. Purge air from system before introducing gas. Use only properly specified equipment which is suitable for this product, its supply pressure and temperature. Contact your gas supplier if in doubt. Do not re-use empty containers. Use only in well-ventilated areas. Wear appropriate personal protective equipment. Observe good industrial hygiene practices. |
|-------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

Conditions for safe storage,  
including any incompatibilities

Level 1 Aerosol.

Pressurized container. Protect from sunlight and do not expose to temperatures exceeding 50°C/122 °F. Do not puncture, incinerate or crush. Do not handle or store near an open flame, heat or other sources of ignition. This material can accumulate static charge which may cause spark and become an ignition source. Store in a well-ventilated place. Cylinders should be stored upright, with valve protection cap in place, and firmly secured to prevent falling or being knocked over. Stored containers should be periodically checked for general condition and leakage. Store away from incompatible materials (see Section 10 of the SDS).

## 8. Exposure controls/personal protection

### Occupational exposure limits

#### US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

| Components                  | Type | Value                  |
|-----------------------------|------|------------------------|
| Ethyl Alcohol (CAS 64-17-5) | PEL  | 1900 mg/m3<br>1000 ppm |
| Propane (CAS 74-98-6)       | PEL  | 1800 mg/m3<br>1000 ppm |

#### US. ACGIH Threshold Limit Values

| Components                  | Type | Value    |
|-----------------------------|------|----------|
| Butane (CAS 106-97-8)       | STEL | 1000 ppm |
| Ethyl Alcohol (CAS 64-17-5) | STEL | 1000 ppm |

#### US. NIOSH: Pocket Guide to Chemical Hazards

| Components                  | Type | Value                  |
|-----------------------------|------|------------------------|
| Butane (CAS 106-97-8)       | TWA  | 1900 mg/m3<br>800 ppm  |
| Ethyl Alcohol (CAS 64-17-5) | TWA  | 1900 mg/m3<br>1000 ppm |
| Propane (CAS 74-98-6)       | TWA  | 1800 mg/m3<br>1000 ppm |

### Biological limit values

No biological exposure limits noted for the ingredient(s).

### Appropriate engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

### Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

#### Skin protection

##### Hand protection

Wear appropriate chemical resistant gloves. Suitable gloves can be recommended by the glove supplier.

##### Other

Wear suitable protective clothing.

##### Respiratory protection

If permissible levels are exceeded use NIOSH mechanical filter / organic vapor cartridge or an air-supplied respirator.

##### Thermal hazards

Wear appropriate thermal protective clothing, when necessary.

### General hygiene considerations

When using do not smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

## 9. Physical and chemical properties

### Appearance

#### Physical state

Gas.

#### Form

Aerosol, Liquefied gas.

#### Color

Not available.

#### Odor

Not available.

#### Odor threshold

Not available.

#### pH

Not available.

Product name: 18 OZ WM RCK DOC GRNT SLR STC CAP LT 6PK

Product #: 1000016304 Version #: 05 Revision date: 7-22-2019 Issue date: 06-24-2014

SDS US

3 / 9

|                                                     |                                            |
|-----------------------------------------------------|--------------------------------------------|
| Melting point/freezing point                        | Not available.                             |
| Initial boiling point and boiling range             | 212 °F (100 °C) estimated                  |
| Flash point                                         | -156.0 °F (-104.4 °C) Propellant estimated |
| Evaporation rate                                    | Not available.                             |
| Flammability (solid, gas)                           | Not available.                             |
| <b>Upper/lower flammability or explosive limits</b> |                                            |
| Flammability limit - lower (%)                      | 1.9 % estimated                            |
| Flammability limit - upper (%)                      | 9.5 % estimated                            |
| Explosive limit - lower (%)                         | Not available.                             |
| Explosive limit - upper (%)                         | Not available.                             |
| Vapor pressure                                      | 22.85 psig @70F estimated                  |
| Vapor density                                       | Not available.                             |
| Relative density                                    | Not available.                             |
| <b>Solubility(ies)</b>                              |                                            |
| Solubility (water)                                  | Not available.                             |
| Partition coefficient (n-octanol/water)             | Not available.                             |
| Auto-ignition temperature                           | Not available.                             |
| Decomposition temperature                           | Not available.                             |
| Viscosity                                           | Not available.                             |
| <b>Other information</b>                            |                                            |
| Explosive properties                                | Not explosive.                             |
| Oxidizing properties                                | Not oxidizing.                             |
| Specific gravity                                    | 0.889 estimated                            |

## 10. Stability and reactivity

|                                    |                                                                                               |
|------------------------------------|-----------------------------------------------------------------------------------------------|
| Reactivity                         | The product is stable and non-reactive under normal conditions of use, storage and transport. |
| Chemical stability                 | Material is stable under normal conditions.                                                   |
| Possibility of hazardous reactions | Hazardous polymerization does not occur.                                                      |
| Conditions to avoid                | Heat. Avoid temperatures exceeding the flash point. Contact with incompatible materials.      |
| Incompatible materials             | Strong oxidizing agents.                                                                      |
| Hazardous decomposition products   | No hazardous decomposition products are known.                                                |

## 11. Toxicological information

### Information on likely routes of exposure

|              |                                                          |
|--------------|----------------------------------------------------------|
| Inhalation   | No adverse effects due to inhalation are expected.       |
| Skin contact | No adverse effects due to skin contact are expected.     |
| Eye contact  | Direct contact with eyes may cause temporary irritation. |
| Ingestion    | Expected to be a low ingestion hazard.                   |

Symptoms related to the physical, chemical and toxicological characteristics  
Direct contact with eyes may cause temporary irritation.

### Information on toxicological effects

#### Acute toxicity

| Product                                  | Species | Test Results            |
|------------------------------------------|---------|-------------------------|
| 18 OZ WM RCK DOC GRNT SLR STC CAP LT 6PK |         |                         |
| <u>Acute</u>                             |         |                         |
| Inhalation                               |         |                         |
| LC50                                     | Rat     | 953 mg/l/4h             |
| Components                               | Species | Test Results            |
| Butane (CAS 106-97-8)                    |         |                         |
| <u>Acute</u>                             |         |                         |
| Inhalation                               |         |                         |
| LC50                                     | Mouse   | 1237 mg/l, 120 Minutes  |
|                                          |         | 52 %, 120 Minutes       |
|                                          | Rat     | 1355 mg/l               |
| Ethyl Alcohol (CAS 64-17-5)              |         |                         |
| <u>Acute</u>                             |         |                         |
| Inhalation                               |         |                         |
| LC50                                     | Cat     | 85.41 mg/l, 4.5 Hours   |
|                                          |         | 43.68 mg/l, 6 Hours     |
|                                          | Mouse   | > 60000 ppm             |
|                                          |         | 79.43 mg/l, 134 Minutes |
|                                          | Rat     | > 115.9 mg/l, 4 Hours   |
|                                          |         | 51.3 mg/l, 6 Hours      |
| <u>Oral</u>                              |         |                         |
| LD50                                     | Monkey  | 6000 mg/kg              |
|                                          | Mouse   | 10500 ml/kg             |
|                                          | Pig     | > 5000 mg/kg            |
|                                          | Rat     | 10470 mg/kg             |
|                                          |         | 7800 ml/kg              |
| Propane (CAS 74-98-6)                    |         |                         |
| <u>Acute</u>                             |         |                         |
| Inhalation                               |         |                         |
| LC50                                     | Mouse   | 1237 mg/l, 120 Minutes  |
|                                          |         | 52 %, 120 Minutes       |
|                                          | Rat     | 1355 mg/l               |
|                                          |         | 658 mg/l/4h             |

\* Estimates for product may be based on additional component data not shown.

|                                                                       |                                                                                                                  |
|-----------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------|
| <b>Skin corrosion/irritation</b>                                      | Prolonged skin contact may cause temporary irritation.                                                           |
| <b>Serious eye damage/eye irritation</b>                              | Direct contact with eyes may cause temporary irritation.                                                         |
| <b>Respiratory or skin sensitization</b>                              |                                                                                                                  |
| Respiratory sensitization                                             | Not a respiratory sensitizer.                                                                                    |
| Skin sensitization                                                    | This product is not expected to cause skin sensitization.                                                        |
| <b>Germ cell mutagenicity</b>                                         | No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic. |
| <b>Carcinogenicity</b>                                                | Risk of cancer cannot be excluded with prolonged exposure.                                                       |
| <b>IARC Monographs. Overall Evaluation of Carcinogenicity</b>         |                                                                                                                  |
| Not listed.                                                           |                                                                                                                  |
| <b>OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)</b> |                                                                                                                  |
| Not regulated.                                                        |                                                                                                                  |
| <b>US. National Toxicology Program (NTP) Report on Carcinogens</b>    |                                                                                                                  |
| Not listed.                                                           |                                                                                                                  |

|                                                    |                                                                              |
|----------------------------------------------------|------------------------------------------------------------------------------|
| Reproductive toxicity                              | This product is not expected to cause reproductive or developmental effects. |
| Specific target organ toxicity - single exposure   | Not classified.                                                              |
| Specific target organ toxicity - repeated exposure | Not classified.                                                              |
| Aspiration hazard                                  | Not likely, due to the form of the product.                                  |
| Chronic effects                                    | Prolonged exposure may cause chronic effects.                                |

## 12. Ecological information

**Ecotoxicity** The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

| Product                                  | Species |                                      | Test Results                |
|------------------------------------------|---------|--------------------------------------|-----------------------------|
| 18 OZ WM RCK DOC GRNT SLR STC CAP LT 6PK |         |                                      |                             |
| Aquatic                                  |         |                                      |                             |
| Algae                                    | IC50    | Algae                                | 42105 mg/L, 72 Hours        |
| Crustacea                                | EC50    | Daphnia                              | 25447 mg/L, 48 Hours        |
| Fish                                     | LC50    | Fish                                 | 1524 mg/L, 96 Hours         |
| Components                               | Species |                                      | Test Results                |
| Ethyl Alcohol (CAS 64-17-5)              |         |                                      |                             |
| Aquatic                                  |         |                                      |                             |
| Crustacea                                | EC50    | Water flea (Daphnia magna)           | 7700 - 11200 mg/l, 48 hours |
| Fish                                     | LC50    | Fathead minnow (Pimephales promelas) | > 100.1 mg/l, 96 hours      |

\* Estimates for product may be based on additional component data not shown.

**Persistence and degradability** No data is available on the degradability of this product.

### Bioaccumulative potential

| Partition coefficient n-octanol / water (log Kow) |       |
|---------------------------------------------------|-------|
| Butane                                            | 2.89  |
| Ethyl Alcohol                                     | -0.31 |
| Propane                                           | 2.36  |

**Mobility in soil** No data available.

**Other adverse effects** No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

## 13. Disposal considerations

|                                              |                                                                                                                                                                                                                                                         |
|----------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Disposal instructions</b>                 | Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Contents under pressure. Do not puncture, incinerate or crush. Dispose of contents/container in accordance with local/regional/national/international regulations. |
| <b>Local disposal regulations</b>            | Dispose in accordance with all applicable regulations.                                                                                                                                                                                                  |
| <b>Hazardous waste code</b>                  | The waste code should be assigned in discussion between the user, the producer and the waste disposal company.                                                                                                                                          |
| <b>Waste from residues / unused products</b> | Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).                                        |
| <b>Contaminated packaging</b>                | Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers.              |

## 14. Transport information

### DOT

|                            |                                                        |
|----------------------------|--------------------------------------------------------|
| UN number                  | UN1950                                                 |
| UN proper shipping name    | Aerosols, flammable, (each not exceeding 1 L capacity) |
| Transport hazard class(es) |                                                        |
| Class                      | 2.1                                                    |
| Subsidiary risk            | -                                                      |
| Label(s)                   | 2.1                                                    |
| Packing group              | Not applicable.                                        |

Product name: 18 OZ WM RCK DOC GRNT SLR STC CAP LT 6PK

Product #: 1000016304 Version #: 05 Revision date: 7-22-2019 Issue date: 06-24-2014

SDS US

6 / 9

**Special precautions for user** Read safety instructions, SDS and emergency procedures before handling. Read safety instructions, SDS and emergency procedures before handling.

**Special provisions** N82

**Packaging exceptions** 306

**Packaging non bulk** None

**Packaging bulk** None

This product meets the exception requirements of section 173.306 as a limited quantity and may be shipped as a limited quantity. Until 12/31/2020, the "Consumer Commodity - ORM-D" marking may still be used in place of the new limited quantity diamond mark for packages of UN 1950 Aerosols. Limited quantities require the limited quantity diamond mark on cartons after 12/31/20 and may be used now in place of the "Consumer Commodity ORM-D" marking.

#### IATA

**UN number** UN1950

**UN proper shipping name** Aerosols, flammable

**Transport hazard class(es)**

**Class** 2.1

**Subsidiary risk** -

**Label(s)** 2.1

**Packing group** Not applicable.

**Environmental hazards** No.

**ERG Code** 10L

**Special precautions for user** Read safety instructions, SDS and emergency procedures before handling. Read safety instructions, SDS and emergency procedures before handling.

#### Other information

**Passenger and cargo aircraft** Allowed with restrictions.

**Cargo aircraft only** Allowed with restrictions.

**Packaging Exceptions** LTD QTY

#### IMDG

**UN number** UN1950

**UN proper shipping name** AEROSOLS

**Transport hazard class(es)**

**Class** 2.1

**Subsidiary risk** -

**Label(s)** 2.1

**Packing group** Not applicable.

**Environmental hazards**

**Marine pollutant** No.

**EmS** F-D, S-U

**Special precautions for user** Read safety instructions, SDS and emergency procedures before handling. Read safety instructions, SDS and emergency procedures before handling.

**Packaging Exceptions** LTD QTY

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable.

#### DOT



IATA; IMDG



**General information**

Avoid transport on vehicles where the load space is not separated from the driver's compartment. Ensure vehicle driver is aware of the potential hazards of the load and knows what to do in the event of an accident or an emergency. Before transporting product containers: Ensure that containers are firmly secured. Ensure cylinder valve is closed and not leaking. Ensure valve outlet cap nut or plug (where provided) is correctly fitted. Ensure valve protection device (where provided) is correctly fitted. Ensure adequate ventilation. Ensure compliance with applicable regulations.

**15. Regulatory information**

**US federal regulations**

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

**TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)**

Not regulated.

**CERCLA Hazardous Substance List (40 CFR 302.4)**

Not listed.

**SARA 304 Emergency release notification**

Not regulated.

**OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)**

Not regulated.

**Superfund Amendments and Reauthorization Act of 1986 (SARA)**

**Hazard categories**

Immediate Hazard - No  
Delayed Hazard - No  
Fire Hazard - Yes  
Pressure Hazard - Yes  
Reactivity Hazard - No

**SARA 302 Extremely hazardous substance**

Not listed.

**SARA 311/312 Hazardous chemical** No

**SARA 313 (TRI reporting)**  
Not regulated.

**Other federal regulations**

**Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List**

Not regulated.

**Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)**

Butane (CAS 106-97-8)  
Propane (CAS 74-98-6)

**Safe Drinking Water Act (SDWA)** Not regulated.

**US state regulations**

**US. California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100)**

Not listed.

**US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))**

Butane (CAS 106-97-8)

**US. Massachusetts RTK - Substance List**

Butane (CAS 106-97-8)  
Ethyl Alcohol (CAS 64-17-5)

Propane (CAS 74-98-6)  
**US. New Jersey Worker and Community Right-to-Know Act**  
 Butane (CAS 106-97-8)  
 Ethyl Alcohol (CAS 64-17-5)  
 Propane (CAS 74-98-6)  
**US. Pennsylvania Worker and Community Right-to-Know Law**  
 Butane (CAS 106-97-8)  
 Ethyl Alcohol (CAS 64-17-5)  
 Propane (CAS 74-98-6)  
**US. Rhode Island RTK**  
 Butane (CAS 106-97-8)  
 Propane (CAS 74-98-6)

#### International Inventories

| Country(s) or region        | Inventory name                                                         | On inventory (yes/no)* |
|-----------------------------|------------------------------------------------------------------------|------------------------|
| Australia                   | Australian Inventory of Chemical Substances (AICS)                     | Yes                    |
| Canada                      | Domestic Substances List (DSL)                                         | Yes                    |
| Canada                      | Non-Domestic Substances List (NDSL)                                    | No                     |
| China                       | Inventory of Existing Chemical Substances in China (IECSC)             | Yes                    |
| Europe                      | European Inventory of Existing Commercial Chemical Substances (EINECS) | Yes                    |
| Europe                      | European List of Notified Chemical Substances (ELINCS)                 | No                     |
| Japan                       | Inventory of Existing and New Chemical Substances (ENCS)               | Yes                    |
| Korea                       | Existing Chemicals List (ECL)                                          | Yes                    |
| New Zealand                 | New Zealand Inventory                                                  | No                     |
| Philippines                 | Philippine Inventory of Chemicals and Chemical Substances (PICCS)      | Yes                    |
| United States & Puerto Rico | Toxic Substances Control Act (TSCA) Inventory                          | Yes                    |

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

#### 16. Other information, including date of preparation or last revision

|                      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|----------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Issue date           | 6-24-2014                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| Revision date        | 7-22-2019                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| Version #            | 05                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| Disclaimer           | We cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available. |
| Revision information | This document has undergone significant changes and should be reviewed in its entirety.                                                                                                                                                                                                                                                                                                                                                                                       |