



# 1. Identification

Product identifier	BEHR® Premium Porch & Patio Anti-Slip Floor Paint - Deep Base			
Other means of identification				
Product number	6230			
Recommended use	Architectural Coating			
<b>Recommended restrictions</b>	None known.			
Manufacturer/Importer/Supplier/Distributor information				
Supplier	Behr Process Corp.			
	1801 E. St. Andrew Place			
	Santa Ana, CA 92705			
Telephone	714-545-7101			
Emergency telephone	+1 760 476 3962			
	+1 866 519 4752			
Access code	335213			
2. Hazard(s) identification				
Physical hazards	Not classified.			
Health hazards	Sensitization, skin	Category 1A		
OSHA defined hazards	Not classified.			
Label elements				
Signal word	Warning			
Hazard statement	May cause an allergic skin reaction.			
Precautionary statement				
Prevention	Avoid breathing mist/vapors. Conta workplace. Wear protective gloves.	minated work clothing must not be allowed out of the		
Response	If on skin: Wash with plenty of water. If skin irritation or rash occurs: Get medical advice/attention. Wash contaminated clothing before reuse.			
Storage	Store away from incompatible materials.			
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.			
Hazard(s) not otherwise classified (HNOC)	None known.			
Supplemental information	None.			
3 Composition/information	on on ingredients			

## 3. Composition/information on ingredients

Mixtures			
Chemical name	CAS number	%	
Quartz (Crystalline silica)	14808-60-7	10 - 30	
2-Methyl-2H-isothiazol-3-one	2682-20-4	0 - 0.1	
All concentrations are in p	ercent by weight unless ingredient is a gas. Gas	concentration	

Composition commentsAll concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in<br/>percent by volume.<br/>The manufacturer has claimed the exact percentage as trade secret under the OSHA Hazard<br/>Communication Standard.

## 4. First-aid measures

Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.
Skin contact	Remove contaminated clothing immediately and wash skin with soap and water. In case of eczema or other skin disorders: Seek medical attention and take along these instructions.
Eye contact	Rinse with water. Get medical attention if irritation develops and persists.
Ingestion	Rinse mouth. Get medical attention if symptoms occur.
Most important symptoms/effects, acute and delayed	May cause an allergic skin reaction. Dermatitis. Rash.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Wash contaminated clothing before reuse.

# 5. Fire-fighting measures

Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire fighting equipment/instructions	Move containers from fire area if you can do so without risk.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	No unusual fire or explosion hazards noted.

## 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Avoid breathing mist/vapors. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.
	Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.
Environmental precautions	Avoid discharge into drains, water courses or onto the ground.
7. Handling and storage	
Precautions for safe handling	Avoid breathing mist/vapors. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.
Conditions for safe storage, including any incompatibilities	Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

## 8. Exposure controls/personal protection

# Occupational exposure limits US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053) Components Type Value Quartz (Crystalline silica) (CAS 14808-60-7) TWA 0.05 mg/m3

US. OSHA Table Z-3 (29 Cl Components	FR 1910.1000) Type	Value	Form
Quartz (Crystalline silica) (CAS 14808-60-7)	TWA	0.1 mg/m3	Respirable.
		2.4 mppcf	Respirable.
US. ACGIH Threshold Lim			-
Components	Туре	Value	Form
Quartz (Crystalline silica) (CAS 14808-60-7)	TWA	0.025 mg/m3	Respirable fraction.
US. NIOSH: Pocket Guide	to Chemical Hazards		
Components	Туре	Value	Form
Quartz (Crystalline silica) (CAS 14808-60-7)	TWA	0.05 mg/m3	Respirable dust.
Biological limit values	No biological exposure limits noted f	for the ingredient(s).	
Appropriate engineering controls	Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.		
Individual protection measures	s, such as personal protective equipn	nent	
Eye/face protection	Wear safety glasses with side shields (or goggles).		
Skin protection			
Hand protection	Wear appropriate chemical resistant gloves.		
Skin protection Other	Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.		
Respiratory protection	If airborne concentrations are above the applicable exposure limits, use NIOSH approved respiratory protection. Use a positive-pressure air-supplied respirator if there is any potential for an uncontrolled release, exposure levels are not known, or any other circumstances where air-purifying respirators may not provide adequate protection.		
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.		
General hygiene considerations	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.		
0 Physical and chamical	nronortion		

# 9. Physical and chemical properties

Appearance	
Physical state	Liquid.
Form	Liquid.
Color	White.
Odor	Slight.
Odor threshold	Not available.
рН	7 - 10
Melting point/freezing point	Not available.
Initial boiling point and boiling range	> 99 °F (> 37.2 °C)
Flash point	Not Applicable.
Evaporation rate	Not available.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or expl	osive limits
Flammability limit - lower (%)	Not available.

Flammability limit - upper (%)	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	50 - 140 KU (25  °C)
Other information	
Density	11.13 lb/gal
Explosive properties	Not explosive.
<b>Oxidizing properties</b>	Not oxidizing.
VOC	23 g/l (including water) (Material) 49 g/l (excluding water) (Coating)

# 10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	No hazardous decomposition products are known.

# 11. Toxicological information

# Information on likely routes of exposure

Inhalation	Prolonged inhalation may be harmful.		
Skin contact	May cause an allergic skin reaction.		
Eye contact	Direct contact with eyes may cause temporary irritation.		
Ingestion	Expected to be a low ingestion hazard.		
Symptoms related to the physical, chemical and toxicological characteristics	May cause an allergic skin reaction. Dermatitis. Rash.		

#### Information on toxicological effects

Acute toxicity

Components	Species	Test Results
Quartz (Crystalline silica) (CAS 14	1808-60-7)	
<u>Chronic</u>		
Inhalation		
LOEC	Human	0.0563 mg/m3
Skin corrosion/irritation	Prolonged skin contact may cause temporary irritation.	
Serious eye damage/eye irritation	Direct contact with eyes may cause temporary irritation.	
Respiratory or skin sensitizatio	n	
<b>Respiratory sensitization</b>	Not a respiratory sensitizer.	
Skin sensitization	May cause an allergic skin reaction.	
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.	

Carcinogenicity	Due to the form of the product, exposure to the potentially carcinogenic components is not expected.			
IARC Monographs. Overall Evaluation of Carcinogenicity				
Quartz (Crystalline silica)	(CAS 14808-60-7)	1 Carcinogenic to humans.		
NTP Report on Carcinogens				
Quartz (Crystalline silica)	(CAS 14808-60-7)	Known To Be Human Carcinogen.		
OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)				
Quartz (Crystalline silica)	Quartz (Crystalline silica) (CAS 14808-60-7) Cancer			
Reproductive toxicity	This product is not expected to cause reproductive or developmental effects.			
Specific target organ toxicity - single exposure	Not classified.			
Specific target organ toxicity - repeated exposure	Not classified.			
Aspiration hazard	Not an aspiration hazard.			
Chronic effects	Prolonged inhalation may be harmful.			
12. Ecological information				
Ecotoxicity	Toxic to aquatic life. Harmful to aquatic life with long lasting effects.			
Persistence and degradability	No data is available on the degradability of any ingredients in the mixture.			
Bioaccumulative potential	No data available.			

Bioaccumulative potential	No data avaliable.
Mobility in soil	No data available.
Other adverse effects	The product contains volatile organic compounds which have a photochemical ozone creation potential.

## 13. Disposal considerations

Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Incinerate the material under controlled conditions in an approved incinerator. Dispose of contents/container in accordance with local/regional/national/international regulations.
Local disposal regulations	Dispose in accordance with all applicable regulations.
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

## 14. Transport information

#### DOT

Not regulated as dangerous goods.

#### IATA

Not regulated as dangerous goods.

#### IMDG

Not regulated as dangerous goods.

Transport in bulk according to Not applicable. Annex II of MARPOL 73/78 and the IBC Code

## 15. Regulatory information

**US** federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

All components are listed on or exempt from the U.S. EPA TSCA Inventory List.

## TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

2-Methyl-2H-isothiazol-3-one (CAS 2682-20-4) CERCLA Hazardous Substance List (40 CFR 302.4)

Diuron (CAS 330-54-1)

1.0 % One-Time Export Notification only.

Listed.

#### SARA 304 Emergency release notification

Not regulated.

#### OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Quartz (Crystalline silica) (CAS 14808-60-7)

Cancer lung effects immune system effects kidney effects

#### **Toxic Substances Control Act (TSCA)**

#### Superfund Amendments and Reauthorization Act of 1986 (SARA)

#### SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous Yes chemical

#### **Classified hazard** Respiratory or skin sensitization

# SARA 313 (TRI reporting)

Not regulated.

categories

#### Other federal regulations

#### Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

#### Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act Contains component(s) regulated under the Safe Drinking Water Act.

(SDWA)

#### **US state regulations**

#### **US. Massachusetts RTK - Substance List**

Diuron (CAS 330-54-1)

Quartz (Crystalline silica) (CAS 14808-60-7)

#### US. New Jersey Worker and Community Right-to-Know Act

Diuron (CAS 330-54-1) Mildewcide (CAS 55406-53-6) Quartz (Crystalline silica) (CAS 14808-60-7)

#### US. Pennsylvania Worker and Community Right-to-Know Law

Diuron (CAS 330-54-1) Quartz (Crystalline silica) (CAS 14808-60-7)

#### **US. Rhode Island RTK**

Diuron (CAS 330-54-1) Quartz (Crystalline silica) (CAS 14808-60-7)

## 16. Other information, including date of preparation or last revision

Issue date	28-January-2020
Revision date	-
Version #	01
List of abbreviations	<ul> <li>DOT: Department of Transportation (49 CFR 172.101).</li> <li>IATA: International Air Transport Association.</li> <li>IBC Code: International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk.</li> <li>IMDG Code: International Maritime Dangerous Goods Code.</li> <li>LOEC: Lowest observable effect concentration.</li> <li>MARPOL: International Convention for the Prevention of Pollution from Ships.</li> <li>TWA: Time Weighted Average Value.</li> </ul>
References	HSDB® - Hazardous Substances Data Bank IARC Monographs. Overall Evaluation of Carcinogenicity
Disclaimer	Behr Process Corp cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.