



Affordable. Reliable. Home Improvement.

**Drill Powered Chimney
Sweeping Brush**

**MODEL:AS07/AS08/AS09/AS10/AS12
AT07/AT09/AT10/AT12**

1	AS12		6	AT12	
2	AS09		7	AT07	
3	AS08		8	AT10	
4	AS07		9	AT09	
5	AS10				

VEVOR

Affordable. Reliable. Home Improvement.

Drill Powered Chimney Sweeping Brush

Model: AS07/AS08/AS09/AS10/AS12



Model: AT07/AT09/AT10/AT12



This is the original instruction, please read all manual instructions carefully before operating. VEVOR reserves a clear interpretation of our user manual. The appearance of the product shall be subject to the product you received. Please forgive us that we won't inform you again if there are any technology or software updates on our product.

PARAMETER LIST

Model	AS07	AS08	AS09	AS10	AS12
Length	23ft/7m	26ft/8m	30ft/9m	33ft/10m	39ft/12m
Single rod length /rod diameter	Length 1m, 12mm diameter	Length 1m, 12mm diameter	Length 1m, 12mm diameter	Length 1m, 12mm diameter	Length 1m, 12mm diameter
Net weight (kg)	1.9	2.0	2.2	2.4	2.7

Model	AT07	AT09	AT10	AT12
Length	23ft/7m	30ft/9m	33ft/10m	39ft/12m
Single rod length/rod diameter	Length 1m , 12mm diameter	Length 1m , 12mm diameter	Length 1m , 12mm diameter	Length 1m , 12mm diameter
Net weight(kg)	1.9	2.2	2.4	2.7

PART LIST

Model	Picture	AS 07	AS 08	AS 09	AS 10	AS 12	AT 07	AT 09	AT 10	AT 12
-------	---------	-------	-------	-------	-------	-------	-------	-------	-------	-------

Flexible nylon rod		7	8	9	10	12	7	9	10	12
Aluminum head with Nylon string		1	1	1	1	1	1	1	1	1
Auxiliary Handle		1	1	1	1	1	1	1	1	1
Storage bag		1	1	1	1	1	1	1	1	1
Handheld Brush		1	1	1	1	1	1	1	1	1
Drill Adapter		1	1	1	1	1	1	1	1	1
Hex Key		1	1	1	1	1	1	1	1	1
Dust-proof Goggles		1	1	1	1	1	1	1	1	1

SECURITY & WARNINGS

In this section, you will find all the important information you need to be aware of before engaging in using your chimney brush. Safety should be your top priority while using this product.


Please read this information carefully, as improper use could damage the chimney brush.


- Use professional drills for power sweeping with a safety auxiliary handle that will stop the drill immediately when necessary.
- Use drills with a speed range from 350rpm to 2000rpm, 24V or above DC powered drill, or 500W and AC powered drill.
- Use your drill to rotate the chimney brush gradually and evenly, and avoid sudden trigger press, which will cause sudden high torque force to damage the rods and chimney.
- Never grip the rods too tightly; this could pull your gloves off.
- When connecting the rods, keep them as straight as possible.
- Never keep the rods spinning in the chimney if you are not moving the rods up or down, as friction can cause the rods to heat up and possibly break.
- Do the sweeping only when the stove and chimney have cooled down already;

OPERATION

How to use:

- 1.Connect the rods one by one
- 2.Attach the bristle with rods
- 3.Put the brush into the flue.
- 4.Slide the rod into the flue.
- 5.Attached the drill with rod
- 6.Start cleaning the chimney





STORAGE

Store the chimney brush in a cool, dry place.

APPLICATION

This chimney cleaning tool can effectively sweep away soot and creosote buildup inside the chimney or on the roof to help prevent flue fires.

- The chimney brush is suitable for flues of various shapes and sizes. It can clean other difficult-to-reach areas quickly&easily.
- When the chimney is cleaned, the air enters the chimney more smoothly,

which can help burn more completely in the fireplace and make the room warmer in winter.

Manufacturer: Shanghaimuxinmuyeyouxiangongsi

Address: Shuangchenglu 803nong11hao1602A-1609shi, baoshanqu, shanghai 200000 CN.

Imported to AUS: SIHAO PTY LTD. 1 ROKEVA STREETEASTWOOD NSW 2122 Australia

Imported to USA: Sanven Technology Ltd. Suite 250, 9166 Anaheim Place, Rancho Cucamonga, CA 91730

UK	REP
----	-----

YH CONSULTING LIMITED. C/O YH Consulting
Limited Office 147, Centurion House, London
Road, Staines-upon-Thames, Surrey, TW18 4AX

EC	REP
----	-----

E-CrossStu GmbH
Mainzer Landstr.69,
60329 Frankfurt am Main.

