



MATERIAL SAFETY DATASHEET

WWW.JACOBI.NET



Jacobi
THE CARBON COMPANY

1. Chemical Product and Company Information

Product name: AquaSorb®
Chemical name: Activated Carbon
Chemical family: Carbon
Formula: C

Company: Jacobi Carbons AB
Slöjdaregatan 1
SE-393 53 Kalmar
Sweden

For information: Sweden: +46 480 417550 United Kingdom: +44 1942 670 600 Germany: +49 69 719107 0
United States: +1 215 546 3900 Malaysia: +60 4 643 9828 Finland: +358 9 643602
Switzerland: +41 52 647 30 00 France: +33 1 80 96 37 30

In emergency: as above

2. Hazards Identification

This product is an odorless black granule or extruded pellet. Never enter a confined space containing activated carbon as it will adsorb oxygen and asphyxiation may result. Prolonged or repeated exposure to dust may cause eye and respiratory tract irritation.

3. Composition / Information on Ingredients

Chemical characterization: Activated Carbon-high density skeleton, black, granular, extrudate or powder.

Components	CAS number	EC number
Carbon	7440-44-0	931-328-0

4. First Aid Measures

Eyes: Promptly flush with running water for 15 minutes including water under eyelids. Obtain medical attention.

Skin: Wash affected area well with water. Remove clothing, clean and dry thoroughly before re-use. Get medical help if irritation develops.

Ingestion: Give 1/2 pint of warm water to drink. Seek medical help urgently. Do not induce vomiting.

Inhalation: Remove to fresh air. Get medical help if irritation develops.

5. Fire Fighting Measures

Flammable Properties:

Hazardous combustion products:

Material will burn in a fire, releasing combustion products of carbon monoxide and carbon dioxide.

General hazards: Other material adsorbed onto the carbon may also be released.

Extinguishing media: Water fog, foam, dry chemical.

Fire fighting equipment: Self-contained breathing apparatus and full body protective clothing.

6. Accidental Release Measures

Notify safety personnel for large spills. Avoid generation of dust. Collect solid for recovery or disposal. Personnel involved in clean up need protection against skin and eye contact and inhalation of dust or mist.



MATERIAL SAFETY DATASHEET

WWW.JACOBI.NET



7. Handling and Storage

Handling:	Follow good handling and housekeeping procedures, avoid spills, accumulation of dust and generation of airborne dust. Avoid prolonged contact with skin and eyes. Avoid inhalation of dust. Wear protective gloves and safety glasses or goggles. Use in a well ventilated area.
Storage:	Store in a sealed container in a clean, dry, well ventilated area away from strong oxidizers, strong acids, ignition sources, combustible materials, and heat.

8. Exposure Controls and Personal Protection

Eye protection:	Wear safety glasses with side shields, safety goggles or a face shield, especially in dusty conditions. Provide an eye wash station nearby.
Skin protection:	Gloves and overalls should be worn when handling this product.
Respiratory protection:	A dust mask meeting CEN or NIOSH regulations should be worn when handling this product. Maximum permissible exposure limit for inert dust: 6mg m^{-3} . When exceeded, an irritation of respiratory tract is possible.

9. Physical and Chemical Properties (typical)

Form:	Solid
Color:	Black
Odour:	Typical
Danger of explosion:	Under normal conditions no danger of explosion. In unfavorable conditions may form an explosive dust / air mixture (see below)
TGA/TDA under air:	288°C (medium reactivity)
MIE of dust cloud:	$>1200\text{mJ}$ (low propensity)
Explosivity severity (20l sphere):	P max: 6 bar VMP: 160 bar/s K_{max} or K_{st} : 43bar.m.s^{-1} Class: St1
Bulk density:	approx. 350 - 750g/l
Solubility:	insoluble
pH value:	6 - 10
Ignition temperature:	$>680^\circ\text{C}$ (Goldberg-Greenwald oven)
Auto-ignition:	none

10. Stability and Reactivity

Chemical Stability:	Stable.
Conditions to avoid:	Heat and ignition sources, strong oxidizers and combustible materials.
Decomposition products:	CO, CO ₂
Hazardous polymerization:	None.

11. Toxicological Information

No toxicological properties

12. Ecological Information

Slightly Hazardous

13. Disposal Considerations

In accordance with local regulations.



MATERIAL SAFETY DATASHEET

WWW.JACOBI.NET

JACOBI
THE CARBON COMPANY



14. Transport Information

UN number: UN1362
Land transport ADR / RID: Not classified as hazardous under special regulation 646: steam activated carbon
Maritime transport IMDG: Not classified as hazardous under special regulation 925: steam activated carbon
Air transport IATA: Not classified as hazardous UN1362, Activated Carbon 4.2, III

15. Regulatory Information

Not classified as hazardous to users

16. Other information

The above information is based on our present knowledge. A guarantee of specific properties is not given.

17. Issue

Revision F, revised February 2012

CORPORATE HEAD OFFICE

Sweden

Jacobi Carbons AB
SE-393 53 Kalmar

Tel: +46 480 417550
Fax: +46 480 417559
info@jacobi.net

EMEA

Germany

Jacobi Carbons GmbH
D-60439 Frankfurt/Main

Tel: +49 69 719107-0
Fax: +49 69 71033003
info@jacobi.net

Finland

Jacobi Carbons AB (SS)
SF-00180 Helsinki

Tel: +358 9 643602
Fax: +358 9 642900
infofin@jacobi.net

Switzerland

Jacobi Carbons AG
CH-8200 Schaffhausen

Tel: +41 52 647 30 00
Fax: +41 52 647 30 09
infoch@jacobi.net

United Kingdom

Jacobi Carbons Ltd.
Leigh, Lancs, WN7 3PT

Tel: +44 1942 670 600
Fax: +44 1942 670 605
infofuk@jacobi.net

EMEA (continued)

France

PICA SASU
75011 PARIS

Tel : +33 1 80 96 37 20
Fax : +33 1 80 96 37 30
infofr@jacobi.net

Spain

PICA España
28 522 Rivas Vaciamadrid (Madrid)
SPAIN

Phone : (0034) 91 660 4033
Fax : (0034) 91 666 7716
infoes@jacobi.net

Italy

PICA Italia SpA
20060 Basiano
ITALY

Tel: +39 02 957 621 00
Fax: +39 02 957 621 11
infoit@jacobi.net

Poland

Jacobi Carbons Sp.z.o.o.
66-400 Gorzow Wielkopolski
Poland

Phone: +48 58 741 72 86
Fax: +48 58 741 72 87
infopl@jacobi.net

AMERICAS

United States

Jacobi Carbons, Inc.
Columbus, OH 43213

Tel: +1 (215) 546-3900
Fax: +1 (215) 546-9921
infofus@jacobi.net

ASIA / PACIFIC

Sri Lanka

Jacobi Carbons Lanka (Pvt) Ltd.
Colombo 03

Tel : +94 112 577 255/6/7
Fax : +94 112 577 258
infofsl@jacobi.net

India

Jacobi Carbons India (Pvt) Ltd.
Peelamedu, Coimbatore, 641004

Tel: +91 422 4397208
Fax: +91 422 4397209
infoin@jacobi.net

China

Jacobi Carbons Industry (Tianjin)
Co. Ltd.
Tanggu, Tianjin, 300456

Tel: +86 22 25763228
Fax: +86 22 25763228
infofnc@jacobi.net

Malaysia

Jacobi Carbons (Asia) Sdn Bhd
14100 Permatang Tinggi, Penang

Tel: +60 4 588 2122
Fax: +60 4 588 6122
infoasia@jacobi.net

ASIA / PACIFIC (continued)

Vietnam

Pica Vietnam One Member LLC
Chau Thanh District
Ben Tre Province

infovn@jacobi.net

Australia

PICA Activated Carbon Australia Pty Ltd
Carlingford
NSW 2118
Australia

Tel: +61 2 9191 9630
Fax: +61 2 9191 9633
infoau@jacobi.net

ISO 9001

BUREAU VERITAS
Certification



WORLDWIDE DISTRIBUTORS A diverse network of agents, strategically located around the world. Please contact any Jacobi Carbons office to locate your nearest distributor: AquaSorb®, EcoSorb®, GoldSorb®, ColorSorb®, DioxSorb®, AddSorb® and Jacobi are registered trademarks of Jacobi Carbons.
© Jacobi Carbons, 2012