

SAFETY DATA SHEET

Issuing Date No data available

Revision Date 01-Feb-2016

Revision Number 3



The supplier identified below generated this SDS using the UL SDS template. UL did not test, certify, or approve the substance described in this SDS, and all information in this SDS was provided by the supplier or was reproduced from publically available regulatory data sources. UL makes no representations or warranties regarding the completeness or accuracy of the information in this SDS and disclaims all liability in connection with the use of this information or the substance described in this SDS. The layout, appearance and format of this SDS is © 2014 UL LLC. All rights reserved.

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier 392104

Product Name TyDBol Bleach Tablets

Other means of identification

Synonyms None

Recommended use of the chemical and restrictions on use

Recommended Use Toilet/Urinal Care Product - Non-aerosol

Uses advised against No information available

Details of the supplier of the safety data sheet

Supplier Name Willert Home Products, Inc.

Supplier Address 4044 Park Avenue
Saint Louis
Missouri
63110
US

Supplier Phone Number Phone:314-772-2822
(8:30 am to 4:30 pm CST)

Supplier Email whpcustomerservice@willert.com

Emergency telephone number

Company Emergency Phone Number CHEMTREC 800-424-9300

2. HAZARDS IDENTIFICATION

Classification


This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200).



Acute toxicity - Oral	Category 4
Acute toxicity - Inhalation (Gases)	Category 4
Acute toxicity - Inhalation (Vapors)	Category 4
Acute toxicity - Inhalation (Dusts/Mists)	Category 4
Skin corrosion/irritation	Category 1 Sub-category B
Serious eye damage/eye irritation	Category 1
Skin sensitization	Category 1
Oxidizing solids	Category 2
Corrosive to metals	Category 1

GHS Label elements, including precautionary statements

Emergency Overview

Signal word	Danger	
Hazard Statements	Harmful if inhaled Causes severe skin burns and eye damage May cause an allergic skin reaction May intensify fire; oxidizer May be corrosive to metals	
		
Appearance	Off white	Physical state Solid
		Odor Odorless to pungent

Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling
 Do not eat, drink or smoke when using this product
 Use only outdoors or in a well-ventilated area
 Do not breathe dust/fume/gas/mist/vapors/spray
 Wear protective gloves/protective clothing/eye protection/face protection
 Contaminated work clothing should not be allowed out of the workplace
 Keep away from heat/sparks/open flames/hot surfaces. - No smoking
 Keep/Store away from clothing/ combustible materials
 Take any precaution to avoid mixing with combustibles
 Keep only in original container

Precautionary Statements - Response

Immediately call a POISON CENTER or doctor/physician
 Specific treatment (see supplemental first aid instructions on this label)

Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
 Immediately call a POISON CENTER or doctor/physician

Skin

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

Wash contaminated clothing before reuse
If skin irritation or rash occurs: Get medical advice/attention

Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
Call a POISON CENTER or doctor/physician if you feel unwell
Immediately call a POISON CENTER or doctor/physician

Ingestion

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell
Rinse mouth
Do NOT induce vomiting

Fire

In case of fire: Use CO₂, dry chemical, or foam for extinction

Spill

Absorb spillage to prevent material damage

Precautionary Statements - Storage

Store locked up
Store in corrosive resistant container with a resistant inner liner

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Not applicable

Unknown Toxicity

0 % of the mixture consists of ingredient(s) of unknown toxicity

Other information

Very toxic to aquatic life with long lasting effects
Toxic to aquatic life
Repeated or prolonged skin contact may cause allergic reactions with susceptible persons

Interactions with Other Chemicals

No information available.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	CAS No	Weight-%	Trade Secret
3-Bromo-1-chloro-5,5-dimethyl-2,4-imidazolidinedione	126-06-7	40 - 70	*
1,3-Dichloro-5,5-dimethyl hydantoin	118-52-5	15 - 40	*
2,4-Imidazolidinedione, 1,3-dichloro-5-ethyl-5-methyl-	89415-87-2	10 - 30	*

*The exact percentage (concentration) of composition has been withheld as a trade secret

4. FIRST AID MEASURES

First aid measures

<u>General Advice</u>	Immediate medical attention is required. Show this safety data sheet to the doctor in attendance.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected area. Remove contact lenses, if present and easy to do. Continue rinsing. Seek immediate medical attention/advice.
Skin contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Immediate medical attention is required. May cause an allergic skin reaction.
Inhalation	Remove to fresh air. If breathing has stopped, give artificial respiration. Get medical attention immediately. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. If breathing is difficult, (trained personnel should) give oxygen. Delayed pulmonary edema may occur. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Get medical attention immediately if symptoms occur.
Ingestion	Do NOT induce vomiting. Rinse mouth immediately and drink plenty of water. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately.
Self-protection of the first aider	Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Avoid contact with skin, eyes or clothing. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Use personal protective equipment as required. Wear personal protective clothing (see section 8).

Most important symptoms and effects, both acute and delayed

Most Important Symptoms and Effects	Burning. Burning sensation. Coughing and/ or wheezing. Difficulty in breathing. Itching. Rashes. Hives.
--	---

Indication of any immediate medical attention and special treatment needed

Notes to Physician	Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood pressure may occur with moist rales, frothy sputum, and high pulse pressure. May cause sensitization in susceptible persons. Treat symptomatically.
---------------------------	---

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water. Do not use dry chemicals or foams. CO₂ or Halon may provide limited control. Flood fire area with water from a distance. Move containers from fire area if you can do it without risk. Cool containers with flooding quantities of water until well after fire is out.

Unsuitable extinguishing media

CAUTION: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the chemical

The product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating gases and vapors. Product is or contains a sensitizer. May cause sensitization by skin contact. These substances will accelerate burning when involved in a fire. Some may decompose explosively when heated or involved in a fire. May ignite combustibles (wood, paper, oil, clothing, etc.). Runoff may create fire or explosion hazard. Keep product and empty container away from heat and sources of ignition.

Uniform Fire Code

Oxidizer: Class 2--Solid
Corrosive: Base-Solid
Sensitizer: Solid

Hazardous Combustion Products

Carbon oxides.

Explosion Data

Sensitivity to Mechanical Impact No.

Sensitivity to Static Discharge Yes.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Do not move cargo or vehicle if cargo has been exposed to heat. Some are oxidizers and may ignite combustibles (wood, paper, oil, clothing, etc.). Move containers from fire area if you can do it without risk. Fight fire from maximum distance or use unmanned hose holders or monitor nozzles. ALWAYS stay away from tanks engulfed in fire. For massive fire, use unmanned hose holders or monitor nozzles; if this is impossible withdraw from area and let fire burn.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions

Attention! Corrosive material. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Avoid generation of dust. Do not breathe dust. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. See section 8 for more information. Stop leak if you can do it without risk.

Other Information

Refer to protective measures listed in Sections 7 and 8. Keep combustibles (wood, paper, oil, etc) away from spilled material. DO NOT GET WATER INSIDE CONTAINERS. Ventilate the area.

Environmental precautions

Environmental precautions

Refer to protective measures listed in Sections 7 and 8. Prevent further leakage or spillage if safe to do so. Should not be released into the environment. Do not allow to enter into soil/subsoil. Prevent product from entering drains. Prevent entry into waterways, sewers, basements or confined areas. Do not flush into surface water or sanitary sewer system.

Methods and material for containment and cleaning up

Methods for containment

Prevent further leakage or spillage if safe to do so. Cover with DRY earth, DRY sand or other non-combustible material followed with plastic sheet to minimize spreading or contact with rain.

Methods for cleaning up

Pick up and transfer to properly labeled containers. Cover powder spill with plastic sheet or tarp to minimize spreading and keep powder dry. With clean shovel place material into clean, dry container and cover loosely; move containers from spill area. Flush area with flooding quantities of water. Prevent product from entering drains.

7. HANDLING AND STORAGE

Precautions for safe handling

Handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. In case of insufficient ventilation, wear suitable respiratory equipment. Use only with adequate ventilation and in closed systems. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse. Do not breathe dust. Avoid generation of dust. Use personal protection equipment. Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Conditions for safe storage, including any incompatibilities

Storage Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from moisture. Store locked up. Keep out of the reach of children. Store away from other materials. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep in properly labeled containers. Do not store near combustible materials. Store in accordance with the particular national regulations. Store in accordance with local regulations.

Incompatible Products Acids. Bases. Oxidizing agent. Organic material. Combustible material. Hydrocarbons.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
1,3-Dichloro-5,5-dimethyl hydantoin 118-52-5	STEL: 0.4 mg/m ³ TWA: 0.2 mg/m ³	TWA: 0.2 mg/m ³ (vacated) TWA: 0.2 mg/m ³ (vacated) STEL: 0.4 mg/m ³	IDLH: 5 mg/m ³ TWA: 0.2 mg/m ³ STEL: 0.4 mg/m ³

ACGIH TLV: American Conference of Governmental Industrial Hygienists - Threshold Limit Value OSHA PEL: Occupational Safety and Health Administration - Permissible Exposure Limits NIOSH IDLH Immediately Dangerous to Life or Health

Other Exposure Guidelines Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992)

Appropriate engineering controls

Engineering Measures Showers
Eyewash stations
Ventilation systems

Individual protection measures, such as personal protective equipment

Eye/face protection Face protection shield.

Skin and body protection Wear protective gloves and protective clothing. Long sleeved clothing. Chemical resistant apron. Impervious gloves. Wear fire/flame resistant/retardant clothing.

Respiratory protection No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.



Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Take off contaminated clothing and wash before reuse. For environmental protection, remove and wash all contaminated protective equipment before re-use. Do not breathe dust.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical and Chemical Properties

Physical state	Solid	Odor	Odorless to pungent
Appearance	Off white	Odor Threshold	No information available
Color	No information available		

<u>Property</u>	<u>Values</u>	<u>Remarks</u>	<u>Method</u>
pH	No data available	None known	
Melting / freezing point	No data available	None known	
Boiling point / boiling range	No data available	None known	
Flash Point	No data available	None known	
Evaporation Rate	No data available	None known	
Flammability (solid, gas)	No data available	None known	
Flammability Limit in Air			
Upper flammability limit	No data available		
Lower flammability limit	No data available		
Vapor pressure	No data available	None known	
Vapor density	No data available	None known	
Specific Gravity	No data available	None known	
Water Solubility	Soluble in water	None known	
Solubility in other solvents	No data available	None known	
Partition coefficient: n-octanol/water	No data available	None known	
Autoignition temperature	No data available	None known	
Decomposition temperature	No data available	None known	
Kinematic viscosity	No data available	None known	
Dynamic viscosity	No data available	None known	
Explosive properties	No data available		
Oxidizing properties	No data available		

Other Information

Softening Point	No data available
VOC Content (%)	No data available
Particle Size	No data available
Particle Size Distribution	

10. STABILITY AND REACTIVITY

Reactivity

Oxidizer.

Chemical stability

Stable under recommended storage conditions. May cause fire or explosion; strong oxidizer.

Possibility of Hazardous Reactions

None under normal processing.

Hazardous Polymerization

Hazardous polymerization does not occur.

Conditions to avoid

Exposure to air or moisture over prolonged periods. Excessive heat. Heat, flames and sparks. Incompatible materials.

Incompatible materials

Acids. Bases. Oxidizing agent. Organic material. Combustible material. Hydrocarbons.

Hazardous Decomposition Products

Carbon oxides.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Inhalation

Specific test data for the substance or mixture is not available. Corrosive by inhalation. (based on components). Inhalation of corrosive fumes/gases may cause coughing, choking, headache, dizziness, and weakness for several hours. Pulmonary edema may occur with tightness in the chest, shortness of breath, bluish skin, decreased blood pressure, and increased heart rate. Inhaled corrosive substances can lead to a toxic edema of the lungs. Pulmonary edema can be fatal. May cause irritation of respiratory tract. Harmful by inhalation.

Eye contact

Specific test data for the substance or mixture is not available. Causes burns. (based on components). Corrosive to the eyes and may cause severe damage including blindness. Causes serious eye damage. May cause irreversible damage to eyes.

Skin contact

Specific test data for the substance or mixture is not available. Corrosive. (based on components). Causes burns.

Ingestion

Specific test data for the substance or mixture is not available. Causes burns. (based on components). Ingestion causes burns of the upper digestive and respiratory tracts. May cause severe burning pain in the mouth and stomach with vomiting and diarrhea of dark blood. Blood pressure may decrease. Brownish or yellowish stains may be seen around the mouth. Swelling of the throat may cause shortness of breath and choking. May cause lung damage if swallowed. May be fatal if swallowed and enters airways. Ingestion may cause irritation to mucous membranes. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. Harmful if swallowed.

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
3-Bromo-1-chloro-5,5-dimethyl-2,4-imidazolidinedione 126-06-7	= 485 mg/kg (Rat)	-	= 1880 mg/m ³ (Rat) 4 h
1,3-Dichloro-5,5-dimethyl hydantoin	= 542 mg/kg (Rat)	> 20 g/kg (Rabbit)	-

118-52-5			
----------	--	--	--

Information on toxicological effects

Symptoms Erythema (skin redness). Burning. May cause blindness. Coughing and/ or wheezing. Itching. Rashes. Hives.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization May cause sensitization in susceptible persons. May cause sensitization by skin contact.

Mutagenic Effects No information available.

Carcinogenicity Contains no ingredient listed as a carcinogen.

Reproductive toxicity No information available.

STOT - single exposure No information available.

STOT - repeated exposure No information available.

Chronic Toxicity No known effect based on information supplied. Chronic exposure to corrosive fumes/gases may cause erosion of the teeth followed by jaw necrosis. Bronchial irritation with chronic cough and frequent attacks of pneumonia are common. Gastrointestinal disturbances may also be seen. Effects from this product caused by acute exposure may cause permanent damage to target organs and/or may cause chronic conditions.

Target Organ Effects Respiratory system. Eyes. Skin. Gastrointestinal tract (GI).

Aspiration Hazard No information available.

Numerical measures of toxicity Product Information

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)

453.00 mg/kg

ATEmix (inhalation-gas)

3,500.00 ppm (4 hr)

ATEmix (inhalation-dust/mist)

2.51 mg/l

ATEmix (inhalation-vapor)

15.00 ATEmix

12. ECOLOGICAL INFORMATION

Ecotoxicity

Toxic to aquatic organisms. Very toxic to aquatic life with long lasting effects.

Chemical name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
3-Bromo-1-chloro-5,5-dimethyl-2,4-imidazolidinedione 126-06-7		96h LC50: = 0.87 mg/L (Oncorhynchus mykiss) 96h LC50: = 0.28 mg/L (Pimephales promelas) 96h LC50: = 0.56 mg/L (Lepomis macrochirus)		48h EC50: = 0.47 mg/L

Persistence and Degradability

No information available.

Bioaccumulation

No information available

Other adverse effects

No information available.

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal methods	This material, as supplied, is a hazardous waste according to federal regulations (40 CFR 261).
Contaminated Packaging	Dispose of contents/containers in accordance with local regulations.
US EPA Waste Number	D001
California Hazardous Waste Codes	141

14. TRANSPORT INFORMATION

DOT

Proper Shipping Name	CONSUMER COMMODITY
Hazard Class	ORM-D
Description	CONSUMER COMMODITY, ORM-D
Emergency Response Guide Number	140

TDG

UN-No.	UN3085
Proper Shipping Name	OXIDIZING SOLID, CORROSIVE, N.O.S.
Hazard Class	5.1
Subsidiary class	8
Packing Group	II



Description UN3085, OXIDIZING SOLID, CORROSIVE, N.O.S. (2,4-IMIDAZOLIDINEDIONE, 1,3-DICHLORO-5-ETHYL-5-METHYL-), 5.1 (8), II

MEX

UN-No. UN3085
Proper Shipping Name OXIDIZING SOLID, CORROSIVE, N.O.S.
Hazard Class 5.1
Subsidiary class 8
Packing Group II
Description UN3085, OXIDIZING SOLID, CORROSIVE, N.O.S. (2,4-IMIDAZOLIDINEDIONE, 1,3-DICHLORO-5-ETHYL-5-METHYL-), 5.1 (8), II

ICAO

UN-No. UN3085
Proper Shipping Name OXIDIZING SOLID, CORROSIVE, N.O.S.
Hazard Class 5.1
Subsidiary class 8
Packing Group II
Description UN3085, OXIDIZING SOLID, CORROSIVE, N.O.S. (2,4-IMIDAZOLIDINEDIONE, 1,3-DICHLORO-5-ETHYL-5-METHYL-), 5.1 (8), II

IATA

UN-No. UN3085
Proper Shipping Name OXIDIZING SOLID, CORROSIVE, N.O.S.
Hazard Class 5.1
Packing Group II
ERG Code 5C
Description UN3085, OXIDIZING SOLID, CORROSIVE, N.O.S. (2,4-IMIDAZOLIDINEDIONE, 1,3-DICHLORO-5-ETHYL-5-METHYL-), 5.1 (8), II

IMDG/IMO

UN-No. UN3085
Proper Shipping Name OXIDIZING SOLID, CORROSIVE, N.O.S.
Hazard Class 5.1
Packing Group II
EmS-No. F-A, S-Q
Marine Pollutant Product is a marine pollutant according to the criteria set by IMDG/IMO
Description UN3085, OXIDIZING SOLID, CORROSIVE, N.O.S. (2,4-IMIDAZOLIDINEDIONE, 1,3-DICHLORO-5-ETHYL-5-METHYL-), 5.1 (8), II, MARINE POLLUTANT

RID

UN-No. UN3085
Proper Shipping Name OXIDIZING SOLID, CORROSIVE, N.O.S.
Hazard Class 5.1
Packing Group II
Classification code OC2
Description UN3085, OXIDIZING SOLID, CORROSIVE, N.O.S. (2,4-IMIDAZOLIDINEDIONE, 1,3-DICHLORO-5-ETHYL-5-METHYL-), 5.1 (8), II
ADR/RID-Labels 8

ADR

UN-No. UN3085
Proper Shipping Name OXIDIZING SOLID, CORROSIVE, N.O.S.
Hazard Class 5.1
Packing Group II
Classification code OC2

Tunnel restriction code	E
Description	UN3085, OXIDIZING SOLID, CORROSIVE, N.O.S. (2,4-IMIDAZOLIDINEDIONE, 1,3-DICHLORO-5-ETHYL-5-METHYL-), 5.1 (8), II
ADR/RID-Labels	5.1 8

ADN

UN-No.	UN3085
Proper Shipping Name	OXIDIZING SOLID, CORROSIVE, N.O.S.
Hazard Class	5.1
Packing Group	II
Classification code	OC2
Special Provisions	274
Description	UN3085, OXIDIZING SOLID, CORROSIVE, N.O.S. (2,4-IMIDAZOLIDINEDIONE, 1,3-DICHLORO-5-ETHYL-5-METHYL-), 5.1 (8), II
Hazard Labels	5.1 + 8
Limited Quantity	1 KG

15. REGULATORY INFORMATION

International Inventories

TSCA	Complies
DSL	All components are listed either on the DSL or NDSL.
IECSC	-

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
 DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

US Federal Regulations**SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

Acute Health Hazard	Yes
Chronic Health Hazard	No
Fire Hazard	Yes
Sudden release of pressure hazard	Yes
Reactive Hazard	Yes

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

US State Regulations**California Proposition 65**

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania	Rhode Island	Illinois
1,3-Dichloro-5,5-dimethyl hydantoin 118-52-5	X	X	X		

International Regulations

Mexico

National occupational exposure limits

Component	Carcinogen Status	Exposure Limits
1,3-Dichloro-5,5-dimethyl hydantoin 118-52-5 (15 - 40)		Mexico: TWA 0.2 mg/m ³ Mexico: STEL 0.4 mg/m ³

Mexico - Occupational Exposure Limits - Carcinogens

Canada

WHMIS Hazard Class

Not determined

16. OTHER INFORMATION

NFPA	Health Hazards 3	Flammability 0	Instability 1	Physical and Chemical Hazards OX
HMIS	Health Hazards 3	Flammability 0	Physical Hazard 1	

Prepared By Product Stewardship
23 British American Blvd.
Latham, NY 12110
1-800-572-6501

Revision Date 01-Feb-2016

Revision Note No information available

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet

