

**With
Atrazine!**

**MONEY BACK
GUARANTEE!**

For Outdoor Use Around
the Home Only.

Spectracide®

WEED STOP®
FOR LAWNS

For

ST. AUGUSTINE & CENTIPEDE LAWNS

CONCENTRATE

Herbicida concentrado para céspedes San Agustín y centiépeds

**Kills The Weeds,
Not The Lawn™**

**Kills Tough
Weeds**



Treats 3,720 Sq Ft

Active Ingredient:
Atrazine 4.00%
Related compounds 0.08%
Other Ingredients 95.92%

*When used as directed

KEEP OUT OF REACH OF CHILDREN

CAUTION See back booklet for additional
precautionary statements.

*For terms of guarantee, see back panel.

MANTÉNGASE FUERA DEL ALCANCE DE LOS NIÑOS

PRECAUCIÓN Consulte el folleto en la parte posterior para conocer
las declaraciones preventivas adicionales.

Net Contents 32 fl oz (1 qt / 946 mL) 17-16100



**ATTACH
TO HOSE**

PRIMEROS AUXILIOS

Si se ingiere: Llame inmediatamente a un centro de control de envenenamientos o a un médico para recibir instrucciones de tratamiento. Si la persona puede tragar, haga que beba poco a poco un vaso de agua. No induzca el vómito a menos que así se lo indique un centro de control de envenenamientos o un médico. No administre nada por la boca a una persona que haya perdido el conocimiento.

Si entra en contacto con la piel o la ropa: Quítese la ropa contaminada. Lave inmediatamente la piel con abundante agua durante 15 a 20 minutos. Llame a un centro de control de envenenamientos o a un médico para recibir instrucciones de tratamiento.

Nota para el médico: No existe un antídoto específico para la atrazina. Si el producto es ingerido, induzca el vómito o realice un lavado estomacal. Se puede considerar el uso de una suspensión de carbón activado.

Cuando llame a un centro de control de envenenamientos o a un médico para recibir instrucciones de tratamiento, tenga a la mano el envase o la etiqueta del producto.

Riesgos para el medio ambiente

La atrazina puede desplazarse (escurrir o filtrar) a través del suelo y entrar al agua subterránea, que puede usarse para beber. Se ha encontrado atrazina en agua para beber. Se advierte a los usuarios que no apliquen el producto en suelos arenosos o francos en los que la capa freática esté cerca de la superficie y en suelos muy permeables, es decir, con buen drenaje. Las agencias relacionadas con agricultura en su zona pueden brindarle información sobre el tipo de suelo en su zona y la ubicación de la capa freática.

Este pesticida es tóxico para los invertebrados acuáticos. No lo aplique cuando las condiciones climáticas favorezcan el arrastre desde las zonas tratadas. El arrastre y el escurrimiento desde las zonas tratadas pueden resultar peligrosos para los organismos acuáticos de las zonas vecinas. Para proteger el medio ambiente, no permita que el pesticida entre o se escurra por alcantarillas pluviales, zanjas de drenaje, cunetas ni aguas superficiales. Aplicar este producto cuando no haya viento y no se anticipe lluvia en las siguientes 24 horas ayudará a asegurar que ni el viento ni la lluvia arrastren o quiten el pesticida de la zona de tratamiento. Enjuagar el equipo de aplicación encima de la zona tratada ayudará a evitar el escurrimiento a masas de agua o sistemas de drenaje.

NOTA: Hasta el grado que sea compatible con la legislación pertinente, el comprador asume toda la responsabilidad para seguridad y uso que no estén de acuerdo con las instrucciones.

¿Preguntas o comentarios? Llame al 1-800-917-5438.

Spectracide

WEED STOP® FOR LAWNS
FOR ST. AUGUSTINE & CENTIPEDE LAWNS
CONCENTRATE

PEEL HERE • RESEALABLE LABEL
ABRA AQUÍ • ETIQUETA RESEALABLE

PRODUCT FACTS

WHERE TO USE:

St. Augustinegrass and Centipedegrass lawns:
Kills the weeds, not the lawn.^{TM*}
**When used as directed.*



WHEN TO USE:

Anytime temperatures are below 90°F

90°F

WHAT IT DOES:

Kills established weeds including dollarweed, sandspur and Florida betony, and prevents weeds from emerging in the lawn.



With Atrazine



Controls Both Emerged Weeds
and Weeds From Seeds



For All St. Augustinegrass
Varieties and Centipedegrass



Kills Dollarweed, Sandspur
and Other Listed Weeds

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION: Harmful if swallowed or absorbed through skin. Avoid contact with skin, eyes or clothing.

FIRST AID • If Swallowed: Call a Poison Control Center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a Poison Control Center or doctor. Do not give anything by mouth to an unconscious person. • **If on Skin or Clothing:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 to 20 minutes. Call a Poison Control Center or doctor for treatment advice. • **Note to Physician:** There is no specific antidote for Atrazine. If the product is ingested, induce emesis or lavage stomach. The use of an aqueous slurry of activated charcoal may be considered. • Have the product container or label with you when calling a Poison Control Center or doctor for treatment advice.

Environmental Hazards

Atrazine can travel (seep or leach) through the soil and can enter groundwater, which may be used as drinking water. Atrazine has been found in drinking water. Users are advised not to apply to sand and loamy soils where the water table (groundwater) is close to the surface and where the soils are very permeable, i.e. well-drained. Your local agricultural agencies can provide further information on the type of soil in your area and the location of the groundwater.

This pesticide is toxic to aquatic invertebrates. Do not apply when weather conditions favor drift from treated areas. Runoff and drift from treated areas may be hazardous to aquatic organisms in neighboring areas. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid runoff to water bodies or drainage systems.

NOTICE: To the extent consistent with applicable law, buyer assumes all responsibility for safety and use not in accordance with directions.

***GUARANTEED RESULTS OR YOUR MONEY BACK •** If you are not satisfied with this product for any reason, send your written request for a refund to the address below, together with the original dated store receipt showing the price you paid. Please allow 6-8 weeks for processing.
QUESTIONS & COMMENTS: Call 1-800-917-5438 or visit our website at: www.spectracide.com

Distributed by Spectrum Group, Division of United Industries Corporation, PO Box 142642, St. Louis, MO 63114-0642

EPA Reg. No. 9688-263-8845 EPA Est. Nos. 9688-MO-1 (U), 50986-MO-1 (AE)

Circled letter is first letter of lot number. 17-16994 © 2018 UIC

PROOF OF PURCHASE

FPO UPC

0 71121 95684 2



READ ENTIRE LABEL BEFORE USE.
ALTO. LEA TODA LA ETIQUETA ANTES DE USAR.

STOP. READ ENTIRE LABEL BEFORE USE.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.



Entry Restriction: Do not allow people or pets to enter the treated area until sprays have dried.

1. Shake container well before using.
2. Connect a garden hose to the sprayer nozzle. Make sure switch is fully forward in the "OFF" position.
3. Turn on water at faucet. Extend hose to the farthest area to be treated and work back toward the faucet so you don't come in contact with the treated area.
4. Remove safety tab from sprayer's right side by pulling straight out. Keep for future reuse.
5. To BEGIN spraying, point nozzle toward treatment site and pull switch backwards with thumb toward hose connection. Water will automatically mix with the product.
6. Spray until wet to control weeds. Walk at a steady pace, working back toward the faucet while spraying, using an even sweeping motion, slightly overlapping treated areas.
7. To STOP spraying, push switch forward with thumb toward nozzle. Turn water off at faucet. To relieve pressure before removing nozzle from hose, pull switch backwards with thumb toward hose connection until water stops spraying.
8. To STORE unused product, make sure switch is fully forward in the "OFF" position.
9. Reinstall safety tab into sprayer's right side. With sprayer in the full "OFF" position, push tab into position.
10. Place in cool area away from heat, sunlight or open flame.

USE PRECAUTIONS

- Do not use near desirable plants as injury may occur.
- Do not apply under windy conditions.
- Do not apply when temperatures exceed 90°F as lawn injury may occur.
- Applications when temperatures are below 60°F may result in slower weed control.
- Use only on healthy home lawns that are not under heat or drought stress and are reasonably free of insects, nematodes or diseases.
- Sprigging listed grasses in treated areas is acceptable; however, some yellowing or stunting may occur.

APPLICATION RESTRICTIONS

- Do not treat the same area twice.
- Do not use on muck or alkaline soils.
- Do not apply to areas where natural drainage would carry the spray to desirable plants.
- Do not replant treated areas, except with listed grasses, within 12 months of application or injury may result.
- Do not apply in the root zone of trees, ornamentals or vegetables or other desirable plants other than the listed grasses.
- Do not overseed treated areas within six months after application or apply to newly seeded lawns for 60 days.
- Do not apply this product in a way that will contact any person or pet, either directly or through drift. Keep people and pets out of the area during application.

This 32 fl oz container will treat 3,720 sq ft of listed grasses. Do not apply the entire container to an area less than 3,720 sq ft. Do not apply to the same area more than two times per year.

Weeds controlled or partially controlled in established St. Augustinegrass and Centipede grass lawns:

- | | | | |
|-----------------------|------------------|--------------------|----------------|
| • annual bluegrass | • cudweed | • moneywort | • smutgrass |
| • chickweed | • dichondra | • mustards | • spurge |
| (common and mouseear) | • dollarweed | • narrowleaf vetch | • spurweed |
| • crabgrass | • Florida betony | • parsley-piert | • swinecrest |
| (partial control) | • henbit | • pennywort | • woodsorrel |
| • cranesbill | • knotweed | (dollarweed) | and various |
| | • lespedeza | • sandspur | annual clovers |

Spurweed	Control can best be obtained by applying when spurweed has just emerged (December and January).
Florida betony	For best control, applications should be made in mid- to late October followed by a second application in mid- to late February.
Dichondra, moneywort	Apply in early April followed by a second application in July.

Note: Applications for control of spurweed or Florida betony will generally give control or partial control of the other listed weeds. However, this product will give best control when applied to tender young weeds or just prior to weed emergence.

Spectracide® Weed Stop® For Lawns For St. Augustine & Centipede Lawns Concentrate may be applied during both dormant and growing seasons. Best results are obtained when application takes place in early Spring or dormant periods when weeds are small or have not emerged. Do not apply more than twice per year to the same area.

This product will control both emerged weeds and weeds from seeds. Rain or watering within two or three days of application may decrease the effectiveness on emerged weeds. However, for the control of emerged weeds from seeds, rainfall or watering is needed within seven to 10 days after treatment.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage and disposal.

Pesticide Storage: Store in a locked storage area. If product freezes, shake well before use once it has thawed.

Container Disposal: If empty: Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available.

Pesticide Disposal: If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION. Harmful if swallowed or absorbed through skin. Avoid contact with skin, eyes or clothing.

FIRST AID

If Swallowed: Call a Poison Control Center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a Poison Control Center or doctor. Do not give anything by mouth to an unconscious person.

If on Skin or Clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 to 20 minutes. Call a Poison Control Center or doctor for treatment advice.

Note to Physician: There is no specific antidote for Atrazine. If the product is ingested, induce emesis or lavage stomach. The use of an aqueous slurry of activated charcoal may be considered. Have the product container or label with you when calling a Poison Control Center or doctor for treatment advice.

Environmental Hazards

Atrazine can travel (seep or leach) through the soil and can enter groundwater, which may be used as drinking water. Atrazine has been found in drinking water. Users are advised not to apply to sand and loamy soils where the water table (groundwater) is close to the surface and where the soils are very permeable, i.e. well-drained. Your local agricultural agencies can provide further information on the type of soil in your area and the location of the groundwater.

This pesticide is toxic to aquatic invertebrates. Do not apply when weather conditions favor drift from treated areas. Runoff and drift from treated areas may be hazardous to aquatic organisms in

neighboring areas. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid runoff to water bodies or drainage systems.

NOTICE: To the extent consistent with applicable law, buyer assumes all responsibility for safety and use not in accordance with directions.

QUESTIONS & COMMENTS: Call 1-800-917-5438 or visit our website at www.spectracide.com

ALTO. LEA TODA LA ETIQUETA ANTES DE USAR.

MODO DE EMPLEO

Se considera una violación a la ley federal usar este producto de una manera que no sea la indicada en la etiqueta.



Restricción sobre la entrada: No permita que las personas ni las mascotas entren en la zona tratada hasta que los rocios se hayan secado.

1. Agite bien el envase antes de usar.
2. Conecte una manguera de jardín a la boquilla del rociador. Asegúrese de que la llave esté completamente hacia adelante y en la posición "OFF" (apagado).
3. Abra el agua del grifo. Extienda la manguera hasta la zona más alejada que se vaya a tratar y retroceda hacia el grifo de manera de no entrar en contacto con la zona tratada.
4. Quite la lengüeta de seguridad de la parte derecha del rociador jalándola hacia afuera. Guarde para volver a usar en el futuro.
5. Para COMENZAR a rociar, dirija la boquilla hacia la zona a tratar y con el dedo pulgar, jale la llave hacia atrás hacia la conexión de la manguera. El agua se mezclará automáticamente con el producto.
6. Rocíe hasta mojar para controlar las malezas. Camine a ritmo regular, volviendo hacia el grifo mientras rocía con un movimiento de barrido parejo, superponiendo ligeramente las zonas tratadas.
7. Para DETENER el rocío, presione con el dedo pulgar la llave adelante hacia la boquilla. Cierre el agua del grifo. Para reducir la presión antes de quitar la boquilla de la manguera, con el dedo pulgar, jale la llave atrás hacia la conexión de la manguera hasta que el agua deje de salir como rocío.
8. Para GUARDAR el producto sin usar, asegúrese de que la llave esté completamente hacia adelante y en la posición "OFF" (apagado).
9. Vuelva a colocar la lengüeta de seguridad en la parte derecha del rociador. Con el rociador en la posición "OFF" (apagado) completamente, presione la lengüeta en su posición.
10. Guarde en un lugar fresco, lejos del calor, la luz solar o el fuego.

PRECAUCIONES DE USO

- No lo use cerca de plantas deseables ya que pueden sufrir daños.
- No lo aplique cuando haya viento.
- No lo aplique cuando las temperaturas sean superiores a 90°F ya que se puede dañar el césped.
- Si se aplica cuando las temperaturas son inferiores a los 60°F el control de las malezas puede ser más lento.
- Use solamente en céspedes residenciales sanos que no estén bajo estrés de calor o sequía y que estén razonablemente libres de insectos, nemátodos o enfermedades.
- Puede plantar sprigs indicados en las zonas tratadas, pero es posible que ocurra amarillamiento o atrofia.

RESTRICCIONES DE APLICACIÓN

- No trate dos veces la misma zona.
- No lo use en lodo o en suelos alcalinos.
- No lo aplique en zonas en las que el drenaje natural pueda transportar el rocío hacia plantas deseables.
- No vuelva a plantar las zonas tratadas, excepto con los céspedes indicados, en los 12 meses siguientes a la aplicación o pueden ocurrir daños.
- No lo aplique en la zona de las raíces de árboles, plantas ornamentales u hortalizas u otras plantas deseables que no sean los céspedes indicados.
- No sobresiembre las zonas tratadas en los seis meses siguientes a la aplicación ni aplique a céspedes recién sembrados hasta transcurridos 60 días.
- No aplique este producto de modo que entre en contacto con personas ni mascotas, ya sea directamente o por arrastre. Mantenga a las personas y las mascotas fuera de la zona durante la aplicación.

Con este envase de 32 onz. liq. se puede tratar una superficie de 3,720 pies cuadrados de los céspedes indicados. No aplique el envase completo en una zona menor a 3,720 pies cuadrados. No lo aplique en la misma zona más de dos veces al año.

Malezas controladas total o parcialmente en céspedes San Agustín y ciempiés establecidos:

- | | | | |
|-------------------------|------------------|-----------------------|---------------------|
| • pasto azul anual | • dichondra | • mostazas | • pasto alambre |
| • pampina | • dollarweed | • vicia de hoja ancha | • euforbia |
| (común y hoja de ratón) | • Florida betony | (narrowleaf vetch) | • spurweed |
| • mano de cangrejo | • ortiga mansa | • alquimila-arvense | • swinecrest |
| (control parcial) | • sanguinaria | • pennywort | • oxalis y diversos |
| • cransbil | • lespedeza | (dollarweed) | tréboles anuales |
| • cudweed | • moneywort | • sandspur | |

Spurweed	Para lograr el mejor control aplique cuando la maleza recién emergió (diciembre y enero).
Florida betony	Para lograr el mejor control las aplicaciones se deben hacer de mediados a fines de octubre y una segunda aplicación de mediados a fines de febrero.
Dichondra, moneywort	Aplique a principios de abril y realice una segunda aplicación en julio.

Nota: Las aplicaciones para controlar spurweed o Florida betony generalmente controlan total o parcialmente las demás malezas indicadas. Sin embargo, este producto logra el mejor control cuando se aplica a malezas que recién están comenzando a crecer o inmediatamente antes de que emerjan.

El Herbicida concentrado para céspedes San Agustín y ciempiés de Spectracide® Weed Stop® se puede aplicar durante la temporada de dormancia y de crecimiento. Los mejores resultados se logran cuando la aplicación se realiza a comienzo de la primavera o en período de dormancia cuando las malezas son pequeñas o no han emergido todavía. No aplique más de dos veces al año en la misma zona.

Este producto controla las malezas ya emergidas y las malezas que crecen de semilla. Las lluvias o el riego en los dos o tres días siguientes a la aplicación pueden disminuir la eficacia en las malezas ya emergidas. Sin embargo, para controlar las malezas ya emergidas de semillas, es necesario que reciban agua de lluvia o riego de siete a 10 días después del tratamiento.

ALMACENAMIENTO Y ELIMINACIÓN

No contamine el agua ni los alimentos para personas y animales por medio del almacenamiento o la eliminación.

Almacenamiento del pesticida: Guarde en un lugar cerrado bajo llave. Si el producto se congela, agite bien antes de usar una vez se haya descongelado.

Eliminación del envase: Si está vacío: Envase no rellenable. No vuelva a usar o rellenar este envase. Ofrézcalo para reciclar, si existe esa opción.

Eliminación del pesticida: Si está parcialmente vacío: Llame a su servicio de eliminación de desechos más cercano para obtener instrucciones de eliminación. Nunca tire el producto sin usar por ningún drenaje interno ni externo.

DECLARACIONES PREVENTIVAS

Riesgos para los seres humanos y los animales domésticos

PRECAUCIÓN. Nocivo si se ingiere o se absorbe por la piel. Evite el contacto con la piel, los ojos o la ropa.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage and disposal.

Pesticide Storage: Store in a locked storage area. If product freezes, shake well before use once it has thawed.

Container Disposal: If empty: Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available.

Pesticide Disposal: If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION. Harmful if swallowed or absorbed through skin. Avoid contact with skin, eyes or clothing.

FIRST AID

If Swallowed: Call a Poison Control Center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a Poison Control Center or doctor. Do not give anything by mouth to an unconscious person.

If on Skin or Clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 to 20 minutes. Call a Poison Control Center or doctor for treatment advice.

Note to Physician: There is no specific antidote for Atrazine. If the product is ingested, induce emesis or lavage stomach. The use of an aqueous slurry of activated charcoal may be considered.

Have the product container or label with you when calling a Poison Control Center or doctor for treatment advice.

Environmental Hazards

Atrazine can travel (seep or leach) through the soil and can enter groundwater, which may be used as drinking water. Atrazine has been found in drinking water. Users are advised not to apply to sand and loamy soils where the water table (groundwater) is close to the surface and where the soils are very permeable, i.e. well-drained. Your local agricultural agencies can provide further information on the type of soil in your area and the location of the groundwater.

This pesticide is toxic to aquatic invertebrates. Do not apply when weather conditions favor drift from treated areas. Runoff and drift from treated areas may be hazardous to aquatic organisms in neighboring areas. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid runoff to water bodies or drainage systems.

NOTICE: To the extent consistent with applicable law, buyer assumes all responsibility for safety and use not in accordance with directions.

Questions & Comments? Call 1-800-917-5438 or visit our website at www.spectracide.com

Distributed by Spectrum Group, Division of United Industries Corporation, PO Box 142642, St. Louis, MO 63114-0642

EPA Reg. No. 9688-263-8845 EPA Est. Nos. 9688-MO-1 (U), 58996-MO-1 (AE)

Circled letter is first letter of lot number. 17-16994 © 2018 UIC