## SAFETY DATA SHEET

**Reference No......** : WTX21X02013423B

Applicant.....: GZ Hao Yin Electronics Co. Ltd

Address...... 301-B17, 3rd Floor, 123 Dongjiao South Road, Liwan District, Guangzhou

Manufacturer.....: GZ Hao Yin Electronics Co. Ltd

Address.....: 301-B17, 3rd Floor, 123 Dongjiao South Road, Liwan District, Guangzhou

Sample's name.....: Li-on Battery Power pack

**Date of Issue**.....: 2021-03-01

Test Report Form No.....: WBB-SDS-01A

#### Prepared By:

#### Waltek Testing Group (Shenzhen) Co., Ltd.

Address: 1/F., Room 101, Building 1, Hongwei Industrial Park, Liuxian 2nd Road,

Block 70 Bao'an District, Shenzhen, Guangdong, China

Tel:+86-755-33663308

Fax:+86-755-33663309

Compiled by

Approved by

Reference No: WTX21X02013423B Page 2 of 12

## Safety Data Sheet

# Section 1- Identification of the Substance/Preparation and of the Company/Undertaking

Product Name:	Li-on Battery Power pack
Model No.:	LR6
Ratings	1.5V, 2100mAh, 3.15Wh
Dimension	Ф53.4mm×35.5mm
Weight:	Approx.23.0g
Manufacturer:	GZ Hao Yin Electronics Co. Ltd
Address:	301-B17, 3rd Floor, 123 Dongjiao South Road, Liwan District, Guangzhou
Emergency Telephone:	020-81983218
Fax:	020-81983218
Email:	2281228544@qq.com

#### **Section 2-Hazards Identification**

Classification	This chemical is not considered hazardous by the 2012 OSHA Hazard Communication
	Standard (29CFR 1910.1200) this product is an article which is a sealed battery and as
	such does not require an
	MSDS per the OSHA hazard communication standard unless ruptured. The hazards
	indicated are for a
	ruptured battery.

Skin corrosion/irritation	See section 8 for exposure controls In the event that this battery has
	been ruptured, the electrolyte solution contained within the battery would
	be corrosive and can cause burns
Serious eye damage/eye	The steam of the electrolyte may stimulate eyes. Especially, substance
irritation	that may cause inflammation of the eyes is contained
Skin sensitization	The leakage of the electrolyte may cause sore and stimulation on the
	skin
Carcinogenicity	Inhalation of materials from a sealed battery is not an expected route of
3	exposure. Vapors or mists from a ruptured battery may cause respiratory
	irritation
Specific target organ toxicity	Swallowing is not anticipated due to the battery size. The ingestion of
(repeated)	the electrolyte causes tissue damage to throat

#### GHS Label elements, including precautionary statements

#### **Emergency Overview**

Signal word: Danger
Hazard Statements
Causes skin irritation
Causes serious eye irritation
May cause an allergic skin reaction
May cause cancer



This product is an article which contains a chemical substance. Safety information is given for exposure to the article as sold.

Intended use of the product should not result in exposure to the chemical substance This is a battery. In case of rupture: the above hazards exist.

Appearance: Various Physical State: Solid Odor: No odor

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 1
Specific target organ toxicity (repeated exposure) Category	Category 1
Flammable liquid and vapor	Category 3

Precautionary Statements - Prevention	Obtain special instructions before use  Do not handle until all safety precautions have been read and understood Use personal protective equipment as required  Wash face, hands and any exposed skin thoroughly after handling Contaminated work clothing should not be allowed out of the workplace Wear protective gloves  Do not breathe dust/fume/gas/mist/vapors/spray
	Do not eat, drink or smoke when using this product
Precautionary Statements - Response	IF exposed or concerned: Get medical advice/attention  Specific treatment (see supplemental first aid instructions on this label)  IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention  IF ON SKIN: Wash with plenty of soap and water  Take off contaminated clothing and wash before reuse  If skin irritation or rash occurs: Get medical advice/attention
Precautionary	Store locked
Statements -	
Storage	
Precautionary	Dispose of contents/container to an approved waste disposal plant

Statements -	
Disposal	
Hazards not	Not applicable
otherwise	
classified (HNOC)	
<b>Unknown Toxicity</b>	31.6% of the mixture consists of ingredient(s) of unknown toxicity
Other	
Other information	May be harmful if swallowed. Very toxic to aquatic life with long lasting effects.
	Repeated or prolonged skin contact may cause allergic reactions with susceptible
	persons
Interactions with	No information available.
Other Chemicals	

## Section 3 – Composition/information on Ingredient

Pure ☐ Admixture⊠

Chemical Name	CAS Number	Weight-%	Trade Secret
Lithium Cobalt Oxide	12190-79-3	41.95	
Graphite	7782-42-5	19.16	
Copper Foil	7440-50-8	9.75	
Aluminium Foil	7429-90-5	5.5	
Phosphate(1-),hexafluoro-,	21324-40-3	7.05	
Styrene-Butadiene polymer	9003-55-8	0.93	
1,1-Difluoroethylene polymer	24937-79-9	0.65	
Sodium carboxymethyl cellulose	9004-32-4	0.31	
Ethylene Carbonate	96-49-1	7.05	
Dimethyl Carbonate	616-38-6	7.05	
Ci 77266	1333-86-4	0.60	

<sup>\*</sup> The exact percentage (concentration) of composition has been withheld as a trade secret.

#### **Section 4 – First Aid Measure**

General Advice	First aid is upon rupture of sealed battery.	
	<b>Eye contact:</b> If symptoms persist, call a physician. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Remove contact lenses, if present and easy to do. Continue rinsing. Do not rub affected area.	
	<b>Skin contact:</b> Wash off immediately with soap and plenty of water for at least 15 minutes. In the case of skin irritation or allergic reactions see a physician. May cause an allergic skin reaction.	
	<b>Inhalation:</b> Remove to fresh air. If symptoms persist, call a physician. Get medical attention immediately if symptoms occur.	
	Ingestion: Do NOT induce vomiting. Rinse mouth immediately and drink plenty of	

Reference No: WTX21X02013423B Page 5 of 12

	water. Never give anything by mouth to an unconscious person. Call a physician.
	Self-protection of the first aider: Avoid contact with skin, eyes or clothing.
	Use personal protective equipment as required. Wear personal protective clothing (see section 8).
Most important symptoms and effects, both acute and delayed	Most important symptoms and effects: Itching. Coughing and/ or wheezing.

## **Section 5 – Fire Fighting measures**

Suitable extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable extinguishing Media	CAUTION: Use of water spray when fighting fire may be inefficient.
Specific Hazards arising from the chemical	Product is or contains a sensitizer. May cause sensitization by skin contact.
Hazardous	Carbon
Combustion Products	
Explosion Data	Sensitivity to Mechanical Impact: No.
	Sensitivity to Static Discharge: No.
Protective Equipment and precautions for firefighters	As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

### **Section 6 – Accidental Release Measures**

Personal Precautions, protective equipment, and	<b>Personal Precautions:</b> Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas.
emergency procedures	Other Information: Refer to protective measures listed in Sections 7 and 8.
Environmental  Precautions	Refer to protective measures listed in Sections 7 and 8. Prevent further leakage or spillage if safe to do so.
Methods and material for	Methods for Containment: Prevent further leakage or spillage if safe to do so.
containment and cleaning up	Methods for cleaning up: Pick up and transfer to properly labeled containers.

## Section 7 - Handing and storage

Precautions for	Handling: In case of rupture. Use personal protection equipment. Avoid contact with	
safe handling	skin, eyes or clothing. Ensure adequate ventilation. Do not breathe	
	dust/fume/gas/mist/vapors/spray.	

Reference No: WTX21X02013423B Page 6 of 12

Conditions for	Storage: Keep containers tightly closed in a dry, cool and well-ventilated place.
safe storage, including any incompatibilities	Incompatible Products: Strong acids. Strong oxidizing agents. Strong bases.

#### Section 8 – Exposure controls, Personal Protection

#### **Control parameters**

#### **Exposure Guidelines**

Exposure Guidelines	ACGIH TLV	OSHA PEL	NIOSH IDLH
No information is available			
No information is available			
No information is available			
No information is available			

<sup>\*</sup>ACGIH TLV: American Conference of Governmental Industrial Hygienists - Threshold Limit Value OSHA PEL: Occupational Safety and Health Administration - Permissible Exposure Limits NIOSH IDLH Immediately Dangerous to Life or Health

#### **Other Exposure Guidelines**

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962

(11th Cir., 1992) See section 15 for national exposure control parameters

Appropriate engineering controls	Engineering Measures:
	Showers
	Eyewash stations Ventilation systems.
Individual protection	Eye/Face Protection: If splashes are likely to occur:. Wear safety
measures, such as personal protective equipment	glasses with side shields (or goggles). None required for consumer use.
	<b>Skin and Body Protection:</b> Wear protective gloves and protective clothing. Long sleeved clothing. Impervious gloves.
	Respiratory Protection: No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.
	Hygiene Measures: Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse. Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Wash hands before breaks and immediately after handling the product.

## Section 9 – Physical and Chemical Properties

Physical	Physical	Physical		
Properties	Appearance: Various	Appearance: Various		
	Odor: No odor	Odor: No odor		
	Physical			
	Odor Threshold: No information available.			
Chemical Properties:				
Property	Values Remarks/ Method			

Reference No: WTX21X02013423B Page 7 of 12

рН	No data available	None known
Melting / freezing point	No data available	None known
Boiling point / boiling range	No data available	None known
Flash Point	No data available	None known
Evaporation Rate	No data available	None known
Flammability (solid, gas)	No data available	None known
Flammability Limit in Air Upper flammability limit Lower flammability limit	No data available No data available	None known None known
Vapor pressure	No data available	None known
Vapor density	No data available	None known
Specific Gravity	No data available	None known
Water Solubility	No data available	None known
Solubility in other solvents	No data available	None known
Partition coefficient: n-octanol/water	0.0001	None known
Autoignition temperature	130℃	None known
Decomposition temperature	No data available	None known
Kinematic viscosity	No data available	None known
Dynamic viscosity	0.0001	None known
Explosive properties	No data available	None known
Oxidizing Properties	No data available	None known

#### Other Information

Softening Point	No data available
VOC Content (%)	No data available
Particle Size	No data available
Particle Size Distribution	No data available

## Section 10 - Stability and Reactivity

Reactivity:	No data is available
Chemical stability:	Stable under recommended storage condition
Possibility of Hazardous Reactions:	None under normal processing.
Hazardous Polymerization:	Hazardous polymerization does not occur.
Conditions to avoid:	None known based on information supplied.
Incompatible materials	Strong acids. Strong oxidizing agents. Strong bases.
Hazardous Decomposition Products:	Carbon oxides.

## Section 11 - Toxicological Information

Information on likely routes of exposure

Product Information	Product does not present an acute toxicity hazard based on known or
	supplied information. In case of rupture:.
Inhalation	Specific test data for the substance or mixture is not available. May
	cause irritation of respiratory tract.
Eye Contact	Specific test data for the substance or mixture is not available.
	Expected to be an irritant based on components. Irritating to eyes. May
	cause redness, itching, and pain. May cause temporary eye irritation.
Skin Contact	Specific test data for the substance or mixture is not available.

Reference No: WTX21X02013423B Page 8 of 12

	Expected to be an irritant based on components. Irritating to skin.  Prolonged contact may cause redness and irritation.
Ingestion	Specific test data for the substance or mixture is not available. Ingestion may cause irritation to mucous membranes. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

#### Component Information

Information on toxicological effects	<b>Symptoms:</b> Erythema (skin redness). May cause redness and tearing of the eyes. Itching. Rashes. Hives.
Delayed and immediate effects as well as chronic effects from short and long-term exposure	Sensitization: May cause sensitization of susceptible persons. May cause sensitization by skin contact.  Mutagenic Effects: No information available.  Carcinogenicity: The table below indicates whether each agency has listed any ingredient as a carcinogen

<b>Chemical Name</b>	ACGIH	IARC	NTP	OSHA
No information is				
available				
No information is				
available				

#### **ACGIH (American Conference of Governmental Industrial Hygienists)**

A3 - Animal Carcinogen

#### IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Group 2B - Possibly Carcinogenic to Humans

Group 3 - Not Classifiable as to Carcinogenicity in Humans

#### OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Reproductive Toxicity	No information available.
STOT - single exposure	No information available.
STOT - repeated	Causes damage to organs through prolonged or
exposure	repeated exposure.
	Based on classification criteria from the 2012 OSHA
	Hazard
	Communication Standard (29 CFR 1910.1200), this
	product has been
	determined to cause systemic target organ toxicity
	from chronic or
	repeated exposure. (STOT RE).
Chronic Toxicity	Contains a known or suspected carcinogen. Avoid
	repeated
	exposure. Prolonged exposure may cause chronic
	effects. May cause
	adverse liver effects.
Target Organ Effects	Respiratory system. Eyes. Skin. Gastrointestinal
	tract (GI). Central
	Vascular System (CVS).Kidney. Liver. Lungs.
	Heart.
Aspiration Hazard	No information available.

#### **Numerical measures of toxicity Product Information**

	ATEmix (oral): X
calculated based on chapter 3.1 of the GHS	ATEmix (dermal): X
document.	

Reference No: WTX21X02013423B Page 9 of 12

#### Section 12 - Ecological Information

#### **Ecotoxicity**

Very toxic to aquatic life with long lasting effects.

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
No information is available				

Persistence and Degradability	No information available.
Bioaccumulation	No information available.
Other adverse effects	No information available.

#### Section 13 - Disposal Considerations

#### Waste treatment methods

**Disposal methods:** This material, as supplied, is not a hazardous waste according to Federal regulations (40CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local regulations for additional requirements. **Contaminated Packaging:** Dispose of in accordance with federal, state and local regulations.

#### California Hazardous Waste Codes 141

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste
No information is available	

#### Section 14 - Transport information

The Alkaline battery as stated in Appendix are made in compliance to the requirements stated in the latest edition of the IATA Dangerous Goods Regulations Packing Instruction 965 section II such that they can be transported as a NOT RESTRICTED (non-hazardous/non-dangerous) goods. However, if those Li-lon batteries are packed with or contained in an equipment, then it is the responsibility of the shipper to ensure that the consignment are packed in compliance to the latest edition of the IATA. Dangerous Goods Regulations section of either Packing Instruction 966 or 967. II. With regard to transport, the following regulations are cited and considered:

- The International Civil Aviation Organization (ICAO) Technical Instructions, Packing instruction 965 or 966 or 967, section II (2015-2016 Edition).
- The International Air transport Association (IATA) Dangerous Goods Regulations, Packing instruction 965 or 966 or 967, section II (62nd Edition.).
- Special provision 188 of the International Maritime Dangerous Goods (IMDG) Code (Amendment 39-18 Edition).

Reference No: WTX21X02013423B Page 10 of 12

- The US Hazardous Materials Regulation 49 CRF (Code of Federal Regulations), sections 173-185 Lithium batteries and cells.
- The UN Recommendations on the Transport of Dangerous Goods, Manual of Tests and Criteria 38.3 Lithium batteries, Rev.6, Amend.1

These products are properly classified, described, packaged, marked, and labeled, and are in proper condition for transportation according to all the applicable international and national governmental regulations, not limited to the above mentioned. We further certify that the enclosed products have been tested and fulfilled the requirements and conditions in accordance with UN Recommendations (T1 – T8) on the Transport of Dangerous Goods Model Regulations and the Manual of Tests and Criteria.

Test results of the UN Recommendation on the Transport of Dangerous Goods

Manual of Te	Manual of Test and Criteria (38.3 Lithium battery)				
No.	Test items	Test results	Remark		
T1	Altitude simulation	Pass			
T2	Thermal test	Pass			
T3	Vibration	Pass			
T4	Shock	Pass			
T5	External short circuit	Pass			
T6	Impact / Crush	Pass			
T7	Overcharge	Pass			
T8	Forced discharge	Pass			

#### Section 15 – Regulatory Information

#### **International Inventories**

TSCA: Complies

DSL: All components are listed either on the DSL or NDSL.

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

#### **US Federal Regulations**

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	CAS No	Weight-%	SARA 313 – Threshold Values %
No information is available			
No information is available			
No information is available			
No information is available			

SARA 311/312 Hazard Categories

Acute Health Hazard	No
Chronic Health Hazard	No
Fire Hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

Reference No: WTX21X02013423B Page 11 of 12

#### **CWA (Clean Water Act)**

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
X No information is available				

#### **CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical Name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	RQ
No information is available			
No information is available			

#### **US State Regulations**

#### California Proposition 65

This product contains the following Proposition 65 chemicals.

Chemical Name	California Proposition 65
No information is available	

U.S. State Right-to-Know Regulations

Chemical	New	Massachusetts	Pennsylvania	Rhode	Illinois
Name	Jersey			Island	
No information is available					
No information is available					
No information is available					
No information is available					
No information is available					
No information is available					

#### **International Regulations**

#### Mexico

#### **National occupational exposure limits**

Component	Carcinogen Status	Exposure Limits
No information is available		
No information is available		

Mexico - Occupational Exposure Limits - Carcinogens

#### Canada

#### WHMIS Hazard Class

Non-controlled

#### Section 16 - Additional Information

Reference No: WTX21X02013423B Page 12 of 12

HMIS	Health Hazards 0	Flammability 0	Physical Hazard	Chemical Hazards -
			0	Personal Protection X

**Revision Date:** X

Revision Note: No information available

**Disclaimer** 

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

===== End of Report =====