SAFETY DATA SHEET

Issuing Date 20-Mar-2020

Revision Date 20-Mar-2017

Revision Number 0

NGHS / English



The supplier identified below generated this SDS using the UL SDS template. UL did not test, certify, or approve the substance described in this SDS, and all information in this SDS was provided by the supplier or was reproduced from publically available regulatory data sources. UL makes no representations or warranties regarding the completeness or accuracy of the information in this SDS and disclaims all liability in connection with the use of this information or the substance described in this SDS. The layout, appearance and format of this SDS is © 2014 UL LLC. All rights reserved.

1. IDENTIFICATION

Product identifier	
Product Name	LB60X Greenworks Pro 60-volt Battery
Other means of identification	
Product Code(s)	1595163
Recommended use of the chemica	l and restrictions on use
Recommended Use	Lithium Ion Battery
Restrictions on use	No information available
Details of the supplier of the safety	data sheet
Supplier Identification	Hongkong Sun Rise Trading Ltd.
Address	Room 713,No.8-9,Lane 1500,South LianHua Road,Minhang District,Shanghai,201108 China Shanghai Jiangsu 201108 China
Telephone	Phone:0086-21-33581871
E-mail	tefird@greenworkstools.com
Emergency telephone number	
Company Emergency Phone Number	1-855-345-3934

2. HAZARDS IDENTIFICATION

Classification

Acute toxicity - Oral

Category 4



Acute toxicity - Dermal	Category 3
Acute toxicity - Inhalation (Vapors)	Category 2
Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 1
Skin sensitization	Category 1
Carcinogenicity	Category 1B
Specific target organ toxicity (repeated exposure)	Category 1

This is a battery. In case of rupture: the above hazards exist.

Appearance Solid

Physical state Solid

Odor Odorless

GHS Label elements, including precautionary statements

Danger

Hazard statements

Harmful if swallowed Toxic in contact with skin Fatal if inhaled Causes skin irritation Causes serious eye damage May cause an allergic skin reaction May cause cancer

Causes damage to organs through prolonged or repeated exposure



Precautionary Statements - Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood Wear protective gloves/protective clothing/eye protection/face protection Wash face, hands and any exposed skin thoroughly after handling Do not eat, drink or smoke when using this product Do not breathe dust/fume/gas/mist/vapors/spray Use only outdoors or in a well-ventilated area Wear respiratory protection Contaminated work clothing must not be allowed out of the workplace **Precautionary Statements - Response** IF exposed or concerned: Get medical advice/attention Specific treatment is urgent (see supplemental first aid instructions on this label) Eves

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor

Skin

IF ON SKIN: Wash with plenty of water and soap

Call a POISON CENTER or doctor if you feel unwell

Take off immediately all contaminated clothing and wash it before reuse

If skin irritation or rash occurs: Get medical advice/attention



Wash contaminated clothing before reuse Inhalation

IF INHALED: Remove person to fresh air and keep comfortable for breathing Immediately call a POISON CENTER or doctor Ingestion IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell Rinse mouth

Precautionary Statements - Storage

Store locked up Store in a well-ventilated place. Keep container tightly closed

Precautionary Statements - Disposal Dispose of contents/container to an approved waste disposal plant

Other information

Very toxic to aquatic life with long lasting effects.

Unknown acute toxicity 100 % of the mixture consists of ingredient(s) of unknown toxicity

75 % of the mixture consists of ingredient(s) of unknown acute oral toxicity 96 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity

400 % of the mixture consists of ingredient(s) of unknown acute definal toxicity

100 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas) 60 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)

100 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance

Not applicable.

Mixture

Chemical name	CAS No.	Weight-%	Hazardous Material Information Review Act registry number (HMIRA registry #)	Date HMIRA filed and date exemption granted (if applicable)
Supplier Trade Secret	-	40 - 50%	-	-
Supplier Trade Secret	-	10 - 20%	-	-
Supplier Trade Secret	-	10 - 20%	-	-
Supplier Trade Secret	-	10 - 20%	-	-
Supplier Trade Secret	-	0 - 10%	-	-
Supplier Trade Secret	-	0 - 10%	-	-
Phosphate(1-),	21324-40-3	4	-	-
hexafluoro-, lithium				
Supplier Trade Secret	-	0 - 10%	-	-
Supplier Trade Secret	-	0 - 10%	-	-

4. FIRST AID MEASURES

Description of first aid measures

General advice

Show this safety data sheet to the doctor in attendance. Immediate medical attention is required. IF exposed or concerned: Get medical advice/attention. First aid is upon rupture



Inhalation	of sealed battery. If breathing has stopped, give artificial respiration. Get medical attention immediately. Remove to fresh air. Do not breathe dust. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. If breathing is difficult, (trained personnel should) give oxygen. Get medical attention immediately if symptoms occur.
Eye contact	Get immediate medical advice/attention. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Remove contact lenses, if present and easy to do. Continue rinsing. Do not rub affected area.
Skin contact	Get immediate medical advice/attention. Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. May cause an allergic skin reaction.
Ingestion	Do NOT induce vomiting. Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Get immediate medical advice/attention.
Self-protection of the first aider	Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Do not breathe dust. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Use personal protective equipment as required. See section 8 for more information. Avoid contact with skin, eyes or clothing.
Most important symptoms and effe	ects, both acute and delayed
Symptoms	Coughing and/ or wheezing. Difficulty in breathing. Burning sensation. Itching. Rashes. Hives.
Indication of any immediate medic	al attention and special treatment needed
Note to physicians	May cause sensitization in susceptible persons. Treat symptomatically.
	5. FIRE-FIGHTING MEASURES
Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Large Fire	CAUTION: Use of water spray when fighting fire may be inefficient.
Unsuitable extinguishing media	Do not scatter spilled material with high pressure water streams.
Specific hazards arising from the chemical	Product is or contains a sensitizer. May cause sensitization by skin contact.
Hazardous Combustion Products	Carbon oxides.
Explosion Data Sensitivity to Mechanical Impac Sensitivity to Static Discharge	ct NONE. NONE.
Special protective equipment for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions	Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Avoid generation of dust. Do not breathe dust. Keep people away from and upwind of spill/leak.	
Other Information	Refer to protective measures listed in Sections 7 and 8.	
Methods and material for containment and cleaning up		
Methods for containment	Prevent further leakage or spillage if safe to do so.	
Methods for cleaning up	Pick up and transfer to properly labeled containers.	

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling

In case of rupture: Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Take off contaminated clothing and wash before reuse. Do not breathe dust. Avoid generation of dust. In case of insufficient ventilation, wear suitable respiratory equipment. Handle product only in closed system or provide appropriate exhaust ventilation. Do not eat, drink or smoke when using this product.

Conditions for safe storage, including any incompatibilities

Storage Conditions

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach of children. Store locked up.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Limits

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Supplier Trade Secret	TWA: 0.02 mg/m ³ Co inhalable particulate matter TWA: 0.02 mg/m ³ Mn respirable particulate matter TWA: 0.1 mg/m ³ Mn inhalable particulate matter	(vacated) Ceiling: 5 mg/m³ Ceiling: 5 mg/m³ Mn	IDLH: 500 mg/m ³ Mn IDLH: 10 mg/m ³ Ni TWA: 1 mg/m ³ Mn TWA: 0.015 mg/m ³ except Nickel carbonyl Ni STEL: 3 mg/m ³ Mn
Supplier Trade Secret	TWA: 2 mg/m ³ respirable particulate matter all forms except graphite fibers	TWA: 15 mg/m ³ total dust synthetic TWA: 5 mg/m ³ respirable fraction synthetic (vacated) TWA: 2.5 mg/m ³	IDLH: 1250 mg/m³ TWA: 2.5 mg/m³ respirable dust



					le dust natural VA: 10 mg/m³ total		
					synthetic		
) TWA: 5 mg/m ³		
					fraction synthetic		
					5 mppcf natural		
Supplier Trade Secre	at	TWA: 0.2 mg/m	n ³ fume		1 mg/m ³ fume	ו וחו	l: 100 mg/m ³ dust, fume
		1 WA. 0.2 mg/m	i iune		m ³ dust and mist	IDLII	and mist
					WA: $0.1 \text{ mg/m}^3 \text{ Cu}$	τ \λ/Δ·	1 mg/m ³ dust and mist
				· /	, fume, mist		VA: 0.1 mg/m ³ fume
Supplier Trade Secre	t	TWA: 1 mg/m ³	respirable		ng/m ³ total dust		A: 10 mg/m ³ total dust
		particulate n	•		g/m ³ respirable		5 mg/m ³ respirable dust
		particulate fi	nation		fraction	IVVA.	o mg/m respirable dust
					VA: 15 mg/m ³ total		
				(vacated) i v	dust		
				(vacated) TWA: 5 mg/m ³		
					able fraction		
Phosphate(1-), hexaflue	exafluoro-, TWA: 2.5 mg		n/m ³ F	TWA: 2.5 mg/m ³ F			IDLH: 250 mg/m ³ F
lithium	,	1107.6.2.0 mg	<i>g</i> /111 1		TWA: 2.5 mg/m ³		
21324-40-3				(racatoa)	1117 a 2.0 mg/m		
Supplier Trade Secre	et	TWA: 1.5 m	na/m ³	TW	A: 1 mg/m ³		IDLH: 10 mg/m ³
			.9,) TWA: 1 mg/m ³		TWA: 0.015 mg/m ³
Chemical name		Alberta	British C	Columbia	Ontario TWAE	V	Quebec
Supplier Trade Secret	TWA	: 0.02 mg/m ³ TWA:	TWA: 0.02 I	mg/m ³ TWA:	TWA: 0.02 mg/	m ³	TWA: 0.2 mg/m ³ TWA:
		0.2 mg/m ³		ng/m ³	TWA: 0.1 mg/n		0.02 mg/m ³
Supplier Trade Secret	-	TWA: 2 mg/m ³		2 mg/m^3	TWA: 2 mg/m		TWA: 2 mg/m ³
		0		0	0		5
Supplier Trade Secret	Т	WA: 0.2 mg/m ³	TWA: 1	l mg/m ³	TWA: 0.2 mg/n	1 ³	TWA: 0.2 mg/m ³
	TWA: 1 mg/m ³			2 mg/m ³	TWA: 1 mg/m		TWA: 1 mg/m ³
Supplier Trade Secret		WA: 10 mg/m ³		0 mg/m ³	TWA: 1 mg/m		TWA: 10 mg/m ³
Phosphate(1-),	TWA: 2.5 mg/m ³		TWA: 2.	5 mg/m ³	TWA: 2.5 mg/n	1 ³	TWA: 2.5 mg/m ³
hexafluoro-, lithium 21324-40-3		č		C			
Supplier Trade Secret	Т	WA: 1.5 mg/m ³	TWA: 0.0	05 mg/m ³	TWA: 1 mg/m	3	TWA: 1 mg/m ³

Other Exposure Guidelines

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992). See section 15 for national exposure control parameters.

Appropriate engineering controls

Engineering controls	Showers
	Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection	Tight sealing safety goggles.
Hand protection	Wear suitable gloves. Impervious gloves.
Skin and body protection	Wear suitable protective clothing. Long sleeved clothing. Chemical resistant apron.
Respiratory protection	When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.
General hygiene considerations	Handle in accordance with good industrial hygiene and safety practice. Avoid contact with



skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Do not breathe dust. Take off contaminated clothing and wash before reuse. Contaminated work clothing should not be allowed out of the workplace.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state	Solid	
Appearance	Solid	
Odor	Odorless	
Color	No information available	
Odor Threshold	No data available	
Cubi Threshold		
Property_	<u>Values</u>	Remarks Method
pH	No data available	None known
Melting / freezing point	No data available	None known
Boiling point / boiling range	No data available	None known
Flash Point	No data available	None known
Evaporation Rate	No data available	None known
Flammability (solid, gas)	No data available	None known
Flammability Limit in Air		None known
Upper flammability limit	No data available	
Lower flammability limit	No data available	
Vapor pressure	No data available	None known
Vapor density	No data available	None known
Relative density	No data available	None known
Water Solubility	Insoluble	
Solubility(ies)	No data available	None known
Partition coefficient: n-octanol/wate		
Autoignition temperature	No data available	None known
Decomposition temperature	No data available	None known
Kinematic viscosity	No data available	None known
Dynamic viscosity	No data available	None known
Other Information		
Explosive properties	No information available	
Oxidizing properties	No information available	
Softening Point	No information available	
Molecular Weight	No information available	
VOC Content (%)	No information available	
Liquid Density	No information available	
Bulk Density	No information available	
Particle Size	No information available	
Particle Size Distribution	No information available	

10. STABILITY AND REACTIVITY

Reactivity	No information available.
Chemical stability	Stable under normal conditions.
Possibility of Hazardous Reactions	None under normal processing.
Hazardous Polymerization	Hazardous polymerization does not occur.

Conditions to avoid

Excessive heat.

Incompatible materials

Strong acids. Strong bases. Strong oxidizing agents.

Hazardous Decomposition Products Carbon oxides.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information	Product does not present an acute toxicity hazard based on known or supplied information In case of rupture:
Inhalation	Specific test data for the substance or mixture is not available. Fatal if inhaled. (based on components). May cause irritation of respiratory tract.
Eye contact	Specific test data for the substance or mixture is not available. Causes serious eye damage. (based on components). Severely irritating to eyes. May cause burns. May cause irreversible damage to eyes.
Skin contact	Specific test data for the substance or mixture is not available. May cause sensitization by skin contact. Repeated or prolonged skin contact may cause allergic reactions with susceptible persons. (based on components). Causes skin irritation. Toxic in contact with skin.
Ingestion	Specific test data for the substance or mixture is not available. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. Harmful if swallowed. (based on components).
Symptoms related to the physical, o	chemical and toxicological characteristics
Symptoms	Coughing and/ or wheezing. Difficulty in breathing. Redness. Burning. May cause blindness. Itching. Rashes. Hives. May cause redness and tearing of the eyes.
Numerical measures of toxicity	
Acute Toxicity	
The following values are calculated ATEmix (oral)	based on chapter 3.1 of the GHS document . 871.00 mg/kg
ATEmix (dermal)	300.00 mg/kg
ATEmix (inhalation-vapor)	0.50 mg/L
96 % of the mixture consists of ing 100 % of the mixture consists of in 60 % of the mixture consists of ing	100 % of the mixture consists of ingredient(s) of unknown toxicity redient(s) of unknown acute oral toxicity redient(s) of unknown acute dermal toxicity rgredient(s) of unknown acute inhalation toxicity (gas) redient(s) of unknown acute inhalation toxicity (vapor) rgredient(s) of unknown acute inhalation toxicity (dust/mist)

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Supplier Trade Secret	-	-	> 2000 mg/m ³ (Rat)4 h
Supplier Trade Secret	= 30 g/kg (Rat)	-	-



Supplier Trade Secret	= 29000 mg/kg (Rat)	> 3000 mg/kg (Rabbit)	-
Supplier Trade Secret	= 10 g/kg (Rat)	> 3 g/kg (Rabbit)	> 730 mg/m ³ (Rat)8 h
Supplier Trade Secret	> 9000 mg/kg (Rat)	-	> 10.2 mg/L (Rat)1 h

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation	Classification based on data available for ingredients. Irritating to skin.
Serious eye damage/eye irritation	Classification based on data available for ingredients. Causes burns. Risk of serious damage to eyes.
Respiratory or skin sensitization	May cause sensitization by skin contact.
Germ cell mutagenicity	No information available.
Carcinogenicity	Contains a known or suspected carcinogen. Classification based on data available for ingredients. May cause cancer.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
Supplier Trade Secret	A3	Group 2B	Reasonably Anticipated	Х
		Group 1	Known	
Supplier Trade Secret	-	Group 2B	Reasonably Anticipated	Х

Legend

Eegena				
ACGIH (American Conference of Governmental Industrial Hygienists)				
A3 - Animal Carcinogen				
IARC (International Agency for Research on Cancer)				
Group 1 - Carcinogenic to Human	Group 1 - Carcinogenic to Humans			
Group 2B - Possibly Carcinogenic	to Humans			
NTP (National Toxicology Prog	ram)			
Known - Known Carcinogen				
Reasonably Anticipated - Reason	ably Anticipated to be a Human Carcinogen			
	Health Administration of the US Department of Labor)			
X - Present	·····,			
Reproductive toxicity	No information available.			
······································				
STOT - single exposure	STOT - single exposure No information available.			
STOT - repeated exposure Causes damage to organs through prolonged or repeated exposure.				
Gauses damage to organs through prolonged or repeated exposure.				
A	No. 3. Compared and a second second			
Aspiration hazard	No information available.			

12. ECOLOGICAL INFORMATION

Ecotoxicity

Very toxic to aquatic life with long lasting effects.

Chemical name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Supplier Trade Secret	-	96h LC50: > 100 mg/L (Danio rerio)	-	-
Supplier Trade Secret	-	96h LC50: = 13.6 mg/L (Morone saxatilis)	-	-



1595163 - LB60X GWP 60v Battery

Our alian Trada Os anat		0.0k 0.50		
Supplier Trade Secret	96h EC50: 0.031 - 0.054	· · · · · · · · · · · · · · · · · · ·	-	48h EC50: = 0.03 mg/L
	mg/L	(Oncorhynchus mykiss)		(Daphnia magna)
	(Pseudokirchneriella	96h LC50: = 0.3 mg/L		
	subcapitata) 72h EC50:	(Cyprinus carpio) 96h		
	0.0426 - 0.0535 mg/L	LC50: = 1.25 mg/L		
	(Pseudokirchneriella	(Lepomis macrochirus)		
	subcapitata)	96h LC50: = 0.2 mg/L		
		(Pimephales promelas)		
		96h LC50: = 0.8 mg/L		
		(Cyprinus carpio) 96h		
		LC50: 0.0068 - 0.0156		
		mg/L (Pimephales		
		promelas) 96h LC50: =		
		0.112 mg/L (Poecilia		
		reticulata) 96h LC50: <		
		0.3 mg/L (Pimephales		
		promelas)		
Supplier Trade Secret	72h EC50: > 500 mg/L	96h LC50: = 5300 mg/L	EC50 > 10000 mg/L 17 h	48h EC50: > 500 mg/L
	(Desmodesmus	(Leuciscus idus) 96h		(Daphnia magna)
	subspicatus)	LC50: > 1000 mg/L		· · · · · · · · ·
	. ,	(Cyprinus carpio)		
Supplier Trade Secret	-	96h LC50: > 100 mg/L	-	-
		(Oncorhynchus mykiss)		
Supplier Trade Secret	72h EC50: = 0.18 mg/L	96h LC50: = 10.4 mg/L	-	48h EC50: > 100 mg/L
	(Pseudokirchneriella	(Cyprinus carpio) 96h		(Daphnia magna) 48h
	subcapitata) 96h EC50:	LC50: = 1.3 mg/L		EC50: = 1 mg/L (Daphnia
	0.174 - 0.311 mg/L	(Cyprinus carpio) 96h		magna)
	(Pseudokirchneriella	LC50: > 100 mg/L		,
	`subcapitata)	(Brachydanio rerio)		

Persistence and Degradability

No information available.

.

Bioaccumulation

Component Information

Chemical name		Log Pow
Supplier Trade Secret		0.48
Mobility	No information available.	
Other adverse effects No information available.		
13. DISPOSAL CONSIDERATIONS		
Waste treatment methods		

Waste from residues/unused products	Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.
Contaminated packaging	Do not reuse empty containers.
California Waste Codes	141

This product contains one or more substances that are listed with the State of California as a hazardous waste.



Chemical name	California Hazardous Waste
Supplier Trade Secret	Toxic
Supplier Trade Secret	Toxic
Supplier Trade Secret	Ignitable powder
Supplier Trade Secret	Toxic powder Ignitable powder

14. TRANSPORT INFORMATION

Note:

The transportation of primary lithium cells and batteries is regulated by the International Civil Aviation Organization. International Air Transport Association. International Maritime Dangerous Goods Code and the US Department of Transportation. The batteries must meet the following criteria for shipment: 1. Air shipments must meet the requirements listed in Special Provision A45 of the International Air Transport Association Dangerous Goods Regulations. 2. Meet the requirements for the US Department of Transportation listed in 49 CFR 173.185. 3. The transport of primary lithium batteries is prohibited aboard passenger aircraft. Refer to the Federal Register December 15, 2004 (Hazardous Materials; Prohibited on the Transportation of Primary Lithium Batteries and Cells Aboard Passenger Aircraft; Final Rule) Lithium batteries shipped as "Lithium batteries", "Lithium batteries packed with equipment", or "Lithium batteries contained in equipment" may not be classified as "Dangerous Goods" when shipped in accordance with "special provision A45 of IATA-DGR" or "special provision 188 of IMO-IMDG Code" NOT REGULATED GULATED

DOT

Proper Shipping Name	NON REC
Hazard Class	N/A
Emergency Response Guide	147
Number	

TDG

UN-No.	UN3480
Proper Shipping Name	LITHIUM ION BATTERIES
Hazard Class	9
Description	UN3480, LITHIUM ION BATTERIES, 9

MEX

UN-No.	UN3480
Proper Shipping Name	LITHIUM ION BATTERIES
Hazard Class	9
Description	UN3480, LITHIUM ION BATTERIES, 9

ICAO

UN-No.	UN3480
Proper Shipping Name	LITHIUM ION BATTERIES
Hazard Class	9
Description	UN3480, LITHIUM ION BATTERIES, 9

IATA

UN-No.	UN3480
Proper Shipping Name	LITHIUM ION BATTERIES
Hazard Class	9
ERG Code	9F
Description	UN3480, LITHIUM ION BATTERIES, 9



IMDG/IMO UN-No. Proper Shipping Name Hazard Class EmS-No. Description	UN3480 LITHIUM ION BATTERIES 9 F-A, S-I UN3480, LITHIUM ION BATTERIES, 9
<u>RID</u> UN-No. Proper Shipping Name Hazard Class Classification code Description	UN3480 LITHIUM ION BATTERIES 9 M4 UN3480, LITHIUM ION BATTERIES, 9
ADR UN-No. Proper Shipping Name Hazard Class Classification code Tunnel restriction code Description	UN3480 LITHIUM ION BATTERIES 9 M4 (E) UN3480, LITHIUM ION BATTERIES, 9
ADN UN-No. Proper Shipping Name Hazard Class Classification code Special Provisions Description Limited Quantity	UN3480 LITHIUM ION BATTERIES 9 M4 188, 230, 310, 348, 636, 661 UN3480, LITHIUM ION BATTERIES, 9 0

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

International Inventories

TSCA	Contact supplier for inventory compliance status.
DSL/NDSL	Contact supplier for inventory compliance status.
EINECS/ELINCS	Contact supplier for inventory compliance status.
ENCS	Contact supplier for inventory compliance status.
KECL	Contact supplier for inventory compliance status.
PICCS	Contact supplier for inventory compliance status.
AICS	Contact supplier for inventory compliance status.

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory **DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List



EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

- **ENCS** Japan Existing and New Chemical Substances
- KECL Korean Existing and Evaluated Chemical Substances
- PICCS Philippines Inventory of Chemicals and Chemical Substances
- AICS Australian Inventory of Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical name	CAS No.	Weight-%	SARA 313 - Threshold Values %
Supplier Trade Secret -		40 - 50%	1.0 0.1
Supplier Trade Secret -		10 - 20%	1.0
Supplier Trade Secret -		0 - 10%	1.0
Supplier Trade Secret -		0 - 10%	0.1

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications. Under the amended regulations at 40 CFR 370, EPCRA 311/312 Tier II reporting for the 2017 calendar year will need to be consistent with updated hazard classifications.

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Supplier Trade Secret		Х		
Supplier Trade Secret		X	Х	
Supplier Trade Secret		X	Х	

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	RQ
Supplier Trade Secret	5000 lb		RQ 5000 lb final RQ RQ 2270 kg final RQ
Supplier Trade Secret	100 lb		RQ 100 lb final RQ RQ 45.4 kg final RQ

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals.

Chemical name	California Proposition 65
Supplier Trade Secret -	carcinogen, 5/7/2004
Supplier Trade Secret -	carcinogen, 10/1/1989 (metallic)
U.S. State Right-to-Know Regulations	

U

This product may contain substances regulated by state right-to-know regulations.

Chemical name	New Jersey	Massachusetts	Pennsylvania	Rhode Island	Illinois
Supplier Trade Secret	Х		Х	Х	Х
Supplier Trade Secret	Х	X	Х		
Supplier Trade Secret	Х	X	Х	Х	Х
Supplier Trade Secret	Х	X	Х	Х	
Phosphate(1-), hexafluoro-, lithium 21324-40-3	Х				
Supplier Trade Secret		X	Х		
Supplier Trade Secret	Х	Х	Х	Х	Х

16. OTHER INFORMATION					
NFPA	Health hazards 1	Flammability	0	Instability 0	Physical and Chemical
HMIS	Health hazards 0	Flammability	0	Physical hazards 0	Properties - Personal Protection X
Prepared By	Product Stewardship 23 British American Blvd. Latham, NY 12110 1-800-572-6501				
Issuing Date	20-Mar-2020				
Revision Date	20-Mar-20	17			
Revision Note	No informa	ation available			

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet