

acc. to 29 CFR 1910.1200 App D

Armor All Extreme Wheel & Tire Cleaner - Spray

Version number: 3.0 Revision: 2020-09-15 Replaces version of: 2020-06-09 (2)

SECTION 1: Identification

1.1 Product identifier

Trade name Armor All Extreme Wheel & Tire Cleaner - Spray

UPC(s) 070612780904, 070612780119, 070612183941,

070612172358, 070612179739

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses General use

Uses advised against Do not use for squirting or spraying. Do not use

for products which come into direct contact with

the skin.

1.3 Details of the supplier of the safety data sheet

Energizer Manufacturing, Inc. 25225 Detroit Rd. Westlake OH 44145 United States

Telephone: 800-383-7323; 314-985-2000 (USA / CANADA)

Website: http://data.energizer.com

Energizer Trading Ltd.

Sword House, Totteridge Road, High Wycombe, HP13 6DG, UK

Telephone: +44(0)8000353376

e-mail: ConsumerServiceEU@energizer.com

1.4 Emergency telephone number

Emergency information service 1-314-985-1511 Int'l: 1-800-526-4727

This number is only available during the following

office hours: Mon-Fri 09:00 AM - 05:00 PM

SECTION 2: Hazard(s) identification

2.1 Classification of the substance or mixture

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Section	Hazard class	Category	Hazard class and category	Hazard state- ment
A.2	skin corrosion/irritation	1	Skin Corr. 1	H314
A.3	serious eye damage/eye irritation	1	Eye Dam. 1	H318

For full text of abbreviations: see SECTION 16.

United States: en Page: 1 / 17



acc. to 29 CFR 1910.1200 App D

Armor All Extreme Wheel & Tire Cleaner - Spray

Version number: 3.0 Revision: 2020-09-15 Replaces version of: 2020-06-09 (2)

The most important adverse physicochemical, human health and environmental effects

Skin corrosion produces an irreversible damage to the skin; namely, visible necrosis through the epidermis and into the dermis.

2.2 Label elements

Labelling acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

- Signal word danger

- Pictograms

GHS05



- Hazard statements

H314 Causes severe skin burns and eye damage.

- Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.
 P103 Read label before use.
 P260 Do not breathe dusts or mists.
 P280 Wear eye protection/face protection.

P301+P330+P331 If swallowed: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P304+P340 If inhaled: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing.

P310 Immediately call a poison center/doctor.
P321 Specific treatment (see on this label).
P363 Wash contaminated clothing before reuse.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regula-

tions.

2.2.1.7 - Hazardous ingredients for labelling

Diethylene glycol monohexyl ether

2.3 Other hazards

Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

United States: en Page: 2 / 17



acc. to 29 CFR 1910.1200 App D

Armor All Extreme Wheel & Tire Cleaner - Spray

Version number: 3.0 Revision: 2020-09-15 Replaces version of: 2020-06-09 (2)

SECTION 3: Composition/information on ingredients

3.1 Substances

Not relevant (mixture)

3.2 Mixtures

Description of the mixture

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms
Diethylene glycol mono- hexyl ether	CAS No 112-59-4	1-<5	Acute Tox. 4 / H312 Eye Dam. 1 / H318	
disodium metasilicate	CAS No 6834-92-0	<1	Acute Tox. 4 / H302 Acute Tox. 3 / H331 Skin Corr. 1B / H314 STOT SE 3 / H335	

For full text of abbreviations: see SECTION 16.

SECTION 4: First-aid measures

4.1 Description of first- aid measures

General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. In case of respiratory tract irritation, consult a physician. Provide fresh air.

Following skin contact

Wash with plenty of soap and water.

Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

4.3 Indication of any immediate medical attention and special treatment needed

none

United States: en Page: 3 / 17



acc. to 29 CFR 1910.1200 App D

Armor All Extreme Wheel & Tire Cleaner - Spray

Version number: 3.0 Revision: 2020-09-15 Replaces version of: 2020-06-09 (2)

SECTION 5: Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water spray, BC-powder, Carbon dioxide (CO2)

Unsuitable extinguishing media

Water jet

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products

Nitrogen oxides (NOx)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Coordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapors/dust/aerosols/gases.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains

Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur (diatomite), sand, universal binder

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

United States: en Page: 4 / 17



acc. to 29 CFR 1910.1200 App D

Armor All Extreme Wheel & Tire Cleaner - Spray

Version number: 3.0 Revision: 2020-09-15 Replaces version of: 2020-06-09 (2)

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Recommendations

- Measures to prevent fire as well as aerosol and dust generation

 Use local and general ventilation. Use only in well-ventilated areas. Never add water to this product.
- Handling of incompatible substances or mixtures

 Do not mix with acids.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Control of the effects

Protect against external exposure, such as

Frost

7.3 Specific end use(s)

See section 16 for a general overview.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

This information is not available.

Relevant DNELs of components of the mixture

Name of substance	CAS No	End- point	Threshold level	Protection goal, route of exposure	Used in	Exposure time
Diethylene glycol monohexyl ether	112-59-4	DNEL	16.3 mg/m ³	human, inhalatory	worker (industry)	chronic - system- ic effects
Diethylene glycol monohexyl ether	112-59-4	DNEL	50 mg/kg bw/day	human, dermal	worker (industry)	chronic - system- ic effects

Relevant PNECs of components of the mixture

Name of substance	CAS No	End- point	Threshold level	Organism	Environmental compartment	Exposure time
Diethylene glycol monohexyl ether	112-59-4	PNEC	1.963 ^{mg} / _l	aquatic organisms	freshwater	short-term (single instance)

United States: en Page: 5 / 17



acc. to 29 CFR 1910.1200 App D

Armor All Extreme Wheel & Tire Cleaner - Spray

Version number: 3.0 Revision: 2020-09-15 Replaces version of: 2020-06-09 (2)

Relevant PNECs of components of the mixture

Name of substance	CAS No	End- point	Threshold level	Organism	Environmental compartment	Exposure time
Diethylene glycol monohexyl ether	112-59-4	PNEC	0.196 ^{mg} / _l	aquatic organisms	marine water	short-term (single instance)
Diethylene glycol monohexyl ether	112-59-4	PNEC	10 ^{mg} / _l	aquatic organisms	sewage treat- ment plant (STP)	short-term (single instance)
Diethylene glycol monohexyl ether	112-59-4	PNEC	10.7 ^{mg} / _{kg}	aquatic organisms	freshwater sedi- ment	short-term (single instance)
Diethylene glycol monohexyl ether	112-59-4	PNEC	1.07 ^{mg} / _{kg}	aquatic organisms	marine sediment	short-term (single instance)
Diethylene glycol monohexyl ether	112-59-4	PNEC	0.995 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)

8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

Skin protection

- Hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

- Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

United States: en Page: 6 / 17



acc. to 29 CFR 1910.1200 App D

Armor All Extreme Wheel & Tire Cleaner - Spray

Version number: 3.0 Revision: 2020-09-15 Replaces version of: 2020-06-09 (2)

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

Physical state	liquid
Color	various
Odor	characteristic

Other safety parameters

pH (value)	12.2 – 13.2 (base)
Melting point/freezing point	not determined
Initial boiling point and boiling range	100 °C
Flash point	not determined
Evaporation rate	not determined
Flammability (solid, gas)	not relevant, (fluid)
Explosive limits	not determined
Vapor pressure	0.999 hPa at 87.46 °C
Density	not determined
Vapor density	this information is not available
Relative density	information on this property is not available
Solubility(ies)	not determined

Partition coefficient

n-octanol/water (log KOW)	this information is not available
---------------------------	-----------------------------------

United States: en Page: 7 / 17

Energizer Holdings Inc.

acc. to 29 CFR 1910.1200 App D

Armor All Extreme Wheel & Tire Cleaner - Spray

Version number: 3.0 Revision: 2020-09-15 Replaces version of: 2020-06-09 (2)

Other information	there is no additional information
Oxidizing properties	none
Explosive properties	none
Viscosity	not determined
Auto-ignition temperature	not determined

SECTION 10: Stability and reactivity

10.1 Reactivity

9.2

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials".

10.2 Chemical stability

See below "Conditions to avoid".

10.3 Possibility of hazardous reactions

No known hazardous reactions.

10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

10.5 Incompatible materials

There is no additional information.

Release of flammable materials with:

Light metals (due to the release of hydrogen in an acid/alkaline medium)

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Acute toxicity

Shall not be classified as acutely toxic.

United States: en Page: 8 / 17



acc. to 29 CFR 1910.1200 App D

Armor All Extreme Wheel & Tire Cleaner - Spray

Version number: 3.0 Revision: 2020-09-15 Replaces version of: 2020-06-09 (2)

Acute toxicity estimate (ATE) of components of the mixture

Name of substance	CAS No	Exposure route	ATE
Diethylene glycol monohexyl ether	112-59-4	dermal	1,100 ^{mg} / _{kg}
disodium metasilicate	6834-92-0	oral	770 ^{mg} / _{kg}
disodium metasilicate	6834-92-0	inhalation: vapor	2.06 ^{mg} / _l /4h
disodium metasilicate	6834-92-0	inhalation: dust/mist	0.5 ^{mg} / _l /4h

Skin corrosion/irritation

Causes severe skin burns and eye damage.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitization

Shall not be classified as a respiratory or skin sensitizer.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

SECTION 12: Ecological information

12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

12.2 Persistence and degradability

Data are not available.

12.3 Bioaccumulative potential

Data are not available.

United States: en Page: 9 / 17

Energizer.

Holdings, Inc.

acc. to 29 CFR 1910.1200 App D

Armor All Extreme Wheel & Tire Cleaner - Spray

Version number: 3.0 Revision: 2020-09-15 Replaces version of: 2020-06-09 (2)

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Data are not available.

12.6 Other adverse effects

Endocrine disrupting potential

None of the ingredients are listed.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packages

Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

SECTION 14: Transport information

14.1	UN number	not subject to transport regulations
14.2	UN proper shipping name	not assigned
14.3	Transport hazard class(es)	not assigned
14.4	Packing group	not assigned
14.5	Environmental hazards	non-environmentally hazardous acc. to the dangerous goods regulations

14.6 Special precautions for user

There is no additional information.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

The cargo is not intended to be carried in bulk.

Information for each of the UN Model Regulations

DOT

Transport of dangerous goods by road or rail (49 CFR US DOT)

Not subject to transport regulations.

United States: en Page: 10 / 17



acc. to 29 CFR 1910.1200 App D

Armor All Extreme Wheel & Tire Cleaner - Spray

Version number: 3.0 Revision: 2020-09-15 Replaces version of: 2020-06-09 (2)

International Maritime Dangerous Goods Code (IMDG)

Not subject to IMDG.

International Civil Aviation Organization (ICAO-IATA/DGR)

Not subject to ICAO-IATA.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations specific for the product in question

National regulations (United States)

Toxic Substance Control Act (TSCA)

all ingredients are listed

Right to Know Hazardous Substance List

- Cleaning Product Right to Know Act Substance List (CA-RTK)

Name of substance	Name acc. to inventory	CAS No	Functional- ity	Authoritative Lists
Water		7732-18-5	solvents	
Diethylene glycol monohexyl ether	Glycol ethers		solvents	CA TACs
n-[3-(Dimethylnitroryl)propyl]do- decanamide		61792-31-2	surfactant	
Tetrasodium ethylenediamine tetraacetate		64-02-8	chelating agent	
Disodium metasilicate		6834-92-0	pH Adjuster	
Sodium Caprylyl Sulfonate		5324-84-5	surfactant	
Myristamidopropylamine oxide		67806-10-4	surfactant	
Hexoxyethanol	Glycol ethers		surfactant	CA TACs
Isopropyl alcohol	Isopropanol	67-63-0	diluent	OEHHA RELS
Sodium sulfate		7757-82-6	filler	
Sodium Glycolate		2836-32-0	gelling agent	
Sodium hydroxide	Sodium hydroxide	1310-73-2	pH Adjuster	OEHHA RELs
Hydrogen peroxide		7722-84-1	oxidizer	
Triethylene glycol		112-27-6	solvents	
Diethylene glycol		111-46-6	solvents	
Trisodium NTA		5064-31-3	chelating agent	

United States: en Page: 11 / 17



acc. to 29 CFR 1910.1200 App D

Armor All Extreme Wheel & Tire Cleaner - Spray

Version number: 3.0 Revision: 2020-09-15 Replaces version of: 2020-06-09 (2)

- Toxic or Hazardous Substance List (MA-TURA)

Name of substance	Name acc. to inventory	CAS No	DEP CODE	PBT / HHS / LHS	PBT / HHS Thres hold	De Minimis Concentra- tion Threshold
Diethylene glycol monohexyl ether	Glycol Ethers		1022			1.0 %

- Hazardous Substance List (NJ-RTK)

Name of substance	Name acc. to inventory	CAS No	Remarks	Classifications
Diethylene glycol monohexyl ether	glycol, ethers			

- Hazardous Substance List (Chapter 323) (PA-RTK)

Name of substance	Name acc. to inventory	CAS No	Classification
Diethylene glycol monohexyl ether	GLYCOL ETHERS		Е

Legend

E Environmental hazard

California Environmental Protection Agency (Cal/EPA): Proposition 65 - Safe Drinking Water and Toxic Enforcement Act of 1987

Proposition 65 List of chemicals			
Name acc. to inventory	CAS No	Remarks	Type of the toxicity
formaldehyde	50-00-0	gas	cancer
methanol	67-56-1		developmental

Industry or sector specific available guidance(s)

NPCA-HMIS® III

 $\label{thm:matter} \textit{Hazardous Materials Identification System. American Coatings Association.}$

Category	Rating	Description
Chronic	*	chronic (long-term) health effects may result from repeated overexposure
Health	3	major injury likely unless prompt action is taken and medical treatment is given
Flammability	0	material that will not burn under typical fire conditions

United States: en Page: 12 / 17



acc. to 29 CFR 1910.1200 App D

Armor All Extreme Wheel & Tire Cleaner - Spray

Version number: 3.0 Revision: 2020-09-15 Replaces version of: 2020-06-09 (2)

Category	Rating	Description
Physical hazard	0	material that is normally stable, even under fire conditions, and will not react with water, polymerize, decompose, condense, or self-react. Non-explosive
Personal protection	-	

NFPA® 704

National Fire Protection Association: Standard System for the Identification of the Hazards of Materials for Emergency Response (United States).

Category	Degree of hazard	Description
Flammability	1	material that must be preheated before ignition can occur
Health	3	material that, under emergency conditions, can cause serious or permanent injury
Instability	0	material that is normally stable, even under fire conditions
Special hazard		

National inventories

Country	Inventory	Status
AU	AICS	all ingredients are listed
CA	DSL	not all ingredients are listed
CA	NDSL	not all ingredients are listed
CN	IECSC	not all ingredients are listed
EU	ECSI	all ingredients are listed
EU	REACH Reg.	not all ingredients are listed
JP	CSCL-ENCS	not all ingredients are listed
JP	ISHA-ENCS	not all ingredients are listed
KR	KECI	not all ingredients are listed
MX	INSQ	not all ingredients are listed
NZ	NZIoC	not all ingredients are listed
PH	PICCS	not all ingredients are listed
TR	CICR	not all ingredients are listed
TW	TCSI	all ingredients are listed
US	TSCA	all ingredients are listed

United States: en Page: 13 / 17



acc. to 29 CFR 1910.1200 App D

Armor All Extreme Wheel & Tire Cleaner - Spray

Revision: 2020-09-15 Version number: 3.0 Replaces version of: 2020-06-09 (2)

Legend

AICS Australian Inventory of Chemical Substances CICR Chemical Inventory and Control Regulation

CSCL-ENCS List of Existing and New Chemical Substances (CSCL-ENCS)

DSL Domestic Substances List (DSL)

ECSI

EC Substance Inventory (EINECS, ELINCS, NLP)
Inventory of Existing Chemical Substances Produced or Imported in China **IECSC**

INSQ

National Inventory of Chemical Substances
Inventory of Existing and New Chemical Substances (ISHA-ENCS) ISHA-ENCS

Korea Existing Chemicals Inventory KECI Non-domestic Substances List (NDSL) NDSL NZIoC New Zealand Inventory of Chemicals

PICCS Philippine Inventory of Chemicals and Chemical Substances (PICCS)

REACH registered substances REACH Req.

Taiwan Chemical Substance Inventory TCSI

TSCA Toxic Substance Control Act

15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information, including date of preparation or last revision

Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.1		Classification acc. to OSHA "Hazard Communica- tion Standard" (29 CFR 1910.1200): change in the listing (table)	yes
2.1		The most important adverse physicochemical, human health and environmental effects: Skin corrosion produces an irreversible damage to the skin; namely, visible necrosis through the epidermis and into the dermis.	yes
2.2	- Signal word: warning	- Signal word: danger	yes
2.2		- Pictograms: change in the listing (table)	yes
2.2		- Hazard statements: change in the listing (table)	yes
2.2		- Precautionary statements: change in the listing (table)	yes
2.2.1.7		- Hazardous ingredients for labelling: Diethylene glycol monohexyl ether	yes
4.1	Following inhalation: If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. Provide fresh air.	Following inhalation: If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. In case of respiratory tract irritation, consult a physician. Provide fresh air.	yes

United States: en Page: 14 / 17



acc. to 29 CFR 1910.1200 App D

Armor All Extreme Wheel & Tire Cleaner - Spray

Version number: 3.0 Revision: 2020-09-15 Replaces version of: 2020-06-09 (2)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
7.1	- Measures to prevent fire as well as aerosol and dust generation: Use local and general ventilation. Use only in well-ventilated areas.	- Measures to prevent fire as well as aerosol and dust generation: Use local and general ventilation. Use only in well-ventilated areas. Never add water to this product.	yes
7.1		- Handling of incompatible substances or mix- tures: Do not mix with acids.	yes
9.1	pH (value): not determined	pH (value): 12.2 – 13.2 (base)	yes
9.2	Other information	other information: there is no additional information	yes
9.2	Solvent content: 97.43 %		yes
9.2	Solid content: 2.297 %		yes
10.5		Release of flammable materials with: Light metals (due to the release of hydrogen in an acid/alkaline medium)	yes
11.1	Skin corrosion/irritation: Shall not be classified as corrosive/irritant to skin.	Skin corrosion/irritation: Causes severe skin burns and eye damage.	yes
11.1	Serious eye damage/eye irritation: Causes serious eye irritation.	Serious eye damage/eye irritation: Causes serious eye damage.	yes
15.1		Cleaning Product Right to Know Act Substance List (CA-RTK): change in the listing (table)	yes
15.1		Toxic or Hazardous Substance List (MA-TURA): change in the listing (table)	yes
15.1		Hazardous Substance List (NJ-RTK): change in the listing (table)	yes
15.1		Hazardous Substance List (Chapter 323) (PA-RTK): change in the listing (table)	yes
15.1		California Environmental Protection Agency (Cal/ EPA): Proposition 65 - Safe Drinking Water and Toxic Enforcement Act of 1987	yes
15.1		Proposition 65 List of chemicals: change in the listing (table)	yes
15.1		NPCA-HMIS® III: change in the listing (table)	yes

United States: en Page: 15 / 17



acc. to 29 CFR 1910.1200 App D

Armor All Extreme Wheel & Tire Cleaner - Spray

Version number: 3.0 Revision: 2020-09-15 Replaces version of: 2020-06-09 (2)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
15.1		NFPA® 704: change in the listing (table)	yes
15.1		National inventories: change in the listing (table)	yes

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
49 CFR US DOT	49 CFR U.S. Department of Transportation
Acute Tox.	Acute toxicity
ATE	Acute Toxicity Estimate
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
DEP CODE	Department of Environmental Protection Code
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
DOT	Department of Transportation (USA)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
HHS	Higher hazard substance
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
LHS	Lower hazard substance
MARPOL	International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant")
NLP	No-Longer Polymer
NPCA-HMIS® III	National Paint and Coatings Association: Hazardous Materials Identification System - HMIS® III, Third Edition

United States: en Page: 16 / 17



acc. to 29 CFR 1910.1200 App D

Armor All Extreme Wheel & Tire Cleaner - Spray

Version number: 3.0 Revision: 2020-09-15 Replaces version of: 2020-06-09 (2)

Abbr.	Descriptions of used abbreviations
OSHA	Occupational Safety and Health Administration (United States)
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
RTECS	Registry of Toxic Effects of Chemical Substances (database of NIOSH with toxicological information)
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin
STOT SE	Specific target organ toxicity - single exposure
vPvB	Very Persistent and very Bioaccumulative

Key literature references and sources for data

OSHA Hazard Communication Standard (HCS), 29 CFR 1910.1200.

Transport of dangerous goods by road or rail (49 CFR US DOT). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties: The classification is based on tested mixture.

Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in chapter 2 and 3)

Code	Text
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H331	Toxic if inhaled.
H335	May cause respiratory irritation.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

United States: en Page: 17 / 17