



SAVING WATER MAKES SENSE



NEOPERL® Retail Water Conservation

NEOPERL®

flow, stop and go®

## 0.35 gpm & 0.5 gpm Ultra Saving Faucet Aerators



Regular PCA® Mikado 0.35 gpm Spray Insert with 2 Washers  
**1 pack - Store SKU** 1002089134  
**2 pack - Online SKU** 300180320



Regular PCA® 0.5 gpm Spray Insert with 2 Washers  
**1 pack - Online SKU** 203673083



Regular Male PCA® 0.5 gpm Spray  
**1 pack - Online SKU** 203673082  
**6 pack - Online SKU** 204690120



Regular Female PCA® 0.5 gpm Spray  
**1 pack - Online SKU** 203673081  
**6 pack - Online SKU** 204690119



Dual Thread PCA® 0.5 gpm Spray  
**1 pack - Store SKU** 1000019098  
**1 pack - Online SKU** 203673080  
**6 pack - Online SKU** 204690117  
**50 pack - Online SKU** 204690118



Small Male PCA® 0.5 gpm Spray  
**1 pack - Online SKU** 303488026  
**6 pack - Online SKU** 303489151

### Faucet Aerator Size:

Do you need a regular, small, or Tom Thumb® faucet aerator?



Regular

Small

Tom Thumb®

### Tip:

If your faucet aerator housing is in good condition you can replace the insert only.

Meets California kitchen and lavatory requirements.

## 1.0 gpm Super Water Saving Aerators




Regular PCA® Aerator Insert with 2 Washers  
**1 pack - Online SKU** 203673018



Regular Male PCA® Aerator  
**1 pack - Online SKU** 203673058



Regular Female PCA® Aerator  
**1 pack - Online SKU** 203673057



Dual Thread PCA® Spray  
**1 pack - Store SKU** 706083  
**1 pack - Online SKU** 203673002



Small PCA® Aerator Insert with 2 Washers  
**1 pack - Online SKU** 303486738

Replacing old, inefficient faucet aerators with WaterSense labeled models can save the average family nearly 11,000 gallons of water over the faucets' lifetime.



Meets California kitchen and lavatory requirements.

# 1.2 gpm Super Water Saving Aerators



Regular PCA® Mikado Spray Insert  
with 2 Washers  
**2 pack - Online SKU** 308910520



Regular PCA® Aerator Insert  
with 2 Washers  
**1 pack - Store SKU** 1001533848  
**1 pack - Online SKU** 206587640



Regular SLC® Aerator Insert  
with 2 Washers  
**1 pack - Store SKU** 1001533902  
**1 pack - Online SKU** 206590046



Regular Male PCA® Aerator  
**1 pack - Store SKU** 1001533807  
**1 pack - Online SKU** 206584479



Regular Female PCA® Aerator  
**1 pack - Store SKU** 1001533834  
**1 pack - Online SKU** 206587043



Dual Thread PCA® Aerator  
**1 pack - Store SKU** 1001533836  
**1 pack - Online SKU** 206587236  
**6 pack - Store SKU** 1001533908  
**6 pack - Online SKU** 206592444



Dual Thread PCA® Laminar Aerator  
**1 pack - Store SKU** 1001533843  
**1 pack - Online SKU** 206587521



Dual Thread Polished Brass Aerator  
**1 pack - Online SKU** 206592438



Dual Thread Brushed Nickel Aerator  
**1 pack - Store SKU** 1001533846  
**1 pack - Online SKU** 206587629



Small Male PCA® Aerator  
**1 pack - Store SKU** 1001533904  
**1 pack - Online SKU** 206590070



Small Female PCA® Aerator  
**1 pack - Online SKU** 206592480

Meets California kitchen and residential bathroom requirements.

## Stream type and flow:

Choose the right one for your needs



**Aerated** streams introduce air into the water stream to produce a larger white stream, soft to the touch and non-splashing. Aerated streams are the usual choice for residential faucet.



**Laminar** stream straighteners produce a crystal clear and non-splashing stream (no mix water/air).



A **Spray** device is used to produce a miniature shower pattern to provide full coverage of the hands during washing when the water pressure is too low to produce an aerated or laminar stream. Recommended for use in bathroom.

## Faucet Aerator Gender:

The right faucet aerator for the right fit.



Female Spout

Male Aerator

Male Spout

Female Aerator



- Male housing fits faucets with inside threads.
- Female housings fits faucet with outside threads.

### Tip:

Dual thread housings fit regular size faucets with inside or outside threads.







# 1.5 gpm Water Saving Aerators



 <p>Regular PCA® Aerator Insert with 2 Washers <b>1 pack - Online SKU 203673064</b></p>	 <p>Regular Male PCA® Aerator <b>1 pack - Online SKU 203673063</b> <b>6 pack - Online SKU 204690121</b></p>	 <p>Regular Female PCA® Aerator <b>1 pack - Online SKU 203673062</b> <b>6 pack - Online SKU 204690122</b></p>	 <p>Regular Dual Thread PCA® Aerator <b>1 pack - Online SKU 203673061</b> <b>6 pack - Online SKU 204690123</b> <b>50 pack - Online SKU 204690124</b></p>
 <p>Regular PCA® SSR Aerator Insert with 2 Washers <b>1 pack - Online SKU 203673079</b></p>	 <p>Regular Male PCA® SSR Aerator <b>1 pack - Online SKU 203673078</b></p>	 <p>Regular Female PCA® SSR Aerator <b>1 pack - Online SKU 203673077</b></p>	 <p>Dual Thread Polished Brass Aerator <b>1 pack - Store SKU 706116</b> <b>1 pack - Online SKU 203673003</b></p>
 <p>Regular PCA® Auto Clean Aerator Insert with 2 Washers <b>1 pack - Online SKU 203673074</b></p>	 <p>Regular Male PCA® Auto Clean Aerator <b>1 pack - Online SKU 203673076</b></p>	 <p>Regular Female PCA® Auto Clean Aerator <b>1 pack - Online SKU 203673075</b></p>	 <p>Regular Dual Thread PCA® Auto Clean Aerator <b>1 pack - Online SKU 203673073</b></p>
 <p>Regular Aerator Insert with 2 Washers <b>1 pack - Store SKU 704862</b> <b>1 pack - Online SKU 203672994</b></p>	 <p>Regular Male Aerator <b>1 pack - Store SKU 704994</b> <b>1 pack - Online SKU 203672995</b></p>	 <p>Regular Female Aerator <b>1 pack - Store SKU 705060</b> <b>1 pack - Online SKU 203672996</b></p>	 <p>Dual Thread Aerator <b>1 pack - Store SKU 705654</b> <b>1 pack - Online SKU 203672997</b> <b>6 pack - Store SKU 706347</b> <b>6 pack - Online SKU 203673006</b></p>
 <p>Regular SLC® Aerator Insert with 2 Washers <b>1 pack - Store SKU 704136</b> <b>1 pack - Online SKU 203672993</b></p>	 <p>Small PCA® Aerator Insert with 2 Washers <b>1 pack - Online SKU 203673065</b></p>	 <p>Tom Thumb® PCA® Aerator Insert with 2 Washers <b>1 pack - Online SKU 203673066</b></p>	 <p>Dual Thread Laminar Aerator <b>1 pack - Store SKU 705918</b> <b>1 pack - Online SKU 203673000</b></p>
 <p>Dual Thread Brushed Nickel Aerator <b>1 pack - Store SKU 706149</b> <b>1 pack - Online SKU 203673004</b></p>	 <p>Small Male Aerator <b>1 pack - Store SKU 705852</b> <b>1 pack - Online SKU 203672998</b></p>	 <p>Small Female Aerator <b>1 pack - Store SKU 705885</b> <b>1 pack - Online SKU 203672999</b></p>	 <p>Regular Dual Thread PCA® SLC® Aerator <b>1 pack - Online SKU 303490592</b></p>

Meets California kitchen and residential bathroom requirements.

 <p>In addition to flow restricted aerators, NEOPERL also offers a pressure compensating (PCA®) faucet aerator that maintains a constant and comfortable water flow, for use in the kitchen or bathroom.</p>	 <p>NEOPERL's SLC® is the only faucet aerator with a silicone tip to eliminate lime and scale build up. Simply rub the bottom of the aerator with the tip of your finger.</p>	 <p>With NEOPERL's SSR faucet aerators, you can easily adjust the stream direction and eliminate splashing from the curvature of the sink.</p>	 <p>The PCA® Auto Clean, accumulates the sediments in the dome screen until the faucet is shut off. The sediments will be flushed within the first few seconds after the faucet is turned on.</p>
---	--	---	--

## 1.8 gpm Standard Flow Aerators

 <p>Spring-Flo® Ultra Dual Thread Aerator  <b>1 pack - Store SKU</b> 1001533839  <b>1 pack - Online SKU</b> 206587420</p>	 <p>Dual Thread PCA® Aerator  <b>1 pack - Store SKU</b> 1001533837  <b>1 pack - Online SKU</b> 206587303</p>
--	---

Meets California kitchen requirements.

## 2.2 gpm Standard Flow Aerators

 <p>Regular PCA® Aerator Insert with 2 Washers  <b>1 pack - Online SKU</b> 203673072</p>	 <p>Regular PCA® SLC® Aerator Insert with 2 Washers  <b>1 pack - Online SKU</b> 203673050</p>	 <p>Tom Thumb® PCA® Insert with 2 Washers  <b>1 pack - Online SKU</b> 203673067</p>	 <p>Regular Male PCA® Aerator  <b>1 pack - Online SKU</b> 203673071  <b>6 pack - Online SKU</b> 204690125</p>
 <p>Regular Female PCA® Aerator  <b>1 pack - Online SKU</b> 203673069  <b>6 pack - Online SKU</b> 204690126</p>	 <p>Dual Thread PCA® Aerator  <b>1 pack - Online SKU</b> 203673068  <b>6 pack - Online SKU</b> 204690135  <b>50 pack - Online SKU</b> 204690136</p>	 <p>Spring-Flo® Ultra Dual Thread Aerator  <b>1 pack - Store SKU</b> 591805  <b>1 pack - Online SKU</b> 203673038</p>	 <p>Dual Thread Aerator  <b>1 pack - Store SKU</b> 591792  <b>1 pack - Online SKU</b> 203673039</p>


Not for sale in California, Hawaii, or Washington.

### Flow rate

Choose the right one for your needs

**Tip:**  
Lowering your flow rate helps you reduce water use in your home and save money on water bills. If you are in California or Hawaii, water laws state you can only order a 1.8 gpm for your kitchen, 1.2 gpm for residential bathroom and 0.5 gpm for a public bathroom.

**\*Save up to:**











Public Bathroom	0.5 GPM	<b>75%</b>	
Residential Bathroom	1.0 GPM	<b>55%</b>	
	1.2 GPM	<b>45%</b>	
Kitchen	1.5 GPM	<b>30%</b>	
	1.8 GPM	<b>20%</b>	

Gallons per minute (GPM)

\* Water savings based on national standard of 2.2 gpm.

# Specialty Aerators



   <p>On/Off Dual Thread Chrome  <b>1.2 gpm 1 pack - Online</b> 206592568  <b>1.5 gpm 1 pack - Online</b> 203673043</p>	   <p>On/Off Dual Thread Brushed Nickel  <b>1.5 gpm 1 pack - Online</b> 203673044</p>	  <p>0.5-1.5 gpm Dual Flow Dual Thread  <b>1 pack - Online</b> 206592545</p>	  <p>0.5-2.2 gpm Dual Flow Dual Thread  <b>1 pack - Store</b> 703476  <b>1 pack - Online</b> 203672990</p>
--	--	---	--

Product trickles in up position to relieve water pressure, turn off faucet at handle.

Meets California kitchen requirements.

**2.2 gpm Not for sale in California, Hawaii, or Washington.**







# 1.2 gpm & 1.5 gpm Water Saving Swivels



  <p>Classic Flotalia Swivel Spray  <b>1.5 gpm 1 pack - Store</b> 706182  <b>1.5 gpm 1 pack - Online</b> 203673005</p>	  <p>Softgrip Double Swivel  <b>1.2 gpm 1 pack - Store</b> 1001551783  <b>1.2 gpm 1 pack - Online</b> 206592648  <b>1.5 gpm 1 pack - Store</b> 461713  <b>1.5 gpm 1 pack - Online</b> 203673041</p>	  <p>Dual Thread On/Off Swivel  <b>1.2 gpm 1 pack - Store</b> 1001533850  <b>1.2 gpm 1 pack - Online</b> 206587876  <b>1.5 gpm 1 pack - Store</b> 792708  <b>1.5 gpm 1 pack - Online</b> 203673045</p>	  <p>Flotalia Swivel Spray  <b>1.2 gpm 1 pack - Online</b> 206664624</p>
--	---	---	--

Meets California kitchen requirements.

# 1.8 gpm & 2.2 gpm Standard Flow Swivels

  <p>Dual Thread Swivel  <b>1.8 gpm 1 pack - Store</b> 1001533841  <b>1.8 gpm 1 pack - Online</b> 206587470  <b>2.2 gpm 1 pack - Store</b> 703113  <b>2.2 gpm 1 pack - Online</b> 203672989</p>	  <p>Dual Thread Swivel Brushed Nickel  <b>1.8 gpm 1 pack - Store</b> 1001533898  <b>1.8 gpm 1 pack - Online</b> 206587908  <b>2.2 gpm 1 pack - Store</b> 701925  <b>2.2 gpm 1 pack - Online</b> 203672987</p>	  <p>Dual Thread Swivel  <b>1.8 gpm 1 pack - Store</b> 1001533844  <b>1.8 gpm 1 pack - Online</b> 206587542  <b>2.2 gpm 1 pack - Store</b> 702750  <b>2.2 gpm 1 pack - Online</b> 203672988</p>
---	--	--

1.8 gpm meets California kitchen requirements.

**2.2 gpm Not for sale in California, Hawaii, or Washington.**

# Specialty Aerators



**1.2 gpm Household Kit**  
 4 - Regular Aerator Inserts;  
 8 - Regular Washers (4 male & 4 female); 1 - Aerator Wrench  
**1 pack- Store SKU** 1001533901  
**1 pack- Online SKU** 206590036



**1.5 gpm Household Kit**  
 4 - Regular Aerator Inserts;  
 8 - Regular Washers (4 male & 4 female); 1 - Aerator Wrench  
**1 pack- Store SKU** 705951  
**1 pack- Online SKU** 203673001

*NEOPERL products meet all the requirements for non-toxicity developed and recognized at the national level by NSF International for public health and safety. NEOPERL products are tested and listed directly at NSF's labs.*



**1.2 gpm Water Saving Value Pack**  
 1 - Double Swivel;  
 2 - Dual Thread Aerators  
**1 pack- Online SKU** 206592425



**1.5 gpm Water Saving Value Pack**  
 1 - Double Swivel;  
 2 - Dual Thread Aerators  
**1 pack- Store SKU** 741372  
**1 pack- Online SKU** 203673040



Certified to NSF/ANSI 61-G



**1.2 gpm Advantage Pack**  
 1 - Softgrip Swivel;  
 2 - Dual Thread Aerators  
**1 pack- Online SKU** 206592472



**1.5 gpm Advantage Pack**  
 1 - Softgrip Swivel;  
 2 - Dual Thread Aerators  
**1 pack- Store SKU** 797186  
**1 pack- Online SKU** 203673042



**Drought Kit**  
 1 - 1.5 gpm Softgrip Swivel;  
 1 - 1.5 gpm Dual Thread Aerator;  
 1 - 2.0 gpm Shower Flow Controller  
**1 pack- Online SKU** 203780172

1.2 gpm meets California residential bathroom requirements.

1.5 gpm meets California kitchen requirements and

## Instructions



### Insert installation:



1. Unthread old aerator from faucet and remove washer and insert.
2. Place new aerator insert into the original housing.
3. For housings with inside threads, use thinner washer. For housings with outside threads, use thicker washer.
4. Install onto spout by hand. If leak occurs, tighten more firmly.

### Male or Female installation:

1. Unthread old aerator from faucet.
2. Install onto spout by hand. If leak occurs, tighten more firmly.



### Dual thread installation:



1. Unthread old aerator from faucet.
2. For housings with inside threads, use thinner washer. For housings with outside threads, use thicker washer.
3. Install onto spout by hand. If leak occurs, tighten more firmly.

### Shower Flow Controller installation:



1. Remove showerhead.
2. Apply plumber's tape to threads.
3. Install adapter onto spout by hand. Reconnect showerhead.
4. Turn on shower. If leak occurs, tighten more firmly.



# Cache® Hidden Aerators

## 1.2 gpm Super Water Saving Hidden Faucet Aerators



Junior PCA® Cache® Aerator with Key  
**2 pack - Online SKU 301338511**



Tiny Junior PCA® Cache® Aerator with Key  
**1 pack - Online SKU 311745014**

Meets California kitchen and residential bathrooms requirements.

## 1.5 gpm Water Saving Hidden Faucet Aerators



Regular PCA® Cache® Aerator with Key  
**1 pack - Store SKU 1001551246**  
**1 pack - Online SKU 203673054**



Junior PCA® Cache® Aerator with Key  
**1 pack - Store SKU 1001551256**  
**1 pack - Online SKU 203673052**



Tiny Junior PCA® Cache® Aerator with Key  
**1 pack - Online SKU 203673053**



Tom Thumb® PCA® Cache® Aerator with Key  
**2 pack - Online SKU 301680405**



Delta® Hidden Aerator Kit with Key  
**1 pack - Store SKU 1001551284**  
**1 pack - Online SKU 203673059**



Moen® Hidden Aerator Kit with Key  
**1 pack - Store SKU 1001551263**  
**1 pack - Online SKU 203673060**

Meets California kitchen requirements.

### Cache® installation instructions:

1. Use key to remove hidden aerator from spout.
2. Clean threads inside spout.
3. Use key to install the new hidden aerator.
4. Turn on faucet. If leak occurs, tighten more firmly.

## 2.2 gpm Standard Flow Hidden Faucet Aerators



Regular PCA® Cache® Aerator with Key  
**1 pack - Online SKU 203673056**



Junior PCA® Cache® Aerator with Key  
**1 pack - Online SKU 203673055**

Not for sale in California, Hawaii, or Washington.

## Cache® Keys



Cache® Keys  
**1 pack - Store SKU 1001843413**  
**1 pack - Online SKU 300338400**




**Tip:** Save your key for future use.



# What Caché® sizes are available?

Caché® models are available in 4 sizes and 2 custom models. Use this simple coin chart to determine the size you need:



Hidden Aerator Kit for Select Delta® Faucets



Hidden Aerator Kit for Select Moen® Faucets



## Plumbing Flow Rates by State, County, and City

**WASHINGTON**  
**Residential Lav:** 1.2 gpm  
**Non-Residential Lav:** 0.5 gpm  
**Kitchen:** 1.8 gpm (temporary boost to 2.2 gpm defaulting back to 1.8 gpm)  
**Shower:** 1.8 gpm  
**Toilet:** 1.28 gpf (WS cert)  
**Urinals:** Wall: 0.125 gpf  
 All other types: 0.5 gpf

**COLORADO**  
**Residential Lav:** 1.5 gpm (WS cert)  
**Kitchen:** NA (Ft. Collins requires kitchen faucets to have a max of 1.8 gpm for new construction.)  
**Shower:** 2.0 gpm (WS cert)  
**Toilet:** 1.28 gpf (WS cert)  
**Urinals:** 0.5 gpf (WS cert)

**Boulder, CO**  
**Residential Lav:** 1.5 gpm (WS cert)  
**Non-Residential Lav:** 0.5 gpm  
**Kitchen:** 1.5 gpm  
**Shower:** 2.0 gpm (WS cert)  
**Toilet:** 1.28 gpf (WS cert)  
**Urinals:** 0.5 gpf (WS cert)

**Chicago, IL**  
**Residential Lav:** 1.5 gpm (WS cert)  
**Shower:** 2.0 gpm (WS cert)  
**Toilet:** 1.28 gpf (WS cert)  
**Urinals:** 0.5 gpf (WS cert)

**VERMONT**  
 Effective 7/1/2021  
**Residential Lav:** 1.5 gpm  
**Non-Residential Lav:** 0.5 gpm  
**Shower:** 2.0 gpm  
**Toilet:** EPACT92  
**Urinals:** 0.5 gpf

**OREGON**  
**Residential Lav:** EPACT92 2.2 gpm  
**Kitchen:** EPACT92 2.2 gpm  
**Shower:** 2.0 gpm (WS cert)  
**Toilet:** 1.28 gpf (WS cert)  
**Urinals:** EPACT92

**NEW!**

**HAWAII**  
**Residential Lav:** 1.2 gpm  
**Non-Residential Lav:** 0.5 gpm  
**Kitchen:** 1.8 gpm (temporary boost to 2.2 gpm defaulting back to 1.8 gpm)  
**Shower:** 1.8 gpm  
**Toilet:** EPACT92  
**Urinals:** EPACT92

**CALIFORNIA**  
**Public lav:** 0.5 gpm  
**Residential lav:** 2.2 gpm max if mfg prior to Sept. 1, 2015  
 1.5 gpm max if mfg on/after Sept. 1, 2015 and prior to July 1, 2016  
 1.2 gpm max if mfg on/after July 1, 2016  
**Kitchen:** 1.8 gpm with a temp boost of 2.2 gpm  
**Shower:** 2.0 gpm max if mfg after July 1, 2016 and prior to July 1, 2018  
 1.8 gpm max if mfg after July 2, 2018  
**Toilet:** 1.28 gpf (WS cert)  
**Urinals:** Wall: 0.125 gpf  
 All other types: 0.5 gpf

**West Hollywood, CA**  
**Residential Lav:** 2.2 gpm max if mfg prior to Sept. 1, 2015  
 1.5 gpm max if mfg on/after Sept. 1, 2015 and prior to July 1, 2016  
 1.2 gpm max if mfg on/after July 1, 2016  
**Kitchen:** 1.5 gpm with a temp boost of 2.2 gpm  
**Shower:** 1.5 gpm (or WS certified)  
**Toilet:** 1.1 gpf (WS cert)  
**Urinals:** Wall: 0.125 gpf  
 All other types: 0.5 gpf

**TEXAS**  
**Residential Lav:** EPACT92 2.2 gpm  
**Kitchen:** EPACT92 2.2 gpm  
**Shower:** EPACT92 2.5 gpm  
**Toilet:** 1.28 gpf (WS cert)  
**Urinals:** 0.5 gpf (WS cert)

**Scottsdale, AZ**  
**Residential Lav:** 1.5 gpm  
**Kitchen:** 2.2 gpm  
**Shower:** 2.0 gpm  
**Toilet:** 1.28 gpf  
**Urinals:** 0.5 gpf

**NEW YORK**  
**Residential Lav:** 1.5 gpm  
**Shower:** 2.0 gpm  
**Toilet:** 1.3 gpf  
**Urinals:** 0.5 gpf

**New York City, NY**  
**Residential Lav:** 1.5 gpm (WS cert)  
**Kitchen:** 2.2 gpm  
**Shower:** 2.0 gpm (WS cert)  
**Toilet:** 1.28 gpf (WS cert)  
**Urinals:** 0.5 gpf (WS cert)

**Washington, DC**  
**Residential Lav:** 1.5 gpm (WS cert)  
**Kitchen:** 2.2 gpm  
**Shower:** 2.0 gpm (WS cert)  
**Toilet:** 1.28 gpf (WS cert)  
**Urinals:** 0.5 gpf (WS cert)



























**GEORGIA**  
**Residential Lav:** 1.5 gpm  
**Kitchen:** 2.0 gpm  
**Shower:** 2.5 gpm  
**Toilet:** 1.28 gpf  
**Urinals:** 0.5 gpf

**Broward County, FL**  
**Residential Lav:** 1.5 gpm  
**Kitchen:** 2.2 gpm  
**Shower:** 2.0 gpm  
**Toilet:** 1.28 gpf  
**Urinals:** 0.5 gpf

**Miami-Dade County, FL**  
**Residential Lav:** 1.5 gpm (WS cert)  
**Kitchen:** 1.5 gpm  
**Shower:** 1.5 gpm (or WS cert)  
**Toilet:** 1.28 gpf (WS cert)  
**Urinals:** 0.5 gpf (WS cert)

\* Subject to change

# Adapters & Fittings

 <p>Top: M15/16"-27+F55/64"-27 Bottom: Male 55/64"-27+3/4" hose <b>1 pack - Store SKU 571493</b> <b>1 pack - Online SKU 203673019</b></p> 	 <p>Top: Female 55/64"-27 Bottom: Male 3/4" hose <b>1 pack - Store SKU 572798</b> <b>1 pack - Online SKU 203673022</b></p> 	 <p>Top: Male 15/16"-27 Bottom: Male 55/64"-27 <b>1 pack - Store SKU 576349</b> <b>1 pack - Online SKU 203673020</b></p> 	 <p>Top: Male 13/16"-27 Bottom: Male 55/64"-27 <b>1 pack - Store SKU 578956</b> <b>1 pack - Online SKU 203673021</b></p> 
 <p>Regular Dual Thread Small Snap Fitting <b>1 pack - Online SKU 203673037</b></p> 	 <p>Top: Female 3/4"-27 Bottom: Male 55/64"-27 <b>1 pack - Store SKU 590833</b> <b>1 pack - Online SKU 203673024</b></p> 	 <p>Top: Female 3/4" garden hose Bottom: Male 55/64"-27 <b>1 pack - Store SKU 589483</b> <b>1 pack - Online SKU 203673025</b></p> 	 <p>Regular Dual Thread Large Snap Fitting <b>1 pack - Online SKU 203673026</b></p> 
 <p>Top: Male M24x1 + Female M22x1 Bottom: Male 55/64"-27 <b>1 pack - Store SKU 599885</b> <b>1 pack - Online SKU 203673046</b></p> 	 <p>Top: Female 13/16"-24 Bottom: Male 55/64"-27 <b>1 pack - Store SKU 599904</b> <b>1 pack - Online SKU 203673047</b></p> 	 <p>Top: Male 15/16" acetal Bottom: Male 55/64" acetal <b>1 pack - Online SKU 203673051</b></p> 	<p><b>Tip:</b> Use icons to help identify the application.</p>   <p>Faucet      Portable Clothes Washer</p>   <p>Portable Dish Washer      Garden Hose</p>

# Couplers

 <p>Small Snap Coupler with 3/4" hose thread outlet &amp; Fitting <b>1 pack - Store SKU 1001551327</b></p> 	 <p>Large Snap Coupler with 3/4" hose thread outlet &amp; Fitting <b>1 pack - Store SKU 1001843391</b></p> 	 <p>Small Snap Coupler with 3/4" hose thread outlet <b>1 pack - Online SKU 205379585</b></p> 	 <p>Large Snap Coupler with 3/4" hose thread outlet <b>1 pack - Online SKU 205379592</b></p> 
---	---	---	---

## Installation instructions for dual thread adapters and fittings:

1. Remove aerator from faucet. If a wrench is necessary, place cloth over aerator to prevent damage.
2. Remove any old washers that might be caught inside the spout.
3. Clean the threads on faucet.
4. For faucets with outside threads, remove thicker washer. For faucets with inside threads, leave thicker washer in place. Install adapter onto spout by hand.
5. Connect appliance with relevant threads.
6. Turn on faucet. If leak occurs, tighten more firmly.



## Installation instructions for male or female adapters:

1. Remove old aerator from faucet. Use wrench if necessary.
2. Remove any old washers that might be caught inside the spout.
3. Clean the threads on faucet for easier installation.
4. Install onto spout by hand.
5. Connect appliance with relevant threads.
6. Turn on faucet. If leak occurs, tighten more firmly.



## Small Coupler and Fitting Instructions:



## Large Coupler and Fitting Instructions:







**NEOPERL, Inc.**  
171 Mattatuck Heights Road  
Waterbury, CT 06705 USA  
[www.neoperl.com/consumer](http://www.neoperl.com/consumer)

**Retail Sales Customer Support**  
Tel: 203-756-8451  
Fax: 203-757-5512  
E-mail: [retail.sales@neoperl.com](mailto:retail.sales@neoperl.com)  
[retail.support@neoperl.com](mailto:retail.support@neoperl.com)