

M90025-30

# SAFETY DATA SHEET

## 1. Identification

**Product identifier:** M90025-30

**Other means of identification**

**Synonyms:** Silicone Sealant

**Recommended use and restriction on use**

**Recommended use:** Industrial use

**Restrictions on use:** Not known.

**Manufacturer/Importer/Distributor Information** : Momentive Performance Materials LLC  
260 Hudson River Road  
Waterford NY 12188

**Contact person** : commercial.services@momentive.com

**Telephone** : General information  
+1-800-295-2392

**Emergency telephone number**  
**Supplier** : CHEMTREC  
1-800-424-9300

## 2. Hazard(s) identification

**Hazard Classification**

**Health Hazards**

Skin sensitizer

Category 1

**Unknown toxicity - Health**

|  |        |
|--|--------|
| Acute toxicity, oral                     | 1.82 % |
| Acute toxicity, dermal                   | 1.82 % |
| Acute toxicity, inhalation, vapor        | 1.82 % |
| Acute toxicity, inhalation, dust or mist | 1.82 % |

**Label Elements**

**Hazard Symbol:**

M90025-30



**Signal Word:** Warning

**Hazard Statement:** H317; May cause an allergic skin reaction.

**Precautionary Statements**

**Prevention:** Avoid breathing dust/fume/gas/mist/vapors/spray. Contaminated work clothing should not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection/face protection.

**Response:** IF ON SKIN: Wash with plenty of water. If skin irritation or rash occurs: Get medical advice/attention. Specific treatment (see on this label). Wash contaminated clothing before reuse.

**Disposal:** Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

**Other hazards which do not result in GHS classification:** None.

**Substance(s) formed under the conditions of use:** Generates methanol during cure.

**3. Composition/information on ingredients**

**M90025-30**

**Mixtures**

| Chemical Identity                           | CAS number | Content in percent (%)* | Notes   |
|---|------------|-------------------------|---|
| (1) Calcium Carbonate                       | 471-34-1   | 20 - <50%               | # This substance has workplace exposure limit(s). |
| (1) CALCIUM CARBONATE                       | 1317-65-3  | 20 - <50%               | # This substance has workplace exposure limit(s). |
| Distillates, petroleum, hydrotreated middle | 64742-46-7 | 10 - <20%               | # This substance has workplace exposure limit(s). |
| (1) TITANIUM DIOXIDE                        | 13463-67-7 | 1 - <5%                 | # This substance has workplace exposure limit(s). |
| Octadecanoic acid                           | 57-11-4    | 1 - <5%                 | # This substance has workplace exposure limit(s). |
| Vinyltrimethoxysilane                       | 2768-02-7  | 1 - <5%                 | # This substance has workplace exposure limit(s). |
| Aminoethyl aminopropyl trimethoxy silane    | 1760-24-3  | 0.1 - <1%               | # This substance has workplace exposure limit(s). |
| (1) QUARTZ                                  | 14808-60-7 | 0.1 - <1%               | # This substance has workplace exposure limit(s). |

\* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

(1) The respirable particle(s) listed above are inextricably bound within the polymer matrix, and therefore does not present an inhalation hazard during normal use of this product. Tooling or machining of the cured product (sanding, cutting, milling) may release hazardous, respirable substances.

**4. First-aid measures**

**Ingestion:** If swallowed, do NOT induce vomiting. Give a glass of water.

**Inhalation:** If inhaled, remove to fresh air. If not breathing give artificial respiration using a barrier device. If breathing is difficult give oxygen. Get medical attention.

**M90025-30**

**Skin Contact:** To clean from skin, remove completely with a dry cloth or paper towel, before washing with detergent and water. If skin irritation occurs: Get medical advice/attention.

**Eye contact:** In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

**Most important symptoms/effects, acute and delayed**

**Symptoms:** None known.

**Hazards:** No data available.

**Indication of immediate medical attention and special treatment needed**

**Treatment:** Treatment is symptomatic and supportive.

**5. Fire-fighting measures**

**General Fire Hazards:** Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.

**Suitable (and unsuitable) extinguishing media**

**Suitable extinguishing media:** All standard extinguishing agents are suitable.

**Unsuitable extinguishing media:** None known.

**Specific hazards arising from the chemical:** No data available.

**Special protective equipment and precautions for firefighters**

**Special fire fighting procedures:** No data available.

**Special protective equipment for fire-fighters:** Firefighters must wear NIOSH/MSHA approved positive pressure self-contained breathing apparatus with full face mask and full protective clothing.

**6. Accidental release measures**

**M90025-30**

**Personal precautions, protective equipment and emergency procedures:**

CAUTION! Avoid contact with skin and eyes. Use only in well-ventilated areas. Eye irritation on contact with the uncured product. Remove contact lenses before using sealant. Do not handle lenses until all sealant has been cleaned from the finger and hands. Product releases methanol during application and curing.

**Methods and material for containment and cleaning up:**

Wipe, scrape or soak up in an inert material and put in a container for disposal. Wash walking surfaces with detergent and water to reduce slipping hazard. Wear proper protective equipment as specified in the protective equipment section.

**7. Handling and storage**

**Precautions for safe handling:** Sensitivity to static discharge is not expected.

**Conditions for safe storage, including any incompatibilities:** Keep away from sources of ignition - No smoking. Keep container in a well-ventilated place.

**8. Exposure controls/personal protection**

**Control Parameters**

**Occupational Exposure Limits**

| Chemical Identity                            | Type | Exposure Limit Values | Source  |
|--|------|-----------------------|---|
| (1) Calcium Carbonate - Total                | REL  | 10 mg/m3              | US. NIOSH: Pocket Guide to Chemical Hazards (2010)                          |
| (1) Calcium Carbonate - Respirable.          | REL  | 5 mg/m3               | US. NIOSH: Pocket Guide to Chemical Hazards (2010)                          |
| (1) Calcium Carbonate - Total dust.          | PEL  | 15 mg/m3              | US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006) |
| (1) Calcium Carbonate - Respirable fraction. | PEL  | 5 mg/m3               | US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006) |
| (1) Calcium Carbonate - Total dust.          | TWA  | 15 mg/m3              | US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)                              |
| (1) Calcium Carbonate - Respirable fraction. | TWA  | 5 mg/m3               | US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)                              |
| (1) Calcium Carbonate - Total dust.          | TWA  | 15 mg/m3              | US. Tennessee. OELs. Occupational Exposure Limits, Table Z1A (06 2008)      |
| (1) Calcium Carbonate - Respirable fraction. | TWA  | 5 mg/m3               | US. Tennessee. OELs. Occupational Exposure Limits, Table Z1A (06 2008)      |
| (1) CALCIUM CARBONATE - Respirable.          | REL  | 5 mg/m3               | US. NIOSH: Pocket Guide to Chemical Hazards (2010)                          |
| (1) CALCIUM CARBONATE - Total                | REL  | 10 mg/m3              | US. NIOSH: Pocket Guide to Chemical Hazards (2010)                          |
| (1) CALCIUM CARBONATE - Total dust.          | PEL  | 15 mg/m3              | US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006) |
| (1) CALCIUM CARBONATE - Respirable fraction. | PEL  | 5 mg/m3               | US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006) |
| (1) CALCIUM CARBONATE - Total dust.          | TWA  | 15 mg/m3              | US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)                              |
| (1) CALCIUM CARBONATE - Respirable fraction. | TWA  | 5 mg/m3               | US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)                              |
| (1) CALCIUM CARBONATE - Total dust.          | TWA  | 15 mg/m3              | US. Tennessee. OELs. Occupational Exposure Limits, Table Z1A (06 2008)      |
| (1) CALCIUM CARBONATE - Respirable fraction. | TWA  | 5 mg/m3               | US. Tennessee. OELs. Occupational Exposure Limits, Table Z1A (06 2008)      |

**M90025-30**

|   |         |  |  |
|---|---------|--|--|
| Distillates, petroleum, hydrotreated middle - Inhalable fraction. | TWA     | 5 mg/m <sup>3</sup>                            | US. ACGIH Threshold Limit Values (03 2015)   |
| Distillates, petroleum, hydrotreated middle - Mist.               | REL     | 5 mg/m <sup>3</sup>                            | US. NIOSH: Pocket Guide to Chemical Hazards (2010)   |
|   | STEL    | 10 mg/m <sup>3</sup>                           | US. NIOSH: Pocket Guide to Chemical Hazards (2010)   |
|   | PEL     | 5 mg/m <sup>3</sup>                            | US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)                |
|   | TWA     | 5 mg/m <sup>3</sup>                            | US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)   |
|   | TWA     | 5 mg/m <sup>3</sup>                            | US. Tennessee. OELs. Occupational Exposure Limits, Table Z1A (06 2008)                     |
| Distillates, petroleum, hydrotreated middle                       | ST ESL  | 3,500 µg/m <sup>3</sup>                        | US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (11 2016)  |
|   | AN ESL  | 350 µg/m <sup>3</sup>                          | US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (11 2016)  |
| Distillates, petroleum, hydrotreated middle - Mist.               | TWA PEL | 5 mg/m <sup>3</sup>                            | US. California Code of Regulations, Title 8, Section 5155. Airborne Contaminants (01 2015) |
| Distillates, petroleum, hydrotreated middle                       | IDLH    | 2,500 mg/m <sup>3</sup>                        | US. NIOSH. Immediately Dangerous to Life or Health (IDLH) Values (10 2017)                 |
| (1) TITANIUM DIOXIDE  | TWA     | 10 mg/m <sup>3</sup>                           | US. ACGIH Threshold Limit Values (03 2015)   |
| (1) TITANIUM DIOXIDE - Total dust.                                | PEL     | 15 mg/m <sup>3</sup>                           | US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)                |
|   | TWA     | 10 mg/m <sup>3</sup>                           | US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)   |
|   | TWA     | 10 mg/m <sup>3</sup>                           | US. Tennessee. OELs. Occupational Exposure Limits, Table Z1A (06 2008)                     |
| (1) TITANIUM DIOXIDE - Particulate.                               | ST ESL  | 50 µg/m <sup>3</sup>                           | US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (11 2016)  |
|   | AN ESL  | 5 µg/m <sup>3</sup>                            | US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (11 2016)  |
| (1) TITANIUM DIOXIDE - Total dust.                                | TWA PEL | 10 mg/m <sup>3</sup>                           | US. California Code of Regulations, Title 8, Section 5155. Airborne Contaminants (01 2015) |
| (1) TITANIUM DIOXIDE - Respirable fraction.                       | TWA PEL | 5 mg/m <sup>3</sup>                            | US. California Code of Regulations, Title 8, Section 5155. Airborne Contaminants (01 2015) |
|   | TWA     | 15 millions of particles per cubic foot of air | US. OSHA Table Z-3 (29 CFR 1910.1000) (03 2016)  |
| (1) TITANIUM DIOXIDE - Total dust.                                | TWA     | 15 mg/m <sup>3</sup>                           | US. OSHA Table Z-3 (29 CFR 1910.1000) (03 2016)  |
| (1) TITANIUM DIOXIDE - Respirable fraction.                       | TWA     | 5 mg/m <sup>3</sup>                            | US. OSHA Table Z-3 (29 CFR 1910.1000) (03 2016)  |
| (1) TITANIUM DIOXIDE - Total dust.                                | TWA     | 50 millions of particles per cubic foot of air | US. OSHA Table Z-3 (29 CFR 1910.1000) (03 2016)  |
| (1) TITANIUM DIOXIDE  | IDLH    | 5,000 mg/m <sup>3</sup>                        | US. NIOSH. Immediately Dangerous to Life or Health (IDLH) Values (10 2017)                 |
| Octadecanoic acid - Respirable fraction.                          | TWA     | 3 mg/m <sup>3</sup>                            | US. ACGIH Threshold Limit Values (03 2017)   |
| Octadecanoic acid - Inhalable fraction.                           | TWA     | 10 mg/m <sup>3</sup>                           | US. ACGIH Threshold Limit Values (03 2017)   |
| Octadecanoic acid - Vapor.  | ST ESL  | 1,000 µg/m <sup>3</sup>                        | US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (11 2016)  |
|   | AN ESL  | 100 µg/m <sup>3</sup>                          | US. Texas. Effects Screening Levels (Texas   |

**M90025-30**

|                                   |          |   |  |
|-----------------------------------|----------|---|--|
|                                   |          |   | Commission on Environmental Quality) (11 2016)   |
| (1) QUARTZ - Respirable fraction. | TWA      | 0.025 mg/m3                                     | US. ACGIH Threshold Limit Values (03 2015)   |
| (1) QUARTZ - Respirable dust.     | REL      | 0.05 mg/m3                                      | US. NIOSH: Pocket Guide to Chemical Hazards (2010)   |
| (1) QUARTZ - Respirable dust.     | TWA      | 0.05 mg/m3                                      | US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053) (03 2016)               |
|                                   | OSHA_ACT | 0.025 mg/m3                                     | US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053) (03 2016)               |
| (1) QUARTZ - Respirable dust.     | PEL      | 0.05 mg/m3                                      | US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (03 2016)                |
|                                   | TWA      | 0.1 mg/m3                                       | US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)   |
|                                   | TWA      | 0.1 mg/m3                                       | US. Tennessee. OELs. Occupational Exposure Limits, Table Z1A (06 2008)                     |
| (1) QUARTZ - Particulate.         | ST ESL   | 14 µg/m3  | US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (11 2016)  |
|                                   | AN ESL   | 0.27 µg/m3                                      | US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (11 2016)  |
| (1) QUARTZ - Respirable dust.     | TWA PEL  | 0.05 mg/m3                                      | US. California Code of Regulations, Title 8, Section 5155. Airborne Contaminants (10 2016) |
| (1) QUARTZ - Respirable.          | TWA      | 2.4 millions of particles per cubic foot of air | US. OSHA Table Z-3 (29 CFR 1910.1000) (2000)   |
|                                   | TWA      | 0.1 mg/m3                                       | US. OSHA Table Z-3 (29 CFR 1910.1000) (2000)   |
| (1) QUARTZ                        | IDLH     | 50 mg/m3  | US. NIOSH. Immediately Dangerous to Life or Health (IDLH) Values (10 2017)                 |

This product contains one or more substances with an occupational exposure limit. However, the respirable particle(s) of this/these substance(s) are inextricably bound within the polymer matrix. Therefore, we do not expect an exposure to this/these substance(s) during normal use of this product. Tooling or machining of the cured product (sanding, cutting, milling) may release hazardous, respirable substances.

**Appropriate Engineering Controls**

Eye wash facilities and emergency shower must be available when handling this product.

**Individual protection measures, such as personal protective equipment**

**General information:**

Ventilation and other forms of engineering controls are preferred for controlling exposures. Respiratory protection may be needed for non-routine or emergency situations.

**Eye/face protection:**

Safety glasses with side shields

**Skin Protection**

**Hand Protection:**

Rubber or plastics gloves

**Other:**

Wear suitable protective clothing and eye/face protection.

**M90025-30**

**Respiratory Protection:** If exposure limits are exceeded or respiratory irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Supplied air respirators may be required for non-routine or emergency situations. Respiratory protection must be provided in accordance with OSHA regulations (see 29CFR 1910.134).

**Hygiene measures:** Observe good industrial hygiene practices.

**9. Physical and chemical properties**

**Appearance**

**Physical state:** solid  
**Form:** Paste  
**Color:** White

**Odor:** Faint  
**Odor threshold:** No data available.

**pH:** Not applicable

**Melting point/freezing point:** Not applicable

**Initial boiling point and boiling range:** Not applicable

**Flash Point:** > 93 °C

**Evaporation rate:** Not applicable

**Flammability (solid, gas):** No data available.

**Upper/lower limit on flammability or explosive limits**

**Flammability limit - upper (%):** No data available.

**Flammability limit - lower (%):** No data available.

**Explosive limit - upper (%):** No data available.

**Explosive limit - lower (%):** No data available.

**Heat of combustion:** No data available.

**Vapor pressure:** Not applicable

**Vapor density:** No data available.

**Density:** 1.49 g/cm<sup>3</sup>

**Relative density:** No data available.

**Solubility(ies)**

**Solubility in water:** Insoluble

**Solubility (other):** Toluene

**Partition coefficient (n-octanol/water) Log Pow:** No data available.

**Auto-ignition temperature:** No data available.

**Decomposition temperature:** No data available.

**SADT:** No data available.



**M90025-30**

**Viscosity, dynamic:** No data available.  
**Viscosity, kinematic:** No data available.  
**VOC:** 40 g/l ;

**10. Stability and reactivity**

**Reactivity:** No dangerous reaction if used as recommended.  
**Chemical Stability:** Material is stable under normal conditions.  
**Possibility of hazardous reactions:** Hazardous polymerisation does not occur.  
**Conditions to avoid:** None known.  
**Incompatible Materials:** None known.  
**Hazardous Decomposition Products:** Methanol Carbon dioxide Formaldehyde. Silicon dioxide.

**11. Toxicological information**

**Information on likely routes of exposure**

**Ingestion:** No data available.  
**Inhalation:** No data available.  
**Skin Contact:** No data available.  
**Eye contact:** No data available.

**Symptoms related to the physical, chemical and toxicological characteristics**

**Ingestion:** No data available.  
**Inhalation:** No data available.  
**Skin Contact:** No data available.  
**Eye contact:** No data available.

**Information on toxicological effects**

**Acute toxicity (list all possible routes of exposure)**

**Oral Product:** Not applicable Not classified for acute toxicity based on available data.

**M90025-30**

**Specified substance(s):**

(1) TITANIUM DIOXIDE LD 50 (Rat): > 10,000 mg/kg

Octadecanoic acid LD 50 (Rat, No data available.): > 2,000 mg/kg

Aminoethyl aminopropyl trimethoxy silane LD 50 (Rat): 2,995 mg/kg

**Dermal**

**Product:** Not applicable Not classified for acute toxicity based on available data.

**Specified substance(s):**

(1) TITANIUM DIOXIDE LD 50 (Rabbit): > 10,000 mg/kg

Vinyltrimethoxysilane LD 50 (Rabbit): > 3,460 - 4,000 mg/kg

Aminoethyl aminopropyl trimethoxy silane LD 50 (Rabbit): > 2,000 mg/kg

**Inhalation**

**Product:** ATEmix : 826.32 mg/l

**Specified substance(s):**

(1) TITANIUM DIOXIDE LC50 (Rat): > 6.8 mg/l

Vinyltrimethoxysilane LC50 (Rat): 16.79 mg/l

**Repeated dose toxicity**

**Product:** No data available.

**Specified substance(s):**

Aminoethyl aminopropyl trimethoxy silane NOAEL (Rat, Oral, 28 d): >= 500 mg/kg

**Skin Corrosion/Irritation**

**Product:** No data available.

**Serious Eye Damage/Eye Irritation**

**Product:** No data available.

**Respiratory or Skin Sensitization**

**Product:** No data available.

**Carcinogenicity**

**M90025-30**

**Product:** No data available.

**IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:**

No carcinogenic components identified **US. National Toxicology Program (NTP) Report on Carcinogens:**  
(1) QUARTZ Known To Be Human Carcinogen.

**US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050):**  
No carcinogenic components identified

**Germ Cell Mutagenicity**

**In vitro**  
**Product:** No data available.

**In vivo**  
**Product:** No data available.

**Reproductive toxicity**  
**Product:** No data available.

**Specific Target Organ Toxicity - Single Exposure**  
**Product:** No data available.

**Specific Target Organ Toxicity - Repeated Exposure**  
**Product:** No data available.

**Aspiration Hazard**  
**Product:** No data available.

**Other effects:** No data available.

**12. Ecological information**

**Ecotoxicity:**

**Acute hazards to the aquatic environment:**

**Fish**  
**Product:** No data available.

**Specified substance(s):**  
(1) TITANIUM DIOXIDE LC0 (Leuciscus idus, 48 h): > 1,000 mg/l

**M90025-30**

Octadecanoic acid LC0 (Brachydanio rerio, 96 h): > 100 mg/l  
 LC0 (Leuciscus idus, 96 h): > 100 mg/l

Aminoethyl aminopropyl trimethoxy silane LC50 (Lepomis macrochirus): > 100 mg/l

**Aquatic Invertebrates**

**Product:** No data available.

**Specified substance(s):**

Vinyltrimethoxysilane EC50 (Daphnia magna, 48 h): > 100 mg/l

Aminoethyl aminopropyl trimethoxy silane EC50 (Daphnia magna, 48 h): 87.4 mg/l

**Chronic hazards to the aquatic environment:**

**Fish**

**Product:** No data available.

**Specified substance(s):**

Octadecanoic acid LC0 (Brachydanio rerio, 4 d): > 100 mg/l  
 LC0 (Leuciscus idus, 4 d): > 100 mg/l

**Aquatic Invertebrates**

**Product:** No data available.

**Toxicity to Aquatic Plants**

**Product:** No data available.

**Specified substance(s):**

Vinyltrimethoxysilane EC50 (Desmodesmus subspicatus (green algae), 72 h): > 100 mg/l

Aminoethyl aminopropyl trimethoxy silane EC50 (Algae (Pseudokirchneriella subcapitata), 96 h): 8.8 mg/l  
 NOEC (Algae (Pseudokirchneriella subcapitata)): 3.1 mg/l

**Persistence and Degradability**

**Biodegradation**

**Product:** No data available.

**Specified substance(s):**

(1) TITANIUM DIOXIDE 0 %

Vinyltrimethoxysilane (28 d, OECD-Guideline 301 F (Manometric Respirometry Test)) The product is not readily biodegradable.

**BOD/COD Ratio**

**Product:** No data available.

**M90025-30**

**Bioaccumulative potential**

**Bioconcentration Factor (BCF)**

**Product:** No data available.

**Partition Coefficient n-octanol / water (log Kow)**

**Product:** No data available.

**Mobility in soil:** No data available.

**Known or predicted distribution to environmental compartments**

|  |                    |
|--|--------------------|
| (1) Calcium Carbonate                          | No data available. |
| (1) CALCIUM<br>CARBONATE                       | No data available. |
| Distillates, petroleum,<br>hydrotreated middle | No data available. |
| (1) TITANIUM DIOXIDE                           | No data available. |
| Octadecanoic acid                              | No data available. |
| Vinyltrimethoxysilane                          | No data available. |
| Aminoethyl aminopropyl<br>trimethoxy silane    | No data available. |
| (1) QUARTZ                                     | No data available. |

**Other adverse effects:** No data available.

**13. Disposal considerations**

|                                |   |
|--------------------------------|---|
| <b>General information:</b>    | The generation of waste should be avoided or minimized wherever possible. Do not discharge into drains, water courses or onto the ground. See Section 8 for information on appropriate personal protective equipment. |
| <b>Disposal instructions:</b>  | Disposal should be made in accordance with federal, state and local regulations.  |
| <b>Contaminated Packaging:</b> | Dispose of as unused product.   |

**14. Transport information**

**DOT**

Not regulated.

**IMDG**

Not regulated.

**IATA**

Not regulated.

**M90025-30**

**Special precautions for user:** This product is not regarded as dangerous goods according to the national and international regulations on the transport of dangerous goods.

**15. Regulatory information**

**US Federal Regulations**

**TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)**

None present or none present in regulated quantities.

**CERCLA Hazardous Substance List (40 CFR 302.4):**

| <u>Chemical Identity</u> | <u>Reportable quantity</u> |
|--------------------------|----------------------------|
|--------------------------|----------------------------|

**Superfund Amendments and Reauthorization Act of 1986 (SARA)**

**Hazard categories**

Respiratory or Skin Sensitization

**SARA 302 Extremely Hazardous Substance**

None present or none present in regulated quantities.

**SARA 304 Emergency Release Notification**

| <u>Chemical Identity</u> | <u>Reportable quantity</u> |
|--------------------------|----------------------------|
|--------------------------|----------------------------|

|                    |           |
|--------------------|-----------|
| Diisodecyl mixture | Phthalate |
|--------------------|-----------|

**SARA 311/312 Hazardous Chemical**

| <u>Chemical Identity</u> | <u>Threshold Planning Quantity</u> |
|--------------------------|------------------------------------|
|--------------------------|------------------------------------|

|   |           |
|---|-----------|
| (1) Calcium Carbonate                       | 10000 lbs |
| (1) CALCIUM CARBONATE                       | 10000 lbs |
| Distillates, petroleum, hydrotreated middle | 10000 lbs |
| (1) TITANIUM DIOXIDE                        | 10000 lbs |
| Octadecanoic acid                           | 10000 lbs |
| Vinyltrimethoxysilane                       | 10000 lbs |
| Aminoethyl aminopropyl trimethoxy silane    | 10000 lbs |
| (1) QUARTZ                                  | 10000 lbs |

**SARA 313 (TRI Reporting)**

None present or none present in regulated quantities.

**Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3)**

None present or none present in regulated quantities.

**Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130):**

None present or none present in regulated quantities.

---

M90025-30

**US State Regulations**

**US. California Proposition 65**



**WARNING**

Reproductive Harm - [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

**US. New Jersey Worker and Community Right-to-Know Act**

**Chemical Identity**

- (1) Calcium Carbonate
- (1) CALCIUM CARBONATE
- Silylated Polyurethane Resin
- Distillates, petroleum, hydrotreated middle
- Diisodecyl Phthalate mixture
- (1) TITANIUM DIOXIDE
- (1) QUARTZ

**US. Massachusetts RTK - Substance List**

**Chemical Identity**

- Distillates, petroleum, hydrotreated middle
- (1) QUARTZ
- 10,10'-OXYBISPHENOXARSINE
- 1,2-Ethylenediamine

**US. Pennsylvania RTK - Hazardous Substances**

**Chemical Identity**

- (1) Calcium Carbonate
- (1) CALCIUM CARBONATE
- Distillates, petroleum, hydrotreated middle
- Diisodecyl Phthalate mixture
- (1) TITANIUM DIOXIDE

**US. Rhode Island RTK**

**Chemical Identity**

- Distillates, petroleum, hydrotreated middle

**M90025-30**

**Inventory Status:**

|  |  |                |
|--|--|----------------|
| Australia AICS:                          | Not in compliance with the inventory.  | Remarks: None. |
| Canada DSL Inventory List:               | On or in compliance with the inventory | Remarks: None. |
| EINECS, ELINCS or NLP:                   | Not in compliance with the inventory.  | Remarks: None. |
| Japan (ENCS) List:                       | Not in compliance with the inventory.  | Remarks: None. |
| China Inv. Existing Chemical Substances: | Not in compliance with the inventory.  | Remarks: None. |
| Korea Existing Chemicals Inv. (KECI):    | Not in compliance with the inventory.  | Remarks: None. |
| Canada NDSL Inventory:                   | Not in compliance with the inventory.  | Remarks: None. |
| Philippines PICCS:                       | Not in compliance with the inventory.  | Remarks: None. |
| US TSCA Inventory:                       | On or in compliance with the inventory | Remarks: None. |
| New Zealand Inventory of Chemicals:      | Not in compliance with the inventory.  | Remarks: None. |
| Mexico INSQ:                             | Not in compliance with the inventory.  | Remarks: None. |
| Ontario Inventory:                       | Not in compliance with the inventory.  | Remarks: None. |
| Taiwan Chemical Substance Inventory:     | Not in compliance with the inventory.  | Remarks: None. |

**16. Other information, including date of preparation or last revision**

**HMIS Hazard ID**

|                            |  |          |
|----------------------------|--|----------|
| <b>Health</b>              |  | <b>2</b> |
| <b>Flammability</b>        |  | <b>1</b> |
| <b>Physical Hazards</b>    |  | <b>1</b> |
| <b>PERSONAL PROTECTION</b> |  |          |

Hazard rating: 0 - Minimal; 1 - Slight; 2 - Moderate; 3 - Serious; 4 - Severe; RNP - Rating not possible; \*Chronic health effect

**Issue Date:** 01/25/2019  
**Revision Date:** No data available.  
**Version #:** 3.0  
**Further Information:** No data available.



---

**M90025-30**

**Disclaimer:**

**Notice to reader**

Unless otherwise specified in section 1, Momentive products are intended for use in the manufacture and/or formulation of products and are not intended for direct consumer use. These products are not intended for long-lasting (> 30 days) implantation, injection or direct ingestion into the human body, nor for use in the manufacture of multiple use contraceptives. Keep out of the reach of children.

**Further Information**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safehandling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.