

Version: 2.1

1/11

Release date: 27/08/2007

Revision date: 27/11/2017

### SECTION 1: Identification of the substance/mixture of the company/undertaking

1.1 Product identifier

Product name: Carbon dioxide, liquid

Trade name: Charger

Additional identifiers

Chemical designation: Carbon dioxide

Chemical formula: CO2

EU number:

**CAS number:** 124-38-9 **EC number** 204-696-9

REACH registration number: it is included in Annex IV/V to EC Regulation No. 1907/2006 (REACH), it is

excluded from registration.

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses: industrial food and/or health use

Uses advised against The product of industrial or technical quality is not suitable for medical and/or

food uses and inhalation.

1.3 Details of the supplier of the safety data sheet



Telephone: (650) 588-2203 Toll Free: (800) 500-0583 Fax: (650) 588-8568 www.whipitbrand.com

1.4. Emergency telephone number: + 36 80 20 11 99 - Health Toxicological Information Services. H-1096 Budapest, Nagyvárad tér 2.



Release date: Revision date: 27/08/2007 27/11/2017 Version: 2.1

2/11

# SECTION 2: Hazards identification

#### 2.1 Classification of substance or mixture

### Classification according to EC 1272/2008 as amended.

Physical hazards

Gas under pressure

Liquid gas

H280: Contains gas under pressure; may explode if

heated.

#### 2.2 Label elements



Warning:

Warning

**Hazard statements:** 

H280: Contains gas under pressure; may explode if heated.

Precautionary statements

**Prevention:** 

None

Responses:

None

Storage:

P403: Store in a well-ventilated place.

Disposal:

None

2.3 Other hazards:

Contact with the steaming liquid may cause frostbite.

## SECTION 3: Composition and information on ingredients

#### 3.1 Substances

**Chemical designation** 

Carbon dioxide

EU number:

CAS number:

124-38-9

EC number:

204-696-9

**REACH registration number:** 

it is included in Annex IV/V to EC Regulation No. 1907/2006 (REACH), it is

excluded from registration.

**Purity:** 

100%

In this section, purity only serves for classification and does not reflect the actual

purity of the delivered substance for which another documentation must be

investigated.

Trade name:

Charger



Release date: 27/08/2007 Version: 2.1 Revision date: 27/11/2017 3/11

#### **SECTION 4: First aid measures**

General: It may cause asphyxia in significant concentration. Symptoms may include the loss

of motility or consciousness. The injured does not perceive the state of asphyxia. In addition to using a self-contained respiratory apparatus, move the injured to fresh air. Keep them warmly and calmly. In case of respiratory arrest provide artificial

respiration. Call a doctor on the spot.

4.1 Description of first aid measures

Inhalation: It may cause asphyxia in significant concentration. Symptoms may include the loss

of motility or consciousness. The injured does not perceive the state of asphyxia. In addition to using a self-contained respiratory apparatus, move the injured to fresh air. Keep them warmly and calmly. In case of respiratory arrest provide artificial

respiration. Call a doctor on the spot.

Eyes Wash your eyes immediately with water. Remove contact lenses if present and easy

to do so. Continue rinsing. Rinse the eyes at least for 15 minutes. Get prompt medical attention. If medical help is not available, continue rinsing the eyes for

additional 15 minutes.

Skin Contact with the steaming liquid may cause frostbite.

**Ingestion:** Ingestion does not belong to the potential exposures.

4.2 Most important symptoms and effects, both acute and delayed:

Carbon dioxide is known as the strongest cerebral vasodilator, its inhalation in large concentration causes circulatory dysfunction which may lead to coma and death. Asphyxia probably takes place before the overexposure of carbon dioxide. Chronic, adverse effect is not known in case of repeated inhalation in small concentration.

The exposure of small-concentration carbon dioxide may cause increased respiration and headache. Its effects as a result of lack of oxygen may be: shortness of breath, decreased mental alertness, reduced coordination, faulty judgment, depression, emotional instability and fatigue. As the asphyxia advances, it may cause nausea, vomit, drowsiness and loss of consciousness then it may lead to cramps, coma and death. Anoxic conditions during pregnancy may cause

malformation in humans and experimental animals.

4.3 Indication of any immediate medical attention and special treatment needed

Hazards: Respiratory paralysis. Due to the fast evaporative cooling, contact with the liquid

gas may be harmful (freezing).

Treatment: Thaw frosted parts with lukewarm water. Do not rub affected area.

Get immediate medical advice/attention.

## **SECTION 5: Firefighting measures**

# 5.1 Extinguishing media

Suitable extinguishing media: The substance is non-combustible. To extinguish fire in the environment, use

suitable extinguishing media.

Unsuitable extinguishing

media:

None

5.2 Special hazards arising from the substance or mixture:

None



Release date: Revision date: 27/08/2007 27/11/2017

Version: 2.1 4/11

**Hazardous combustion products:** 

None

5.3 Advice for firefighters

Special procedures:

In case of fire: Stop leak if safe to do so. Use a fire extinguisher to stop fire.

Remove ignition source or let it burn.

Special protective equipment

for firefighters:

Firefighters are expected to use standard protective equipment including fire retardant jacket, helmet with face guard, gloves, rubber boots and a self-contained breathing apparatus. EN Directive 469 Protective clothing for firefighters Performance requirements for protective clothing for firefighting. EN 15090 Footwear for firefighters. EN 659 Protective gloves for firefighters. EN 443 Helmets for firefighting in buildings and other structures. EN 137 Respiratory protective devices. Compressed air breathing apparatus. Requirements, testing,

marking.

## **SECTION 6: Accidental release measures**

6.1 Personal precautions, protective equipment and emergency procedures:

Empty the area. Provide appropriate ventilation. Do not allow it to enter sewers, basement, excavation or other places where its accumulation may be hazardous. When entering the area, use a self-contained respiratory apparatus unless the area has been found safe. EN 137 Respiratory protective devices. Compressed air

breathing apparatus. Requirements, testing, marking.

**6.2 Environmental precautions:** 

If safe to do so, do not allow additional leak or spill.

6.3 Methods and material for containment and cleaning up: Provide appropriate ventilation.

6.4 Reference to other sections:

Refer section 8.

## **SECTION 7: Handling and storage:**

7.1 Precautions for safe handling:

7.1.1 Technical precautions

Ensure ventilation, use protective equipment

7.1.2 Advice for safe handling

Avoid skin, eye, cloth contact. Avoid the inhalation of the product's mist, steam. Avoid the product's contact with oily, greasy surface. Only use equipment which is suitable for this product, the planned pressure and temperature.

7.2 Conditions for safe storage, including any incompatibilities:

7.2.1. Technical measures / Storage conditions

keep in a dry, cool and well-ventilated place in its original, closed packing away from heat and source of ignition.

7.2.2 Incompatible products

N/A

7.2.3 Packings

in retail packings and/or in bulk

7.3 Specific end uses (end uses):

none



Release date: Revision date: 27/08/2007 27/11/2017 Version: 2.1

5/11

## SECTION 8: Exposure controls and personal protection

## 8.1 Control parameters

Occupational exposure limits

Chemical designation  Carbon dioxide	Type	<b>Exposure limits</b>		Source
		5.000 ppm	9.000 ng/m3	EU. Indicative exposure limits according to Directives 91/322/EEC, 2000/39/EC, 2006/15/EC, 2009/161/EU (2009. 09.)
ASSESSED TO SECURITY OF THE PERSON OF THE PE	ÁK		9.000 ng/m3	Occupational exposure limit value (OEL), Joint Decree No. 25/2000 (IX. 30.) of the Ministry of Health and the Ministry of Social and Family Affairs on the chemical safety of workplaces. (2007, 12.)

### 8.2 Protection against exposure

provide ventilation, use protective equipment. Avoid the inhalation of the product's mist, steam. Avoid skin, eye, cloth contact.

### 8.2.1. Occupational exposure controls

## 8.2.1.1. Respiratory protection



in case of inadequate ventilation or extraction, use a respiratory apparatus. In a closed area use a self-contained respiratory apparatus.

### 8.2.1.2 Hand protection:



protective gloves, (MSZ EN-388)

#### 8.2.1.3. Eye protection



tightly fitting protective glasses (EN 166),

#### 8.2.1.4. Skin protection

safety shoes (MSZ EN 345-1, SB)

## 8.2.2. Environmental exposure controls

avoid release to sewer, pits and basement.

# SECTION 9: Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

**External characteristics** 

Physical state:

Form:

Gas

Liquid gas



Release date: Revision date: 27/08/2007 27/11/2017 Version: 2.1

6/11

Colour: Colourless

Odourless Odourless

Odour threshold: The odour threshold is subjective and not suitable for the

warning of excessive exposure.

pH value: 3.2 - 3.7 pH value of saturated CO2 solutions range between 3.7

and 3.2 at a pressure of 101 KPa (1 atm) and 2,370 KPa (23,4

atm)

Melting point: -56.6 °C

Boiling point: -78.5 °C

Sublimation point: -78.5 °C

Critical temperature (°C): 31.0 °C

Flash point: Not applicable to gases and gas mixtures.

Evaporation rate: Not applicable to gases and gas mixtures.

Flammability (solid, gas):

Explosive limit - Top (%)-:

Explosive limit - Lower (%)-:

Non-flammable gas

not applicable.

not applicable.

45.1 bar (10 °C)

Vapour density (air=1):

1.522 (21 °C)

Relative density:

1.512 (-56.6 °C)

Solubility

Water: 2.900 mg/l (25 °C)

Partition coefficient: (n-octanol/water): 0.83

Auto-ignition temperature: not applicable.

Decomposition temperature: Not determined.

Viscosity

Cinematic viscosity:

Not determined.

0.07 mPa.s (20 °C)
0.02 mPa.s (20 °C)

**Explosive properties:**Not applicable. **Oxidising properties:**not applicable.

**9.2 OTHER INFORMATION:** Its gas/vapour is heavier than air. In closed areas, it may

accumulate easily, especially on the floor or in low-lying areas.

Molecular weight: 44.01 g/mol (CO2)

## SECTION 10: Stability and reactivity

10.1 Reactivity As regards reactivity, there is no additional hazards in addition to those included in

this section.

10.2 Chemical stability: Stable under normal circumstances.

10.3 Possibility of hazardous None

reactions:

10.4 Conditions to avoid: None

10.5 Incompatible materials:
It does not react with any substance under neither dry nor wet circumstances.



Release date: 27/08/2007 Version: 2.1 Revision date: 27/11/2017 7/11

10.6 Hazardous decomposition

products:

No hazardous decomposition products would be expected under the normal

conditions of use and storage.

### SECTION 11: Toxicological information

General information: In large concentration, it may cause the fast deterioration of circulation even at

average level of oxygen concentration. The symptoms may be a headache, nausea,

vomit which may lead to loss of consciousness or even death.

### 11.1 Information on toxicological effects

Acute toxicity - Ingestion

**Product** Based on the available data the criteria for classification is not possible.

Acute toxicity - Skin contact

**Product** Based on the available data the criteria for classification is not possible.

Acute toxicity - Inhalation

**Product** Based on the available data the criteria for classification is not possible.

Skin corrosion/Skin irritation

**Product** Based on the available data the criteria for classification is not possible.

Serious eye damage/Eye irritation

**Product** Based on the available data the criteria for classification is not possible.

Respiratory or skin sensitization

**Product** Based on the available data the criteria for classification is not possible.

Germ cell mutagenicity

**Product** Based on the available data the criteria for classification is not possible.

Carcinogenicity

**Product** Based on the available data the criteria for classification is not possible.

Reproductive toxicity

**Product** Based on the available data the criteria for classification is not possible.

Target organ toxicity - single exposure

**Product** Based on the available data the criteria for classification is not possible.

Target organ toxicity - repeated exposure

**Product**Based on the available data the criteria for classification is not possible.

**Aspiration hazard** 

**Product** Not applicable to gases and gas mixtures.

#### SECTION 12: Ecological information

### 12.1 Toxicity

Acute toxicity Product

This product does not cause ecological damages.



Release date: 27/08/2007 Version: 2.1
Revision date: 27/11/2017 8/11

12.2 Persistence and degradability

**Product** Not applicable to gases and gas mixtures.

12.3 Bioaccumulation

**Product** The respective product is expected to degrade biologically and does not survive for

long in the aquatic environment.

12.4 Mobility in soil

**Product** Due to its high volatility, the soil or water pollution of the product is not possible.

12.5 Results of PBT and vPvB

assessment

**Product** Not classified as PBT or vPvB substance.

12.6 Other adverse effects:

Global warming potential

Global warming potential: 1

When it is emitted in large volume, it may contribute to the greenhouse effect.

Carbon dioxide Global warming potential: 1

## SECTION 13: Disposal considerations

13.1 Product disposal The product became unsuitable for further use arising from the substance or

formulation, the tools and packaging contaminated with the substance shall be

transported to an authorised operator for additional utilisation/disposal.

13.2 Packing disposal the packing may be treated similarly to the product.

13.3 EWC data 15 01 05 mixed composite packaging

### SECTION 14: Transport information

#### ADR/ADN/RID

14.1 UN number: UN 2037

14.2 Shipping name: Small containers filled with gas (gas cartridges)

no

14.3 Hazard class(es)

14.5 Environmental hazards:

Class: 2
Risk label(s): 2.2
Classification code 5A
Hazard identification (Kemler) 20
number:
Tunnel restriction code: (E)

ID I

14.4 Packing group:

14.6 Special precautions for user:



# SAFETY DATA SHEET

### Carbon dioxide, filled in cartridge

Release date: Revision date: 27/08/2007 27/11/2017 Version: 2.1

9/11

#### **IMDG**

14.1 UN number:

UN 2037

2

2.2

14.2 Shipping name:

Small containers filled with gas (gas cartridges)

14.3 Hazard class(es)

Class: Risk label(s): EmS No .:

14.3 Packing group:

14.5 Marine pollutant: no 14.6 Special precautions for user:

IATA

14.1 UN number:

UN 2037

F-D, S-U

14.2 Shipping name:

Small containers filled with gas (gas cartridges)

14.3 Hazard class(es)

Class: Risk label(s): 2.2

14.4 Packing group:

2.2

14.5 Environmental hazards:

not applicable.

14.6 Special precautions for user:

OTHER INFORMATION

Passenger and cargo aircraft:

Only cargo aircraft: PAX CAO

Authorised. Authorised.

Y203, 203 203

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC code: not applicable

Additional identifiers

Avoid transport in vehicles which do not have a hold separate from the cab. The driver shall know the possible hazards of the freight and the measures to be taken in case of an accident or danger. Before the product's transport make sure it is safe. Ensure adequate ventilation.

### SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture:



Release date: 27/08/2007 Version: 2.1 Revision date: 27/11/2017 10/11

#### 15.1.1 Key regulations for the product

Act XCIII of 1993 on health and safety and related regulations

Act CLXXXV of 2012 on waste

Act XXV of 2000 on chemical safety

Government Decree No. 225/2015. (VIII. 7.) on the detailed rules of specific activities in connection with hazardous waste

Joint Decree No. 3/2002. (II. 8.) of the Ministry of Health and the Ministry of Social and Family Affairs on the minimum level of occupational safety requirements of workplaces

Decree No. 54/2014. (XII. 5.) of the Ministry of Internal Affairs on the National Fire Safety Regulations

Decree No. 44/2000. (XII. 20.) of the Ministry of Health on the detailed rules of specific procedures and activities in connection with hazardous substances and formulations

Joint Decree No. 25/2000. (IX. 30.) of the Ministry of Health and the Ministry of Social and Family Affairs on the chemical safety of workplaces

EC Regulation 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)

EC Regulation 1272/2008 on the classification, labelling and packaging of substances and mixtures (CLP). This Safety Data Sheet has been made in compliance with EU Regulation 830/2015.

#### 15.1.2 Other respective regulation

EWC codes: Decree No. 72/2013. (VIII. 27.) of the Ministry of Rural Development on waste list Road transport class: Act 19 of 1979 and (Decree No. 61/2013 (X. 17.) of the Ministry of National Development on the publication and national application of Annex 'A' and 'B' of the European Agreement on the International Road Transport of Hazardous Goods and the annex of Appendix C of Act LXXVII of 2006 (Decree No. 62/2013. (X. 17.) of the Ministry of National Development on the publication and national application of the International Convention concerning the carriage of goods by rail.

#### 15.2. 15.2 Chemical safety assessment:

not necessary



Release date: Revision date: 27/08/2007 27/11/2017

Version: 2.1

11/11

### SECTION 16: Other information

Information on revisions:

2.0 - Sections: 1.1, 2, 3, 4, 6, 8.1, 9, 10, 11, 12,

2.1 - Revised according to EU Regulation 830/2015 Removal of DSD information

Full text of H statements in sections 2 and 3

H280

Contains gas under pressure; may explode if heated.

Information on training:

Appropriate use of respiratory apparatus shall be exercised. The risk of asphyxia shall be emphasised more frequently during the training of the operators. Take special care

to train the employees so that they become familiar with product hazards.

Classification according to EC 1272/2008 as amended.

Press. Gas Liq. Gas, H280

16.1 General information

This information applies to the PRODUCT AS SOLD and complies with the

undertaking's specification.

In case of products and mixtures, make sure that no new risk arises.

Information included in the data sheet is based on our

best knowledge existing at the date of the safety data sheet's print. However, the

revision of some data is in progress.

The attention of the users is drawn to the possibility of further hazards if the product

is used for other purposes than

the recommendations. This data sheet may be used and reproduced only for

prevention and safety purposes.

References to legislation, regulations and practical rules, documents shall not be

considered to be full.

The person taking over the product shall be liable to investigate all official documents

in connection with the product use and handling.

It is also the responsibility of persons handling the product that all information

necessary included in the safety data sheet and necessary for

work safety, protection of health and environment forward all persons who get in contact with the product (use, storage, cleaning of containers, other

procedures).

16.2 Technical advisory service

Liss Patrongyártó, Töltő és Forgalmazó Kft. Address: 9653 Répcelak Carl von Linde út 1.

Tel: +36 209 500 100

16.3 Sources of data used for the

safety data sheet

Safety data sheet – Liss Kft (2005.05.17) Liss Product data sheet