

SAFETY DATA SHEET



Date Issued : 02/21/2023

SDS No : Deep Pour A-side Resin H.D.

Deep Pour Epoxy Resin Kit Crystal Clear Liquid Glass 2-4 Inch 3 GL (A-Side)

1. PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: Deep Pour Epoxy Resin Kit Crystal Clear Liquid Glass 2-4 Inch 3 GL (A-Side)**GENERAL USE:** Epoxy resin side of a 2 component product.**PRODUCT CODE:** 142270HA**MANUFACTURER**

Fiberglass Coatings Inc.

4301A 34th Street North

St. Petersburg, FL 33714

Customer Service: (800) 272-7890**E-Mail:** www.fgci.com**Emergency Contact:** VelocityEHS**Emergency Phone:** (800) 255-3924

2. HAZARDS IDENTIFICATION

GHS CLASSIFICATIONS

Product is considered hazardous per OSHA Hazard Communication Standard (29 CFR 1910.1200)

GHS LABELExclamation
mark

Environment

SIGNAL WORD: WARNING**HAZARD STATEMENTS**

H315 + H320: Causes skin and eye irritation.

H317: May cause an allergic skin reaction.

H335: May cause respiratory irritation.

H402: Harmful to aquatic life.

PRECAUTIONARY STATEMENT(S)**Prevention:**

P202: Do not handle until all safety precautions have been read and understood.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P262: Do not get in eyes, on skin, or on clothing.

P270: Do not eat, drink or smoke when using this product.

P260: Do not breathe fumes.

Response:

P305: IF IN EYES: Rinse cautiously with water for several minutes. Seek medical attention for prolonged irritation.

P301+P310: IF SWALLOWED: Immediately call a POISON CENTER/doctor/...

P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P309+P311: If exposed or if you feel unwell: Call a POISON CENTER or physician.

Disposal:

P501: Dispose of contents/container to a RCRA approved Treatment Storage Disposal Facility.

EMERGENCY OVERVIEW

PHYSICAL APPEARANCE: Water clear syrup like consistency.

IMMEDIATE CONCERNS: Generally non-hazardous. May cause skin or eye irritation. Can become a skin sensitizer.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	Wt. %	CAS
DGEBA based Epoxy Resin	88 - 92	25068-38-6
Oxirane, Mono[(c12-14-alkyloxy)methyl] Derivs	8 - 12	68609-97-2
UV Inhibitor	≤ 1	57834-33-0

COMMENTS: Alternative CAS numbers for the product known as DGEBA 25068-38-6, include 25085-99-8, and 1675-54-3.

Accordingly, Liquid Epoxy Resins (LER) manufacturers consider that derivatives of LERs may be described using either CAS number as a starting material.

4. FIRST AID MEASURES

EYES: Immediately flush eyes with plenty of water for at least 15 minutes. If irritation persists seek immediate medical attention.

SKIN: Wash with soap and water. Remove and dispose of any contaminated clothing or shoes. Get medical attention if irritation develops or persists.

INGESTION: None Expected.

INHALATION: None Expected.

SIGNS AND SYMPTOMS OF OVEREXPOSURE

ACUTE EFFECTS: Mild eye or skin irritation.

5. FIRE FIGHTING MEASURES

FLAMMABLE CLASS: Not categorized as Flammable by GHS standards. However, can still be ignited by external sources above flash point.

EXTINGUISHING MEDIA: Use dry chemicals, CO₂, water spray/fog (not jet), or foam.

HAZARDOUS COMBUSTION PRODUCTS: No specific data

OTHER CONSIDERATIONS: Use an extinguishing agent suitable for the surrounding fire.

FIRE FIGHTING PROCEDURES: Fire Fighters should wear appropriate protective equipment and self contained apparatus (SCBA) with full face piece operated in positive pressure mode. Cool any adjacent drums to prevent vapor build up.

6. ACCIDENTAL RELEASE MEASURES

SMALL SPILL: Absorb with an inert material and put the spilled material in an appropriate waste disposal container.

LARGE SPILL: Whatever cannot be saved for recovery or recycling should be handled as hazardous waste and sent to a RCRA approved incinerator or RCRA approved Waste Facility. Processing or contamination of this product may change the waste management options. State and Local disposal regulations may differ from Federal Disposal Regulations.

ENVIRONMENTAL PRECAUTIONS

WATER SPILL: Prevent contamination of soil and water. Any spills should be prevented from entering any water supply.

GENERAL PROCEDURES: Gather up spilled material as is applicable and return it to the original container. Absorb any remaining material with earth sand or vermiculite dispose of properly. As much possible prevent any spillage from entering the ecosystem, prevent soil and water contamination.

7. HANDLING AND STORAGE

GENERAL PROCEDURES: Avoid contact with skin, eyes and clothing.

STORAGE: Storage is best in the original containers at temperatures between 70 to 85 F (20 to 30 C).

Product may crystallize upon extended storage but can be returned to usable condition upon warming back to a liquid state.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION**PERSONAL PROTECTIVE EQUIPMENT**

EYES AND FACE: Chemical splash goggles in compliance with OSHA regulations are advised; however, OSHA regulations also permit other type safety glasses. Consult your safety representative.

SKIN: Avoid skin contact, use impervious latex, rubber, vinyl, or nitrile gloves

RESPIRATORY: None Expected.

PROTECTIVE CLOTHING: Clothing should be applicable for the job at hand to protect the skin from repeated exposure to the material.

OTHER USE PRECAUTIONS: When in use as intended mixed with liquid amines, significant heat and fumes may be generated upon curing. Proper PPE is required.

9. PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE: Viscous Liquid.

ODOR: Mild Odor.

APPEARANCE: Colorless Syrup Liquid

COLOR: Clear to Light Blue

PERCENT VOLATILE: 0

FLASH POINT AND METHOD: > 93.3°C (200°F) Setaflash Closed Cup

FLAMMABLE LIMITS: N/A to N/A

AUTOIGNITION TEMPERATURE: No data available.

VAPOR PRESSURE: < 1.33 mbar

VAPOR DENSITY: > 1.1

BOILING POINT: > 149°C (300°F)

FREEZING POINT: Not Applicable.

MELTING POINT: Not Applicable.

SOLUBILITY IN WATER: Slightly soluble.

EVAPORATION RATE: None Expected.

DENSITY: 9.3 pounds / gallon

SPECIFIC GRAVITY: 1.12

10. STABILITY AND REACTIVITY

REACTIVITY: Stable under recommended storage conditions.

HAZARDOUS POLYMERIZATION: None Expected.

CONDITIONS TO AVOID: Avoid contact with incompatible materials and ignition sources or heat.

INCOMPATIBLE MATERIALS: Avoid all unplanned contact with strong reactive chemicals, Acids, Bases, Amines, Peroxides and other Oxidizers.

COMMENTS: Material will not hazardously polymerize but may crystallize upon extended storage and may be returned to a usable state by mild heating back to a liquid consistency.

11. TOXICOLOGICAL INFORMATION

ACUTE TOXICITY

DERMAL LD₅₀: > 20000 mg/kg (Rabbit)

ORAL LD₅₀: > 5000 mg/Kg (Rat)

CARCINOGENICITY

NOTES: Not considered carcinogenic by OSHA, NTP, IARC, or ACGIH

12. ECOLOGICAL INFORMATION

ENVIRONMENTAL DATA: No known significant effects or critical hazards.

ECOTOXICOLOGICAL INFORMATION: Not readily biodegradable

BIOACCUMULATION/ACCUMULATION: Has the potential to Bioaccumulate

AQUATIC TOXICITY (ACUTE): Not yet determined.

COMMENTS: This product is not a US designated Marine Pollutant but has been labeled as an Environmental Hazard to facilitate International travel over water.

13. DISPOSAL CONSIDERATIONS

DISPOSAL METHOD: The generation of wastes should be avoided or minimized whenever possible. Dispose of surplus and non-recycleable products via a licensed waste disposal contractor. Disposal of this product solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local requirements. Avoid dispersal of spilled material, run-off, and contact with soil, waterways, drains, and sewers.

RCRA/EPA WASTE INFORMATION: Although this product is classified as non-hazardous under the Resources Conservation and Recovery Act (RCRA) 40 CFR 261, this material and its container should be disposed of in the safest manner. Empty containers may contain product residue.

14. TRANSPORT INFORMATION

DOT (DEPARTMENT OF TRANSPORTATION)

PROPER SHIPPING NAME: Not Regulated by DOT

TECHNICAL NAME: Epoxy Resin

AIR (ICAO/IATA)

SHIPPING NAME: Environmentally hazardous substance, liquid, n.o.s.

TECHNICAL NAME: Epoxide Derivatives

UN/NA NUMBER: 3082

PRIMARY HAZARD CLASS/DIVISION: 9

PACKING GROUP: III

VESSEL (IMO/IMDG)

SHIPPING NAME: Environmentally hazardous substance, liquid, n.o.s. (Epoxy Resin)

TECHNICAL NAME: Epoxide Derivatives

UN/NA NUMBER: 3082

PRIMARY HAZARD CLASS/DIVISION: 9

PACKING GROUP: III

MARINE POLLUTANT #1: Yes

CANADA TRANSPORT OF DANGEROUS GOODS

SHIPPING NAME: Not Regulated

TECHNICAL NAME: Epoxy Resin

15. REGULATORY INFORMATION

UNITED STATES

SARA TITLE III (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT)

311/312 HEALTH HAZARDS: Acute Health Hazard, Serious eye and skin damage possible.

311/312 PHYSICAL HAZARDS: No dangerous reaction known under conditions of normal use.

313 REPORTABLE INGREDIENTS: None

302/304 EMERGENCY PLANNING

EMERGENCY PLAN: None required

TSCA (TOXIC SUBSTANCE CONTROL ACT)

TSCA STATUS: All Components listed.

CALIFORNIA PROPOSITION 65: WARNING: This product can expose you to chemicals including (Bisphenol A CAS 80-05-7 and Epiclorohydrin CAS 106-89-8) which are known to the State of California to cause cancer and/or birth defects or other reproductive harm. For more information, go to www.P65Warnings.ca.gov.

CANADA

WHMIS (WORKPLACE HAZARDOUS MATERIALS INFORMATION SYSTEM): Class D-2B: Toxic material causing other toxic effects.

CANADIAN ENVIRONMENTAL PROTECTION ACT: Not Required

DOMESTIC SUBSTANCE LIST (INVENTORY): Listed.

16. OTHER INFORMATION

PREPARED BY: RD **Date Prepared:** 02/21/2023

HMIS RATING

HEALTH	*	2
FLAMMABILITY		1
PHYSICAL HAZARD		0
PERSONAL PROTECTION		B

MANUFACTURER DISCLAIMER: This information is compiled from sources believed reliable as of the date of issue, it is provided in good faith and correct to the best of our knowledge. No warranty, guarantee, or representation is made as to the sufficiency of the information for the safe use of the product nor to relieve the end user of their own Federal, State, and local regulatory compliance requirements.

SAFETY DATA SHEET



Date Issued : 02/21/2023
 SDS No : Deep Pour B-side H.D.

Deep Pour Epoxy Resin Kit Crystal Clear Liquid Glass 2-4 inch 3 GL (B-side)

1. PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: Deep Pour Epoxy Resin Kit Crystal Clear Liquid Glass 2-4 inch 3 GL (B-side)

GENERAL USE: Amine side of a 2 component epoxy system

PRODUCT CODE: 142270HB

MANUFACTURER

Fiberglass Coatings Inc.

4301A 34th Street North

St. Petersburg, FL 33714

Customer Service: (800) 272-7890

E-Mail: www.fgci.com

Emergency Contact: VelocityEHS

Emergency Phone: (800) 255-3924

2. HAZARDS IDENTIFICATION

GHS CLASSIFICATIONS

Serious eye damage/eye irritation, Category 1

Acute Toxicity (Dermal), Category 4

Acute Toxicity (Oral), Category 4

Environmental:

Acute Hazards to the Aquatic Environment, Category 2

Chronic Hazards to the Aquatic Environment, Category 2

GHS LABEL



Exclamation
mark



Corrosion



Environment

SIGNAL WORD: DANGER

HAZARD STATEMENTS

H302 + H312: Harmful if swallowed or in contact with skin.

H318: Causes serious eye damage.

H411: Toxic to aquatic life with long lasting effects.

PRECAUTIONARY STATEMENT(S)

Prevention:

P270: Do not eat, drink or smoke when using this product.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P273: Avoid release to the environment.

Response:

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P302+P350: IF ON SKIN: Gently wash with plenty of soap and water.

P301+P310: IF SWALLOWED: Immediately call a POISON CENTER/ Doctor/ or Physician. Do Not induce vomiting, avoid

aspiration into the lungs.

P337+P313: If eye irritation persists: Get medical advice/attention.

P332+P313: If skin irritation occurs: Get medical advice/attention.

P362: Take off contaminated clothing.

P309+P311: If exposed or if you feel unwell: Call a POISON CENTER or physician.

Storage:

P402+P404: Store in a dry place. Store in a closed container.

Disposal:

P501: Dispose of contents/container to a RCRA approved Treatment Storage Disposal Facility.

EMERGENCY OVERVIEW

PHYSICAL APPEARANCE: Clear to yellow liquid

IMMEDIATE CONCERNS: Causes eye and skin irritation. May be harmful if swallowed. Do not ingest. Do not get in eyes. Avoid breathing vapor or mist. Avoid contact with skin and clothing.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	Wt.%	CAS
Trimethylolpropane polyoxypropylene triamine	~ 99 - 100	39423-51-3

4. FIRST AID MEASURES

EYES: Immediately; Flush eyes thoroughly with water for several minutes. Remove contact lenses after the initial 1-2 minutes and continue flushing for several additional minutes. If lasting effects occur, consult a physician or eye care professional. A suitable emergency eyewash facility should be available in work area.

SKIN: Remove material from skin immediately by washing with soap and plenty of water. Remove contaminated clothing and shoes while washing. Seek medical attention if irritation persists. Wash clothing before reuse. Discard items which cannot be decontaminated, including leather articles such as shoes, belts and watchbands.

INGESTION: Rinse mouth with water. Do not induce vomiting, seek medical attention if feeling unwell.

INHALATION: If product vapors or mists cause respiratory irritation or distress, move the exposed person to fresh air immediately. If breathing is difficult or irregular, administer oxygen; if respiratory arrest occurs, start artificial respiration by trained personnel. Loosen tight clothing such as a collar, tie, belt or waistband. If symptoms persist, seek medical attention immediately.

NOTES TO PHYSICIAN: No specific treatment, treat symptomatically. Call medical doctor or a Poison Control center immediately if large quantities have been ingested or inhaled.

5. FIRE FIGHTING MEASURES

FLAMMABLE CLASS: Not categorized as Flammable by GHS standards.

EXTINGUISHING MEDIA: Water spray, Carbon dioxide (CO₂), Dry chemical, Alcohol-resistant foam. Avoid direct water streams which may be ineffective.

HAZARDOUS COMBUSTION PRODUCTS: May generate hazardous smoke fumes.

OTHER CONSIDERATIONS: Use an extinguishing agent suitable for the surrounding fire.

EXPLOSION HAZARDS: None Expected.

FIRE FIGHTING PROCEDURES: Promptly isolate the scene by removing all persons from the vicinity of the incident, if there is a fire no action should be taken involving any personal risk or without suitable training. Move additional containers from the area if this can be done safely. Use water spray to keep fire exposed containers cool.

FIRE FIGHTING EQUIPMENT: Full Bunker gear (helmet with face shield, bunker coats, gloves and rubber boots), including a positive pressure, NIOSH approved, self-contained breathing apparatus (SCBA).

6. ACCIDENTAL RELEASE MEASURES

SMALL SPILL: For small liquid spills, transfer by mechanical means to a labeled, sealable container for product recovery or safe disposal. Soak up any residues with an appropriate absorbent material and dispose of safely. Remove any contaminated soil and dispose of safely.

LARGE SPILL: For large liquid spills, transfer by mechanical means such as vacuum truck to a salvage tank for recovery or safe disposal. Do not flush away residues with water. Retain as contaminated waste. Allow residues to evaporate or soak up with an appropriate absorbent material and dispose of safely. Remove contaminated soil dispose of safely.

ENVIRONMENTAL PRECAUTIONS

WATER SPILL: Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material.

May be harmful to the environment if released in large quantities.

GENERAL PROCEDURES: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.

COMMENTS: Proper PPE for exposure to eyes, skin and inhalation is essential.

7. HANDLING AND STORAGE

HANDLING: Put on appropriate personal protective equipment. Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Avoid release to the environment. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Keep away from acids. Empty containers retain product residue and can be hazardous. Do not reuse container.

STORAGE: Store in a cool, dry, well-ventilated area. Keep container closed when not being used.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

ENGINEERING CONTROLS: Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapors below their respective threshold limit value. Ensure that eyewash stations and safety showers are proximal to the work-station location.

PERSONAL PROTECTIVE EQUIPMENT

EYES AND FACE: Chemical splash goggles and/or face shield. Always use proper eye protection around the work area.

SKIN: Wear impermeable gloves. Clothing should limit skin exposure. Gloves contaminated with product should be discarded. Promptly remove clothing that becomes soiled with product.

RESPIRATORY: If workplace exposure limit(s) of product or any component is exceeded (see exposure guidelines), a NIOSH/MSHA approved air supplied respirator is advised in absence of proper environmental control. OSHA regulations also permit other NIOSH/MSHA respirators (negative pressure type) under specified conditions (see your industrial hygienist). Engineering or administrative controls should be implemented to reduce exposure.

WORK HYGIENIC PRACTICES: Never eat or drink in areas where the chemical is being used. Wash hands after exposure.

COMMENTS: This material is typically used with an Epoxy resin which may generate heat and significantly alter the precautions necessary for its safe usage.

If 2 or more components are combined for use, than all the associated Data Sheets involved must be read and understood,.

9. PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE: Viscous Liquid.

ODOR: Ammonia like odor.

ODOR THRESHOLD: No data available.

APPEARANCE: Colorless to pale yellow liquid.

pH: Alkaline

PERCENT VOLATILE: No data available.

FLASH POINT AND METHOD: 218.5°C (425°F) Closed Cup

FLAMMABLE LIMITS: No data available.

AUTOIGNITION TEMPERATURE: 320°C

VAPOR PRESSURE: 6.82 hPa

VAPOR DENSITY: No test data available.

BOILING POINT: Not Applicable.

THERMAL DECOMPOSITION: 236°C

SOLUBILITY IN WATER: Slightly soluble.

EVAPORATION RATE: No data available.

DENSITY: 8.2 pounds / gallon

SPECIFIC GRAVITY: .983

(VOC): No data available.

10. STABILITY AND REACTIVITY

REACTIVITY: No dangerous reaction known under conditions of normal use.

HAZARDOUS POLYMERIZATION: Under normal conditions of use, hazardous reactions will not occur.

STABILITY: This product is stable.

CONDITIONS TO AVOID: Avoid contact with incompatible materials, direct sunlight, electricity and ignition sources / heat. Dropping container can cause it to burst.

HAZARDOUS DECOMPOSITION PRODUCTS: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

INCOMPATIBLE MATERIALS: Avoid all unplanned contact with strong reactive chemicals of any type, including, Acids, Bases, Oxidizers, Amines, Epoxides and Reactive Metals.

11. TOXICOLOGICAL INFORMATION

ACUTE TOXICITY

Chemical Name	ORAL LD ₅₀ (rat)	DERMAL LD ₅₀ (rabbit)
Trimethylolpropane polyoxypropylene triamine	550 mg / kg	> 1000 mg / kg

SKIN CORROSION/IRRITATION: Causes skin irritation.

SERIOUS EYE DAMAGE/IRRITATION: Causes serious eye irritation / damage.

RESPIRATORY OR SKIN SENSITIZATION: May cause nose, throat, and lung irritation. Inhalation of vapors and/or aerosols in high concentration may cause irritation of respiratory system.

CARCINOGENICITY

NOTES: Not considered carcinogenic by OSHA, NTP, IARC, or ACGIH

12. ECOLOGICAL INFORMATION

ENVIRONMENTAL DATA: Moderately Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. Not readily biodegradable. This product shows a moderate bioaccumulation potential. Water polluting material. May be harmful to the environment if released in large quantities.

ECOTOXICOLOGICAL INFORMATION: Do NOT discharge into sewers or waterways.

BIOACCUMULATION/ACCUMULATION: Not readily Biodegradable.

AQUATIC TOXICITY (ACUTE): Toxic to aquatic organisms; may cause long-term adverse effects in the aquatic environment.

Notes: Values listed for Trimethylolpropane poly(oxypropylene)triamine (CAS# 39423-51-3).

13. DISPOSAL CONSIDERATIONS

DISPOSAL METHOD: DO NOT DUMP INTO ANY SEWERS, ON THE GROUND, OR INTO ANY BODY OF WATER. All disposal practices must be in compliance with Federal, State/Provincial and local laws and regulations. Regulations may vary in different locations.

EMPTY CONTAINER: Empty containers may contain product residue.

COMMENTS: Waste characterizations and compliance with applicable laws are the solely the responsibility of waste generator.

14. TRANSPORT INFORMATION

DOT (DEPARTMENT OF TRANSPORTATION)

PROPER SHIPPING NAME: Environmentally hazardous substance, liquid, n.o.s.

TECHNICAL NAME: Trimethylolpropane Polyoxypropylene Triamine

PRIMARY HAZARD CLASS/DIVISION: 9

UN/NA NUMBER: 3082

PACKING GROUP: III

MARINE POLLUTANT #1: Yes

AIR (ICAO/IATA)

SHIPPING NAME: Environmentally hazardous substance, liquid, n.o.s.

TECHNICAL NAME: Trimethylolpropane Polyoxypropylene Triamine

UN/NA NUMBER: 3082

PRIMARY HAZARD CLASS/DIVISION: 9


PACKING GROUP: III

VESSEL (IMO/IMDG)

SHIPPING NAME: Environmentally hazardous substance, liquid, n.o.s.

TECHNICAL NAME: Trimethylolpropane Polyoxypropylene Triamine**UN/NA NUMBER:** 3082**PRIMARY HAZARD CLASS/DIVISION:** 9**PACKING GROUP:** III**MARINE POLLUTANT #1:** Yes**CANADA TRANSPORT OF DANGEROUS GOODS****SHIPPING NAME:** Environmentally hazardous substance, liquid, n.o.s.**TECHNICAL NAME:** Trimethylolpropane Polyoxypropylene Triamine**UN/NA NUMBER:** 3082**PRIMARY HAZARD CLASS/DIVISION:** 9**PACKING GROUP:** III**15. REGULATORY INFORMATION****UNITED STATES****SARA TITLE III (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT)****311/312 HEALTH HAZARDS:** Acute Health Hazard, Serious eye and skin damage possible.**311/312 PHYSICAL HAZARDS:** Reactive substance**313 REPORTABLE INGREDIENTS:** None required.**CERCLA (COMPREHENSIVE RESPONSE, COMPENSATION, AND LIABILITY ACT)****CERCLA REGULATORY:** No CERCLA Reportable Quantity has been established for this product.**TSCA (TOXIC SUBSTANCE CONTROL ACT)****TSCA REGULATORY:** All items are TSCA listed.**CLEAN AIR ACT****40 CFR PART 68---RISK MANAGEMENT FOR CHEMICAL ACCIDENT RELEASE PREVENTION:** This material does not contain any hazardous air pollutants.**CLEAN AIR ACT (HAZARDOUS AIR POLLUTANTS):** None Listed**CALIFORNIA PROPOSITION 65:** This product contains no listed substances known to the State of California to cause cancer, birth defects or other reproductive harm, at levels which would require a warning under the statute.**OSHA HAZARD COMM. RULE:** This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.**CANADA****WHMIS (WORKPLACE HAZARDOUS MATERIALS INFORMATION SYSTEM):** Class D-2B: Toxic material causing other toxic effects.**DOMESTIC SUBSTANCE LIST (INVENTORY):** All components are listed.**16. OTHER INFORMATION****PREPARED BY:** RD **Date Prepared:** 02/21/2023**HMIS RATING**

HEALTH	<input type="text"/>	2
FLAMMABILITY	<input type="text"/>	1
PHYSICAL HAZARD	<input type="text"/>	0
PERSONAL PROTECTION	<input type="text"/>	

NFPA CODES**HMIS RATINGS NOTES:** The customer is responsible for determining the PPE code for this material.**MANUFACTURER DISCLAIMER:** This information is compiled from sources believed reliable as of the date of issue, it is provided in good faith and correct to the best of our knowledge. No warranty, guarantee, or representation is made as to the sufficiency of the information for the safe use of the product nor to relieve the end user of their own Federal, State, and local regulatory compliance requirements.