

SAFETY DATA SHEET

according to US Regulation 29 CFR 1910.1200 and the Canadian HPA

HTH Pool Care 3" Chlorine Tabs Ultra

Version 2.2

Revision Date 2021.09.13

Print Date 2021.09.13

SECTION 1. IDENTIFICATION

Product name : HTH Pool Care 3" Chlorine Tabs Ultra

Manufacturer or supplier's details

Company : Innovative Water Care, LLC
1400 Bluegrass Lakes Parkway
Alpharetta, GA
30004

Telephone : 1-800-511-6737 (Outside the USA: 1-423-780-2347)
E-mail address : sds@sigurawater.com
Emergency telephone number : 1-800-654-6911 (Outside the USA: 1-423-780-2970)

Recommended use of the chemical and restrictions on use

Recommended use : Water treatment chemical

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Acute toxicity (Oral) : Category 4
Acute toxicity (Inhalation) : Category 3
Skin irritation : Category 2
Serious eye damage : Category 1
Reproductive toxicity : Category 1B
Specific target organ toxicity -
single exposure : Category 3 (Respiratory system)

GHS label elements

Hazard pictograms :



Signal word : Danger

Hazard statements : H302 Harmful if swallowed.

HTH Pool Care 3" Chlorine Tabs Ultra

H315 Causes skin irritation.
 H318 Causes serious eye damage.
 H331 Toxic if inhaled.
 H335 May cause respiratory irritation.
 H360 May damage fertility or the unborn child.

Precautionary statements

Prevention:
 P201 Obtain special instructions before use.
 P202 Do not handle until all safety precautions have been read and understood.
 P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.
 P264 Wash skin thoroughly after handling.
 P270 Do not eat, drink or smoke when using this product.
 P271 Use only outdoors or in a well-ventilated area.
 P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:
 P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth.
 P302 + P352 IF ON SKIN: Wash with plenty of soap and water.
 P304 + P340 + P311 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor.
 P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.
 P308 + P313 IF exposed or concerned: Get medical advice/ attention.

P332 + P313 If skin irritation occurs: Get medical advice/ attention.
 P362 Take off contaminated clothing and wash before reuse.

Storage:
 P403 + P233 Store in a well-ventilated place. Keep container tightly closed.
 P405 Store locked up.

Disposal:
 P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical nature : Mixture

Hazardous components

Chemical name / Synonyms	CAS-No.	Concentration (% w/w)
1,3,5-Trichloro-1,3,5-triazinane-2,4,6-trione	87-90-1	92
zinc sulphate	7446-19-7	3.5
Aluminum sulfate (2:3)	10043-01-3	1.5
Boric acid	10043-35-3	0.5



HTH Pool Care 3" Chlorine Tabs Ultra

SECTION 4. FIRST AID MEASURES

If inhaled	:	IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.
In case of skin contact	:	IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
In case of eye contact	:	IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
If swallowed	:	IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.
Most important symptoms and effects, both acute and delayed	:	None known.
Notes to physician	:	Probable mucosal damage may contraindicate the use of gastric lavage.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	Water only.
Specific hazards during firefighting	:	During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. Closed containers may explode (due to the build up of steam pressure) when exposed to extreme heat.
Further information	:	Use water to cool containers exposed to fire. On small fires, use water spray or fog. On large fires, use heavy deluge or fog streams. Flooding amounts of water may be required before extinguishment can be accomplished. Do not use dry extinguishers containing ammonium compounds.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Response to a large quantity spill (100 pounds or greater) or when dusting or decomposition gas exposure could occur requires the use of a positive pressure full face supplied air respirator or self contained breathing apparatus (SCBA), chemical resistant gloves, coveralls and boots. In case of fire, this personal protective equipment should be used in addition to normal fire fighter equipment. Compatible materials for response to this material are: neo-
---	---	--

HTH Pool Care 3" Chlorine Tabs Ultra

prene.
 Protection concerns must also address the following: If this material becomes damp/wet or contaminated in a container, the formation of nitrogen trichloride gas may occur and an explosive condition may exist.
 Hazardous concentrations in air may be found in local spill area and immediately downwind.
 Remove all sources of ignition.
 Stop source of spill as soon as possible and notify appropriate personnel.
 For disposal considerations see section 13.

- Environmental precautions : If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and materials for containment and cleaning up : Sweep up and shovel into suitable containers for disposal. Avoid dust formation.

SECTION 7. HANDLING AND STORAGE

- Advice on safe handling : Avoid inhalation of dust and fumes.
 Do not take internally. Avoid contact with skin, eyes and clothing. Upon contact with skin or eyes, wash off with water. Remove contaminated clothing and wash before reuse.
- Conditions for safe storage : Keep product tightly sealed in original containers. Store product in a cool, dry, well-ventilated area. Store away from combustible or flammable products. Keep product packaging clean and free of all contamination, including, e.g. other pool treatment products, acids, organic materials, nitrogen-containing compounds, dry powder fire extinguishers (containing mono-ammonium phosphate), oxidizers, all corrosive liquids, flammable or combustible materials, etc.
- Materials to avoid : Do not allow product to come in contact with other materials, including e.g. other pool treatment products, acids, organic materials, nitrogen-containing compounds, dry powder fire extinguishers (containing mono-ammonium phosphate), oxidizers, all corrosive liquids, flammable or combustible materials, etc. A chemical reaction with such substances can cause a fire.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Boric acid	10043-35-3	TWA (Inhal-	2 mg/m3	ACGIH

HTH Pool Care 3" Chlorine Tabs Ultra

		able frac- tion.)		
		STEL (Inhal- able frac- tion.)	6 mg/m3	ACGIH
		(Inhalable fraction.)		ACGIH

Engineering measures : Local exhaust ventilation or other engineering controls are normally required when handling or using this product to keep airborne exposures below the TLV, PEL or other recommended exposure limit.

Personal protective equipment

Respiratory protection : Wear a NIOSH approved respirator if levels above the exposure limits are possible.
A NIOSH approved full-face air purifying respirator equipped with combination chlorine/P100 cartridges. Air purifying respirators should not be used in oxygen deficient or IDLH atmospheres or if exposure concentrations exceed ten (10) times the published limit.

Hand protection

Remarks : Wear impervious gloves to avoid skin contact. A full impervious suit is recommended if exposure is possible to a large portion of the body.

Eye protection : Use chemical goggles.

Skin and body protection : Nitrile
Natural Rubber
Neoprene (This includes: gloves, boots, apron, protective suit)

Protective measures : An eye wash and safety shower should be provided in the immediate work area.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : tablet
Colour : white
Odour : Strong chlorine
Odour Threshold : no data available
pH : 2.6 - 3.2
solution

Melting point/freezing point : Not applicable

Boiling point/boiling range : no data available
Flash point : no data available
Evaporation rate : Not applicable

Flammability (solid, gas) : Product is not known to be flammable, combustible or pyrophoric.

HTH Pool Care 3" Chlorine Tabs Ultra

Flammability (liquids)	:	no data available
Upper explosion limit	:	Not applicable
Lower explosion limit	:	Not applicable
Vapour pressure	:	Not applicable
Relative vapour density	:	no data available
Relative density	:	> 1 (68 °F / 20 °C) > 1 (68 °F / 20 °C)
Water solubility	:	12 g/l (77 °F / 25 °C)
Partition coefficient: n-octanol/water	:	no data available
Auto-ignition temperature	:	no data available
Decomposition temperature	:	no data available
Viscosity, dynamic	:	no data available
Viscosity, kinematic	:	no data available
Oxidizing properties	:	Oxidizing
Molecular weight	:	232.41 g/mol

SECTION 10. STABILITY AND REACTIVITY

Possibility of hazardous reactions	:	Product is not sensitive to mechanical shock or impact. Product is not sensitive to electrical static discharge. Product will not undergo hazardous polymerization. Product is an NFPA Class 1 oxidizer. Not pyrophoric. Not an organic peroxide. If subjected to excessive temperatures, the product may undergo rapid decomposition, evolution of chlorine gas, and heat sufficient to ignite combustible substances. If product is exposed to small amounts of water, it can react violently to produce heat and toxic gases and spatter. Use copious amounts of water for fires involving this product.
Conditions to avoid	:	Sparks, open flame, other ignition sources, and elevated temperatures. Contact with small amounts of water may result in an exothermic reaction with the liberation of toxic fumes. Damp or slightly wet product (will evolve nitrogen trichloride) May be unstable at temperatures above 225 Deg. C (437 Deg. F)
Incompatible materials	:	Organic materials Oils Grease Sawdust Reducing agents nitrogen-containing compounds Oxidizing

HTH Pool Care 3" Chlorine Tabs Ultra

Hazardous decomposition products	:	Acids Bases Dry fire extinguishers containing ammonium compounds Nitrogen trichloride Chlorine nitrous oxides Cyanates Carbon dioxide (CO2) Carbon monoxide
----------------------------------	---	---

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Inhalation, skin, eyes, ingestion

Acute toxicity

Acute oral toxicity : LD50 (Rat): 490 mg/kg

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Skin corrosion/irritation

Remarks: DRY MATERIAL CAUSES MODERATE SKIN IRRITATION.
WET MATERIAL CAUSES SKIN BURNS.

Serious eye damage/eye irritation

Result: Corrosive to eyes

Respiratory or skin sensitisation

Remarks: Negative skin sensitizer, guinea pig - Buehler Method

Carcinogenicity

IARC

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA

No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

ACGIH

No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

HTH Pool Care 3" Chlorine Tabs Ultra

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

- Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0.32 mg/l
Exposure time: 96 h
- LC50 (Lepomis macrochirus (Bluegill sunfish)): 0.30 mg/l
Exposure time: 96 h
- Toxicity to daphnia and other aquatic invertebrates : LC50 (Daphnia magna (Water flea)): 0.21 mg/l
Exposure time: 48 h
- Toxicity to terrestrial organisms : Dietary LC50 (Anas platyrhynchos (Mallard duck)): > 10,000 ppm
Exposure time: 8 d
- Acute Oral LD50 (Anas platyrhynchos (Mallard duck)): 1,600 mg/kg
- Dietary LC50 (Colinus virginianus (Bobwhite quail)): 7,422 ppm
Exposure time: 8 d

Persistence and degradability

no data available

Bioaccumulative potential

Components:

1,3,5-Trichloro-1,3,5-triazinane-2,4,6-trione:

- Partition coefficient: n-octanol/water : log Pow: 0.94
Method: Calculation method

Boric acid:

- Partition coefficient: n-octanol/water : log Pow: -0.757 (25 °C)

Mobility in soil

no data available

Other adverse effects

- Ozone-Depletion Potential : Regulation: US. EPA Clean Air Act (CAA) Section 602 Ozone-Depleting Substances (40 CFR 82, Subpt. A, App A & B)
Remarks: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

- Additional ecological information : Highly toxic to fish and other aquatic organisms.

HTH Pool Care 3" Chlorine Tabs Ultra

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Dispose of in accordance with local regulations.

SECTION 14. TRANSPORT INFORMATION

DOT

UN number : 3077
Proper shipping name : Environmentally hazardous substance, solid, n.o.s.
(Trichloro-s-triazinetrione, zinc sulphate)
Transport hazard class : 9
Packing group : III
Labels : 9
Emergency Response Guidebook : 171
Number
Environmental hazards : yes

HTH Pool Care 3" Chlorine Tabs Ultra

TDG

UN number : 3077
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE,
SOLID, N.O.S.
(Trichloro-s-triazinetrione, zinc sulphate)
Transport hazard class : 9
Packing group : III
Labels : 9
Environmental hazards : yes

IATA

UN number : 3077
Proper shipping name : Environmentally hazardous substance, solid, n.o.s.
(Trichloro-s-triazinetrione, zinc sulphate)
Transport hazard class : 9
Packing group : III
Labels : 9MI
Environmental hazards : yes

IMDG

UN number : 3077
Proper shipping name : Environmentally hazardous substance, solid, n.o.s.
(Trichloro-s-triazinetrione, zinc sulphate)
Transport hazard class : 9
Packing group : III
Labels : 9
EmS Number 1 : F-A
EmS Number 2 : S-F
Environmental hazards : Marine pollutant: yes

ADR

UN number : 3077
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE,
SOLID, N.O.S.
(Trichloro-s-triazinetrione, zinc sulphate)
Transport hazard class : 9
Packing group : III
Classification Code : M7
Hazard Identification Number : 90
Labels : 9
Environmental hazards : yes

HTH Pool Care 3" Chlorine Tabs Ultra

RID

UN number	: 3077
Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Trichloro-s-triazinetriene, zinc sulphate)
Transport hazard class	: 9
Packing group	: III
Classification Code	: M7
Hazard Identification Number	: 90
Labels	: 9
Environmental hazards	: yes
Special precautions for user	: none
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	: Not applicable

SECTION 15. REGULATORY INFORMATION

This chemical is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals.

EPA Registration number	: 1258-1341
Signal word	: DANGER!
Hazard statements	: Harmful if swallowed. May be fatal if absorbed through skin. May be fatal if inhaled. Corrosive. Causes skin burns. Corrosive - causes irreversible eye damage. This pesticide is toxic to fish.

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
zinc sulphate	7446-19-7	1000	28571

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards

See above: SECTION 2. Hazard Identification-GHS Classification



HTH Pool Care 3" Chlorine Tabs Ultra

SARA 313

Components	CAS-No.	Concentration
zinc sulphate	7446-19-7	2 - 4 %

Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCM I Intermediate or Final VOC's (40 CFR 60.489).

This product does not contain any VOC exemptions listed under the U.S. Clean Air Act Section 450.

Clean Water Act

The following Hazardous Chemicals are listed under the U.S. CleanWater Act, Section 311, Table 117.3:

Components	CAS-No.	Component RQ (lbs)
zinc sulphate	7446-19-7	1000
Aluminum sulfate (2:3)	10043-01-3	5000

The following Hazardous Substances are listed under the U.S. CleanWater Act, Section 311, Table 116.4A:

Components	CAS-No.	Concentration
zinc sulphate	7446-19-7	2 - 4 %
Aluminum sulfate (2:3)	10043-01-3	1 - 2 %

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

US State Regulations

Massachusetts Right To Know

Components	CAS-No.
1,3,5-Trichloro-1,3,5-triazinane-2,4,6-trione	87-90-1
zinc sulphate	7446-19-7
Aluminum sulfate (2:3)	10043-01-3

Pennsylvania Right To Know

Components	CAS-No.
1,3,5-Trichloro-1,3,5-triazinane-2,4,6-trione	87-90-1



HTH Pool Care 3" Chlorine Tabs Ultra

zinc sulphate	7446-19-7
---------------	-----------

New Jersey Right To Know

Components	CAS-No.
1,3,5-Trichloro-1,3,5-triazinane-2,4,6-trione	87-90-1
zinc sulphate	7446-19-7
Polyphosphoric acids, sodium salts	68915-31-1
Aluminum sulfate (2:3)	10043-01-3

California Prop. 65

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

Canadian lists

NPRI

Components	CAS-No.
zinc sulphate	7446-19-7

The components of this product are reported in the following inventories:

TSCA : This is an EPA registered pesticide.

SECTION 16. OTHER INFORMATION

Full text of other abbreviations

ACGIH : US. ACGIH Threshold Limit Values

AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed



HTH Pool Care 3" Chlorine Tabs Ultra

(Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

13
Revision Date : 2021.09.13

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Date format : yyyy/mm/dd
US / EN