

Product data sheet

Characteristics

L221N

SWITCH FUSIBLE LD 120/240V 30A 2P
NEMA1 Safety switch, light duty, fusible, 30A,
2 poles, 240 VAC, NEMA 1, neutral factory
installed



Main

Product	Single Throw Safety Switch
Current Rating	30 A
Enclosure Rating	NEMA 1
Factory Installed Neutral	Neutral (factory installed)
Disconnect Type	Fusible disconnect
Fuse Type	H or J
Mounting Type	Surface
Number of Poles	2
Duty Rating	Light duty
Voltage Rating	240 V AC
Wire Size	AWG 14...AWG 8 copper AWG 12...AWG 8 aluminium

Complementary

Maximum Width	6.13 in (155.70 mm)
Maximum Horse Power Rating	0.5 Hp 120 V AC 50...60 Hz 1 phase NEC 240.6 2 Hp 120 V AC 50...60 Hz 1 phase NEC 430.52 1.5 Hp 240 V AC 50...60 Hz 1 phase NEC 240.6 3 hp 240 V AC 50...60 Hz 1 phase NEC 240.6
Height	7.63 in (193.80 mm)
Depth	4 in (101.60 mm)
Tightening torque	30 Lbf.in (3.39 N.m) 0.00...0.01 in ² (2.082...8.367 mm ²) AWG 14...AWG 8 30 lbf.in (3.39 N.m) 0.01...0.01 in ² (3.307...8.367 mm ²) AWG 12...AWG 8

Ordering and shipping details

Category	00057 - LIGHT DUTY SW, NEMA1, 30A
Discount Schedule	DE1A
GTIN	00785901499022
Nbr. of units in pkg.	1
Package weight(Lbs)	3.38 lb(US) (1.53 kg)
Returnability	Yes
Country of origin	MX

Packing Units

Unit Type of Package 1	PCE
Package 1 Height	4.50 in (11.43 cm)
Package 1 width	6.80 in (17.272 cm)
Package 1 Length	8.90 in (22.606 cm)
Unit Type of Package 2	PAL
Number of Units in Package 2	200
Package 2 Weight	698.00 lb(US) (316.607 kg)
Package 2 Height	40.00 in (101.6 cm)
Package 2 width	40.00 in (101.6 cm)
Package 2 Length	48.00 in (121.92 cm)

Offer Sustainability

Sustainable offer status	Green Premium product
California proposition 65	WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov
REACH Regulation	REACH Declaration
REACH free of SVHC	Yes
EU RoHS Directive	Compliant EU RoHS Declaration
Toxic heavy metal free	Yes
Mercury free	Yes
RoHS exemption information	Yes
China RoHS Regulation	China RoHS Declaration
Environmental Disclosure	Product Environmental Profile

Contractual warranty

Warranty	18 months
----------	-----------

Approximate Dimensions

