## SAFETY DATA SHEET **Goof Off Paint Remover for Carpet**

Page: 1

Revision: 03/05/2019 Supersedes Revision: 02/21/2019

### 1. PRODUCT AND COMPANY IDENTIFICATION

Goof Off Paint Remover for Carpet **Product Name:** 

FG910 Trade Name:

**Company Name:** W. M. Barr **Phone Number:** (901)775-0100

2105 Channel Avenue

Memphis, TN 38113

www.wmbarr.com Web site address:

3E 24 Hour Emergency Contact (800)451-8346 **Emergency Contact:** W.M. Barr Customer Service (800)398-3892 Information:

**Intended Use:** Spot Remover Non Aerosol

**Product Code:** FG910

### 2. HAZARDS IDENTIFICATION

None **GHS Signal Word:** 

**GHS Hazard Phrases:** No phrases apply. GHS Precautionary Phrases: No phrases apply. **GHS Response Phrases:** No phrases apply. **GHS Storage and Disposal** No phrases apply.

Phrases:

**Potential Health Effects** 

See above.

(Acute and Chronic):

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

CAS#	Hazardous Components (Chemical Name)	Concentration
100-51-6	Benzenemethanol {Benzyl alcohol}	3.0 -7.0 %
112-34-5	Diethylene glycol monobutyl ether {2-(2-Butoxyethoxy)ethanol {(a glycol ether)}	1.0 -5.0 %
112-80-1	Oleic acid {9-Octadecenoic acid (Z)-}	1.0 -5.0 %

Additional Chemical

Specific percentage of composition is being withheld as a trade secret.

Information

### 4. FIRST AID MEASURES

**Emergency and First Aid** 

**Procedures:** 

Skin:

Remove contaminated clothing. Immediately wash skin thoroughly with large amounts of water and mild soap, if available. Seek medical attention if irritation develops or

persists.

Eyes:

Immediately begin to flush eyes with water, remove any contact lens. Continue to flush

the eyes for at least 15 minutes. Seek medical attention.

Inhalation:

Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult,

give oxygen. Get immediate medical attention.

Ingestion:

If swallowed, do NOT induce vomiting. Seek immediate medical attention. Call a physician or poison control center immediately. Never give anything by mouth to an unconscious person.

# **SAFETY DATA SHEET**Goof Off Paint Remover for Carpet

Page: 2

Revision: 03/05/2019 Supersedes Revision: 02/21/2019

**Signs and Symptoms Of** 

**Exposure:** 

See Potential Health Effects.

## 5. FIRE FIGHTING MEASURES

Not flammable or combustible

Flash Pt: None

Explosive Limits: LEL: none UEL: none

Autoignition Pt: NE

Suitable Extinguishing Media: Use water spray, dry chemical, carbon dioxide, or appropriate foam.

Fire Fighting Instructions: As in any fire, wear a self-contained breathing apparatus in pressure-demand,

MSHA/NIOSH (approved or equivalent), and full protective gear.

Flammable Properties and

Hazards:

No data available.

### 6. ACCIDENTAL RELEASE MEASURES

Protective Precautions,
Protective Equipment and

Eye protection recommended Protective gloves recommended

Emergency Procedures: Environmental Precautions:

Dispose in accordance with applicable local, state and federal regulations.

Steps To Be Taken In Case

Material Is Released Or

Spilled:

Wash area with soap and water.

#### 7. HANDLING AND STORAGE

Precautions To Be Taken in

Handling:

Avoid contact with eyes, skin, and clothing. Wash thoroughly after handling. A source of clean water should be kept in the immediate work area for flushing of the eyes and skin.

Follow all SDS/label precautions even after container is emptied because they may

retain product residues.

Precautions To Be Taken in

Keep containers closed when not in use. Store in a cool, dry place, out of direct sunlight.

Storing:

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

CAS#	Partial Chemical Name	OSHA TWA	ACGIH TWA	Other Limits
100-51-6	Benzenemethanol {Benzyl alcohol}	No data.	No data.	No data.
112-34-5	Diethylene glycol monobutyl ether {2-(2-Butoxyethoxy)ethanol {(a glycol ether)}	No data.	No data.	No data.
112-80-1	Oleic acid {9-Octadecenoic acid (Z)-}	No data.	No data.	No data.

# SAFETY DATA SHEET

**Goof Off Paint Remover for Carpet** 

Revision: 03/05/2019 Supersedes Revision: 02/21/2019

Page: 3

**Respiratory Equipment** 

(Specify Type):

When used by the consumer following directions for use and with adequate ventilation,

respiratory protection is not expected to be needed.

Where contact with the eyes or face is likely from spraying or splashing, safety glasses **Eye Protection:** 

and a faceshield or chemical goggles should be worn to prevent eye contact.

**Protective Gloves:** For prolonged or repeated contact, wear gloves with as much resistance to the chemical

> ingredients as possible. Glove materials such as natural rubber or nitrile rubber provide protection. Glove selection should be based on chemicals being used and conditions of

use. Consult your glove supplier for additional information.

Other Protective Clothing: No data available.

**Engineering Controls** (Ventilation etc.):

Ventilation is normally not required when handling or using this product to keep exposure

to airborne contaminants below the exposure limit.

Good general ventilation should be sufficient to control airborne levels.

Work/Hygienic/Maintenance

Practices:

Wash hands thoroughly after use and before eating, drinking, or smoking. Do not eat,

drink, or smoke in the work area. Discard any clothing or other protective equipment that

cannot be decontaminated.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

[ ] Solid **Physical States:** [ ]Gas [ X ] Liquid

Appearance and Odor: Clear to light yellow

Odor threshold not determined.

N.D. **Melting Point:** > 99.90 F **Boiling Point:** 

**Decomposition Temperature:** N.D. NE **Autoignition Pt:** Flash Pt: None

LEL: none UEL: none **Explosive Limits:** 

N.D.

- 0.90-1.01 at 0.0 C Specific Gravity (Water = 1):

- 8.25-8.45 LB/GL Density:

Vapor Pressure (vs. Air or

Vapor Density (vs. Air = 1):

mm Hg):

N.D.

**Evaporation Rate:** < 1 (BuAC=1)

100% Solubility in Water: **Saturated Vapor** N.D.

Concentration:

N.D. Viscosity: 8.12 :Hq

91.72 % by weight. **Percent Volatile:** 1.5200 % WT **VOC / Volume:** 

Page: 4

Revision: 03/05/2019 Supersedes Revision: 02/21/2019

Water thin Additional Physical

Information

### **10. STABILITY AND REACTIVITY**

Unstable [ ] Stable [X] Stability:

**Conditions To Avoid -**

None known.

Instability:

Incompatibility - Materials To Strong oxidizers and acids.

Avoid:

Hazardous Decomposition or Carbon monoxide, carbon dioxide

**Byproducts:** 

Will occur [ ] Will not occur [X] **Possibility of Hazardous** 

Reactions:

**Conditions To Avoid -**None known.

**Hazardous Reactions:** 

### 11. TOXICOLOGICAL INFORMATION

**Toxicological Information:** This product has not been tested as a whole. Refer to section 2 for acute and chronic

effects.

CAS# 112-34-5:

**Chronic Toxicological** 

Effects:

Standard Draize Test, Eyes, Species: Rabbit, 20.00 MG, Severe.

Behavioral: Anticonvulsant.

- American Journal of Ophthalmology., Ophthalmic Pub. Co., 435 N. Michigan Ave.,

Suite 1415, Chicago, IL 60611, Vol/p/yr: 29,1363, 1946

### Carcinogenicity/Other

Information:

CAS#	Hazardous Components (Chemical Name)	NTP	IARC	ACGIH	OSHA
100-51-6	Benzenemethanol {Benzyl alcohol}	n.a.	n.a.	n.a.	n.a.
112-34-5	Diethylene glycol monobutyl ether {2-(2-Butoxyethoxy)ethanol {(a glycol ether)}	n.a.	n.a.	n.a.	n.a.
112-80-1	Oleic acid {9-Octadecenoic acid (Z)-}	n.a.	n.a.	n.a.	n.a.

### 12. ECOLOGICAL INFORMATION

General Ecological

Information:

Not determined for this product as a whole.

### 13. DISPOSAL CONSIDERATIONS

Dispose of in accordance with all applicable local, state, and federal regulations. **Waste Disposal Method:** 

# **SAFETY DATA SHEET**Goof Off Paint Remover for Carpet

Page: 5

Revision: 03/05/2019 Supersedes Revision: 02/21/2019

### 14. TRANSPORT INFORMATION

15. REGULATORY INFORMATION

LAND TRANSPORT (US DOT):

**DOT Proper Shipping Name:** Not regulated by D.O.T.

DOT Hazard Class: UN/NA Number:

**Additional Transport** 

**EPA SARA (Superfund** 

Information:

100-51-6

112-34-5

112-80-1

CAS#

perfund Amendments and Reauthorization Act of 1986) Lists			
Hazardous Components (Chemical Name)	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)
Benzenemethanol {Benzyl alcohol}	No	No	No
Diethylene glycol monobutyl ether {2-(2-Butoxyethoxy)ethanol {(a glycol ether)}	No	No	Yes-Cat. N230
Oleic acid {9-Octadecenoic acid (Z)-}	No	No	No

CAS#	Hazardous Components (Chemical Name)	Other US EPA or State Lists
100-51-6	Benzenemethanol {Benzyl alcohol}	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No
112-34-5	Diethylene glycol monobutyl ether {2-(2-Butoxyethoxy)ethanol {(a glycol ether)}	CAA HAP,ODC: Yes - Cat.; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No
112-80-1	Oleic acid {9-Octadecenoic acid (Z)-}	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No

Additional Regulatory Information

This product is regulated by the United States Consumer Product Safety Commission and is subject to certain labeling requirements under the Federal Hazardous Substances Act. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS). The product label also includes other important information, including directions for use, and should always be read in its entirety prior to using the product.

### **16. OTHER INFORMATION**

**Revision Date:** 03/05/2019

Preparer Name: W.M. Barr EHS Dept (901)775-0100

Additional Information About N.D. = not determined

**This Product:** 

**Company Policy or** 

Disclaimer:

The information contained herein is presented in good faith and believed to be accurate as of the effective date shown above. This information is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determination of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. Any use of this data and information must be determined by the user to be in accordance with applicable federal, state and local laws and regulations.