



SAVING WATER MAKES SENSE



NEOPERL® Retail Water Conservation

NEOPERL®

flow, stop and go®

Faucet Aerator Washers



Regular Female Washers
.825 OD x .590 ID x .072 THK
10 pack - Online SKU 320035770★



Regular Male Washers
.840 OD x .590 ID x .095 THK
10 pack - Online SKU 320035752★



Replacing old, inefficient faucet aerators with WaterSense labeled models can save the average family nearly 11,000 gallons of water over the faucets' lifetime.

0.35 gpm & 0.5 gpm Ultra Saving Faucet Aerators



Regular PCA® Mikado 0.35 gpm Spray Insert with 2 Washers
1 pack - Store SKU 1002089134
1 pack - Online SKU 300180321



Regular PCA® 0.5 gpm Spray Insert with 2 Washers
1 pack - Online SKU 203673083



Regular Male PCA® 0.5 gpm Spray
1 pack - Online SKU 203673082
6 pack - Online SKU 204690120



Regular Female PCA® 0.5 gpm Spray
1 pack - Online SKU 203673081
6 pack - Online SKU 204690119



Dual Thread PCA® 0.5 gpm Spray
1 pack - Store SKU 1000019098
1 pack - Online SKU 204405167
6 pack - Online SKU 204690117
50 pack - Online SKU 204690118



Dual Thread PCA® 0.5 gpm Spray Brushed Nickel
50 pack - Online SKU 316884093



Vandal Proof Female PCA® 0.5 gpm Spray
40 pack - Online SKU 316899291



Small Male PCA® 0.5 gpm Spray
1 pack - Online SKU 303488026
6 pack - Online SKU 303489151

1.0 gpm Super Water Saving Aerators



Regular PCA® Aerator Insert with 2 Washers
1 pack - Online SKU 203673018



Regular Male PCA® Aerator
1 pack - Online SKU 203673058



Regular Female PCA® Aerator
1 pack - Online SKU 203673057



Regular Dual Thread PCA®
50 pack - Online SKU 316883954



Dual Thread PCA® Spray
1 pack - Store SKU 706083
1 pack - Online SKU 100666006
6 pack - Online SKU 316883956
50 pack - Online SKU 316884927



Vandal Proof Female PCA® 1.0 gpm Spray
40 pack - Online SKU 316899289



Small PCA® Aerator Insert with 2 Washers
1 pack - Online SKU 303486738

1.2 gpm Super Water Saving Aerators



Regular PCA® Mikado Spray Insert
with 2 Washers

2 pack - Online SKU 308910520



Regular PCA® Aerator Insert
with 2 Washers

1 pack - Store SKU 1001533848
1 pack - Online SKU 206275143



Regular SLC® Aerator Insert
with 2 Washers

1 pack - Store SKU 1001533902
1 pack - Online SKU 206275147



Regular Male PCA® Aerator

1 pack - Store SKU 1001533807
1 pack - Online SKU 206275107



Regular Female PCA® Aerator

1 pack - Store SKU 1001533834
1 pack - Online SKU 206275128



Dual Thread PCA® Aerator

1 pack - Store SKU 1001533836
1 pack - Online SKU 206275129
6 pack - Store SKU 1001533908
6 pack - Online SKU 206275178



Dual Thread PCA® Laminar Aerator

1 pack - Store SKU 1001533843
1 pack - Online SKU 206275133



Dual Thread Polished Brass Aerator

1 pack - Online SKU 206592438



Dual Thread Brushed Nickel Aerator

1 pack - Store SKU 1001533846
1 pack - Online SKU 206275142



Small Male PCA® Aerator

1 pack - Store SKU 1001533904
1 pack - Online SKU 206275165



Small Female PCA® Aerator

1 pack - Online SKU 206592480

Stream type and flow:

Choose the right one for your needs



Aerated streams introduce air into the water stream to produce a larger white stream, soft to the touch and non-splashing. Aerated streams are the usual choice for residential faucet.



Laminar stream straighteners produce a crystal clear and non-splashing stream (no mix water/air).



A **Spray** device is used to produce a miniature shower pattern to provide full coverage of the hands during washing when the water pressure is too low to produce an aerated or laminar stream. Recommended for use in bathroom.

Faucet Aerator Gender:

The right faucet aerator for the right fit.



Female Spout

Male Aerator

Male Spout

Female Aerator



- Male housing fits faucets with inside threads.
- Female housings fits faucet with outside threads.

Tip:

Dual thread housings fit regular size faucets with inside or outside threads.

1.5 gpm Water Saving Aerators



Regular PCA® Aerator Insert
with 2 Washers
1 pack - Online SKU 203673064



Regular Male PCA® Aerator
1 pack - Online SKU 203673063
6 pack - Online SKU 204690121



Regular Female PCA® Aerator
1 pack - Online SKU 203673062
6 pack - Online SKU 204690122



Regular Dual Thread PCA® Aerator
1 pack - Online SKU 203673061
6 pack - Online SKU 204690123
50 pack - Online SKU 204690124



Regular PCA® SSR Aerator Insert
with 2 Washers
1 pack - Online SKU 203673079



Regular Male PCA®
SSR Aerator
1 pack - Online SKU 203673078



Regular Female PCA®
SSR Aerator
1 pack - Online SKU 203673077



Dual Thread Polished Brass Aerator
1 pack - Store SKU 706116
1 pack - Online SKU 100665995



Regular PCA® Auto Clean Aerator
Insert with 2 Washers
1 pack - Online SKU 203673074



Regular Male PCA®
Auto Clean Aerator
1 pack - Online SKU 203673076



Regular Female PCA®
Auto Clean Aerator
1 pack - Online SKU 203673075



Regular Dual Thread PCA®
Auto Clean Aerator
1 pack - Online SKU 203673073



Regular Aerator Insert
with 2 Washers
1 pack - Store SKU 704862
1 pack - Online SKU 100666083



Regular Male Aerator
1 pack - Store SKU 704994
1 pack - Online SKU 100666001



Regular Female Aerator
1 pack - Store SKU 705060
1 pack - Online SKU 100666005



Dual Thread Aerator
1 pack - Store SKU 705654
1 pack - Online SKU 100666002
6 pack - Store SKU 706347
6 pack - Online SKU 100665998



Regular SLC® Aerator Insert
with 2 Washers
1 pack - Store SKU 704136
1 pack - Online SKU 100665992



Small PCA® Aerator Insert
with 2 Washers
1 pack - Online SKU 203673065



Tom Thumb® PCA® Aerator Insert
with 2 Washers
1 pack - Online SKU 203673066



Dual Thread Laminar Aerator
1 pack - Store SKU 705918
1 pack - Online SKU 100666004



Dual Thread Brushed Nickel Aerator
1 pack - Store SKU 706149
1 pack - Online SKU 100665991



Small Male Aerator
1 pack - Store SKU 705852
1 pack - Online SKU 100665997



Small Female Aerator
1 pack - Store SKU 705885
1 pack - Online SKU 100666008



Regular Dual Thread
PCA® SLC® Aerator
1 pack - Online SKU 303490592

 In addition to flow restricted aerators, NEOPERL also offers a pressure compensating (PCA®) faucet aerator that maintains a constant and comfortable water flow, for use in the kitchen or bathroom.	 NEOPERL's SLC® is the only faucet aerator with a silicone tip to eliminate lime and scale build up. Simply rub the bottom of the aerator with the tip of your finger.	 With NEOPERL's SSR faucet aerators, you can easily adjust the stream direction and eliminate splashing from the curvature of the sink.	 The PCA® Auto Clean, accumulates the sediments in the dome screen until the faucet is shut off. The sediments will be flushed within the first few seconds after the faucet is turned on.
---	--	---	--

1.5 gpm Water Saving Aerators




Regular Vandal Proof Female PCA® Aerator
40 pack - Online SKU 316899325

1.8 gpm Standard Flow Aerators



Spring-Flo® Ultra Dual Thread Aerator
1 pack - Store SKU 1001533839
1 pack - Online SKU 206275131



Dual Thread PCA® Aerator
1 pack - Store SKU 1001533837
1 pack - Online SKU 206275130

Faucet Aerator Size:

Do you need a regular, small, or Tom Thumb® faucet aerator?



Tip:

If your faucet aerator housing is in good condition you can replace the insert only.

2.2 gpm Standard Flow Aerators

 Regular PCA® Aerator Insert with 2 Washers 1 pack - Online SKU 203673072	 Regular PCA® SLC® Aerator Insert with 2 Washers 1 pack - Online SKU 203673050	 Tom Thumb® PCA® Insert with 2 Washers 1 pack - Online SKU 203673067	 Regular Male PCA® Aerator 1 pack - Online SKU 203673071 6 pack - Online SKU 204690125
 Regular Female PCA® Aerator 1 pack - Online SKU 203673069 6 pack - Online SKU 204690126	 Dual Thread PCA® Aerator 1 pack - Online SKU 203673068 6 pack - Online SKU 204690135 50 pack - Online SKU 204690136	 Spring-Flo® Ultra Dual Thread Aerator 1 pack - Store SKU 591805 1 pack - Online SKU 202243068	 Dual Thread Aerator 1 pack - Store SKU 591792 1 pack - Online SKU 202243069

2.2 gpm not for sale in select states and territories. Please see chart on page 9 for the plumbing code regulations in your area.

Specialty Aerators



On/Off Dual Thread Chrome
1.2 gpm 1 pack - Online 206592568
1.5 gpm 1 pack - Online 203673043



On/Off Dual Thread
 Brushed Nickel
1.5 gpm 1 pack - Online 203673044




0.5-1.5 gpm Dual Flow
 Dual Thread
1 pack - Online 206592545



0.5-2.2 gpm Dual Flow
 Dual Thread
1 pack - Store 703476
1 pack - Online 100666081

1.2 gpm & 1.5 gpm Water Saving Swivels



Classic Flotalia Swivel Spray
1.5 gpm 1 pack - Store 706182
1.5 gpm 1 pack - Online 100669820



Softgrip Double Swivel
1.2 gpm 1 pack - Store 1001551783
1.2 gpm 1 pack - Online 206364978
1.5 gpm 1 pack - Store 461713
1.5 gpm 1 pack - Online 202523295



Dual Thread On/Off Swivel
1.2 gpm 1 pack - Store 1001533850
1.2 gpm 1 pack - Online 206275144
1.5 gpm 1 pack - Store 792708
1.5 gpm 1 pack - Online 202978203



Flotalia Swivel Spray
1.2 gpm 1 pack - Online 206664624

1.8 gpm & 2.2 gpm Standard Flow Swivels



Dual Thread Swivel
1.8 gpm 1 pack - Store 1001533841
1.8 gpm 1 pack - Online 206275132
2.2 gpm 1 pack - Store 703113
2.2 gpm 1 pack - Online 100665990



Dual Thread Swivel Brushed Nickel
1.8 gpm 1 pack - Store 1001533898
1.8 gpm 1 pack - Online 206275145
2.2 gpm 1 pack - Store 701925
2.2 gpm 1 pack - Online 100665994



Dual Thread Swivel
1.8 gpm 1 pack - Store 1001533844
1.8 gpm 1 pack - Online 206275134
2.2 gpm 1 pack - Store 702750
2.2 gpm 1 pack - Online 100666000


2.2 gpm not for sale in select states and territories. Please see chart on page 9 for the plumbing code regulations in your area.

Flow rate

Choose the right one for your needs

Tip:

Lowering your flow rate helps you reduce water use in your home and save money on water bills. If you are in California or Hawaii, water laws state you can only order a 1.8 gpm for your kitchen, 1.2 gpm for residential bathroom and 0.5 gpm for a public bathroom.



* Water savings based on national standard of 2.2 gpm.

Specialty Aerators



1.2 gpm Household Kit
 4 - Regular Aerator Inserts;
 8 - Regular Washers (4 male & 4 female); 1 - Aerator Wrench
1 pack- Store SKU 1001533901
1 pack- Online SKU 206275146



1.5 gpm Household Kit
 4 - Regular Aerator Inserts;
 8 - Regular Washers (4 male & 4 female); 1 - Aerator Wrench
1 pack- Store SKU 705951
1 pack- Online SKU 100665999

NEOPERL® products meet all the requirements for non-toxicity developed and recognized at the national level by NSF International for public health and safety. NEOPERL® products are tested and listed directly at NSF's labs.



1.2 gpm Water Saving Value Pack
 1 - Double Swivel;
 2 - Dual Thread Aerators
1 pack- Online SKU 206592425



1.5 gpm Water Saving Value Pack
 1 - Double Swivel;
 2 - Dual Thread Aerators
1 pack- Store SKU 741372
1 pack- Online SKU 202542919



Certified to
 NSF/ANSI 61-G



1.2 gpm Advantage Pack
 1 - Softgrip Swivel;
 2 - Dual Thread Aerators
1 pack- Online SKU 206592472



1.5 gpm Advantage Pack
 1 - Softgrip Swivel;
 2 - Dual Thread Aerators
1 pack- Online SKU 203673042



Drought Kit
 1 - 1.5 gpm Softgrip Swivel;
 1 - 1.5 gpm Dual Thread Aerator;
 1 - 2.0 gpm Shower Flow Controller
1 pack- Online SKU 203780172

Instructions



Insert installation:

1. Unthread old aerator from faucet and remove washer and insert.
2. Place new aerator insert into the original housing.
3. For housings with inside threads, use thinner washer. For housings with outside threads, use thicker washer.
4. Install onto spout by hand. If leak occurs, tighten more firmly.

Male or Female installation:

1. Unthread old aerator from faucet.
2. Install onto spout by hand. If leak occurs, tighten more firmly.



Dual thread installation:

1. Unthread old aerator from faucet.
2. For housings with inside threads, use thinner washer. For housings with outside threads, use thicker washer.
3. Install onto spout by hand. If leak occurs, tighten more firmly.



Shower Flow Controller installation:



1. Remove showerhead.
2. Apply plumber's tape to threads.
3. Install adapter onto spout by hand. Reconnect showerhead.
4. Turn on shower. If leak occurs, tighten more firmly.

Caché® Hidden Aerators

1.2 gpm Super Water Saving Hidden Faucet Aerators



Junior PCA® Caché® Aerator with Key
2 pack - Online SKU 301338511



Tiny Junior PCA® Caché® Aerator with Key
1 pack - Online SKU 311745014



Regular Laminar PCA® Caché® Aerator with Key
1 pack - Online SKU 316883966



Junior Laminar PCA® Caché® Aerator with Key
2 pack - Online SKU 316883985



Tiny Junior Laminar PCA® Caché® Aerator with Key
2 pack - Online SKU 316884013



Tom Thumb® Laminar PCA® Caché® Aerator with Key
2 pack - Online SKU 316884058

Caché® installation instructions:

1. Use key to remove hidden aerator from spout.
2. Clean threads inside spout.
3. Use key to install the new hidden aerator.
4. Turn on faucet. If leak occurs, tighten more firmly.

1.5 gpm Water Saving Hidden Faucet Aerators



Regular PCA® Caché® Aerator with Key
1 pack - Store SKU 1001551246
1 pack - Online SKU 206321095



Junior PCA® Caché® Aerator with Key
1 pack - Store SKU 1001551256
1 pack - Online SKU 206321096



Tiny Junior PCA® Caché® Aerator with Key
1 pack - Online SKU 203673053



Tom Thumb® PCA® Caché® Aerator with Key
2 pack - Online SKU 301680405



Delta® Hidden Aerator Kit with Key
1 pack - Store SKU 1001551284
1 pack - Online SKU 206321178



Moen® Hidden Aerator Kit with Key
1 pack - Store SKU 1001551263
1 pack - Online SKU 206321097



Tip: Save your key for future use.

2.2 gpm Standard Flow Hidden Faucet Aerators



Regular PCA® Caché® Aerator with Key
1 pack - Online SKU 203673056



Junior PCA® Caché® Aerator with Key
1 pack - Online SKU 203673055


Caché® Keys



Caché® Keys
1 pack - Store SKU 1001843413
1 pack - Online SKU 207143875

What Caché® sizes are available?

Caché® models are available in 4 sizes and 2 custom models.
Use this simple coin chart to determine the size you need:



Hidden Aerator
Kit for Select
Delta® Faucets



Hidden Aerator
Kit for Select
Moen® Faucets



Plumbing Flow Rates by State, County, and City

ARIZONA - Scottsdale	CALIFORNIA	CALIFORNIA - West Hollywood	COLORADO	COLORADO - Boulder
Residential Lav: 1.5 gpm Kitchen: 2.2 gpm Shower: 2.0 gpm Toilet: 1.28 gpf Urinals: 0.5 gpf	Residential lav: 1.2 gpm max Non-Residential lav: 0.5 gpm Kitchen: 1.8 gpm with a temp boost of 2.2 gpm Shower: 1.8 gpm max Toilet: 1.28 gpf (WS cert) Wall: 0.125 gpf All other types: 0.5 gpf	Residential lav: 1.2 gpm max Non-Residential lav: 0.5 gpm Kitchen: 1.5 gpm with a temp boost of 2.2 gpm Shower: 1.5 gpm max Toilet: 1.1 gpf (WS cert) Wall: 0.125 gpf All other types: 0.5 gpf	Residential Lav: 1.5 gpm (WS cert) Kitchen: 1.8 gpm with temp boost of 2.2 gpm (Ft. Collins: 1.8 gpm max for new construction.) Shower: 2.0 gpm (WS cert) (Ft. Collins: 1.8 gpm max for new construction.) Toilet: 1.28 gpf (WS cert) Urinals: 0.5 gpf (WS cert)	Residential Lav: 1.5 gpm (WS cert) Non-Residential Lav: 0.5 gpm Kitchen: 1.5 gpm Shower: 2.0 gpm (WS cert) Toilet: 1.28 gpf (WS cert) Urinals: 0.5 gpf (WS cert)
FLORIDA - Miami-Dade County	FLORIDA - Broward County	GEORGIA	HAWAII	ILLINOIS - Chicago
Residential Lav: 1.5 gpm (WS cert) Kitchen: 1.5 gpm Shower: 1.5 gpm (or WS cert) Toilet: 1.28 gpf (WS cert) Urinals: 0.5 gpf (WS cert)	Residential Lav: 1.5 gpm Kitchen: 2.2 gpm Shower: 2.0 gpm Toilet: 1.28 gpf Urinals: 0.5 gpf	Residential Lav: 1.5 gpm Kitchen: 2.0 gpm Shower: 2.5 gpm Toilet: 1.28 gpf Urinals: 0.5 gpf	Residential Lav: 1.2 gpm Non-Residential Lav: 0.5 gpm Kitchen: 1.8 gpm with temp boost of 2.2 gpm Shower: 1.8 gpm Toilet: EPACT92 Urinals: EPACT92	Residential Lav: 1.5 gpm (WS cert) Shower: 2.0 gpm (WS cert) Toilet: 1.28 gpf (WS cert) Urinals: 0.5 gpf (WS cert)
MASSACHUSETTS	MARYLAND - Rockville	NEVADA	NEW JERSEY	NEW YORK
Effective: 1/1/2022 Residential lav: 1.5 gpm Kitchen: 1.8 gpm with a temp boost of 2.2 gpm Shower: 2.0 gpm Toilet: 1.28 gpf Urinals: 0.5 gpf	Residential Lav: 1.5 gpm Kitchen: 1.5 gpm Shower: 2.0 gpm Toilet: 1.28 gpf Urinals: 0.5 gpf	Residential Lav: 1.5 gpm (WS cert) Kitchen: 2.2 gpm Shower: 2.0 gpm Toilet: 1.28 gpf Urinals: 0.5 gpf	Residential Lav: 1.5 gpm (WS cert) Non-Residential Lav: 0.5 gpm Kitchen: 1.8 gpm with temp boost of 2.2 gpm Shower: 2.0 gpm (WS cert) Toilet: 1.28 gpf (WS cert) Urinals: 0.5 gpf (WS cert)	Residential Lav: 1.5 gpm (WS cert) Kitchen: 2.2 gpm Shower: 2.0 gpm (WS cert) Toilet: 1.28 gpf (WS cert) Urinals: 0.5 gpf
NEW YORK - New York City	OREGON	TEXAS	VERMONT	WASHINGTON
Residential Lav: 1.5 gpm (WS cert) Kitchen: 2.2 gpm Shower: 2.0 gpm (WS cert) Toilet: 1.28 gpf (WS cert) Urinals: 0.5 gpf (WS cert)	Residential Lav: 1.2 gpm Kitchen: 1.8 gpm with temp boost of 2.2 gpm Shower: 1.8 gpm Toilet: 1.28 gpf (WS cert) Urinals: 0.5 gpf	Residential Lav: EPACT92 2.2 gpm Kitchen: EPACT92 2.2 gpm Shower: EPACT92 2.5 gpm Toilet: 1.28 gpf (WS cert) Urinals: 0.5 gpf (WS cert)	Effective: 7/1/2021 Residential Lav: 1.5 gpm Non-Residential Lav: 0.5 gpm Kitchen: 1.8 gpm with temp boost of 2.2 gpm Shower: 2.0 gpm Toilet: EPACT92 Urinals: 0.5 gpf	Residential Lav: 1.2 gpm Non-Residential Lav: 0.5 gpm Kitchen: 1.8 gpm with temp boost of 2.2 gpm Shower: 1.8 gpm Toilet: 1.28 gpf Urinals: Wall: 0.125 gpf All other types: 0.5 gpf
WASHINGTON, DC	OTHER / NATIONAL STANDARD			
Residential Lav: 1.5 gpm (WS cert) Kitchen: 2.2 gpm Shower: 2.0 gpm (WS cert) Toilet: 1.28 gpf (WS cert) Urinals: 0.5 gpf (WS cert)	Residential Lav: 2.2 gpm Non-Residential Lav: 0.5 gpm Kitchen: 2.2 gpm Shower: 2.5 gpm Toilet: 1.6 gpf Urinals: 1.0 gpf			



* Subject to change. Scan QR code for most current plumbing laws.

Adapters & Fittings



Top: M15/16\"-27+F55/64\"-27
Bottom: Male 55/64\"-27+3/4\" hose
1 pack - Store SKU 571493
1 pack - Online SKU 202243060



Top: Female 55/64\"-27
Bottom: Male 3/4\" hose
1 pack - Store SKU 572798
1 pack - Online SKU 202243063



Top: Male 15/16\"-27
Bottom: Male 55/64\"-27
1 pack - Store SKU 576349
1 pack - Online SKU 202243061



Top: Male 13/16\"-27
Bottom: Male 55/64\"-27
1 pack - Store SKU 578956
1 pack - Online SKU 202243062



Regular Dual Thread
Small Snap Fitting
1 pack - Online SKU 203673037



Top: Female 3/4\"-27
Bottom: Male 55/64\"-27
1 pack - Store SKU 590833
1 pack - Online SKU 202243064



Top: Female 3/4\" garden hose
Bottom: Male 55/64\"-27
1 pack - Store SKU 589483
1 pack - Online SKU 202243065



Regular Dual Thread
Large Snap Fitting
1 pack - Online SKU 203673026



Top: Male M24x1 + Female M22x1
Bottom: Male 55/64\"-27
1 pack - Store SKU 599885
1 pack - Online SKU 202969889



Top: Female 13/16\"-24
Bottom: Male 55/64\"-27
1 pack - Store SKU 599904
1 pack - Online SKU 202969884



Top: Male 15/16\" acetal
Bottom: Male 55/64\" acetal
1 pack - Online SKU 203673051



Tip: Use icons to help identify the application.



Faucet



Portable
Clothes Washer



Portable
Dish Washer



Garden Hose

Couplers



Small Snap Coupler with 3/4\" hose thread outlet & Fitting
1 pack - Store SKU 1001551327
1 pack - Online SKU 206321179



Large Snap Coupler with 3/4\" hose thread outlet & Fitting
1 pack - Store SKU 1001843391
1 pack - Online SKU 207116839



Small Snap Coupler with 3/4\" hose thread outlet
1 pack - Online SKU 205379585



Large Snap Coupler with 3/4\" hose thread outlet
1 pack - Online SKU 205379592




Caché® Adapters



Male M24x1 x Male 55/64"
Regular Caché® Adapter
1 pack - Online SKU 316899544



Male M21.5x1 x Male 55/64"
Junior Caché® Adapter
1 pack - Online SKU 316899543



Male M18.5x1 x Male 55/64"
Tiny Junior Caché® Adapter
1 pack - Online SKU 316899540



Male M16.5x1 x Male 55/64"
Tom Thumb® Caché® Adapter
1 pack - Online SKU 316899539



Installation instructions for male or female adapters:

1. Remove old aerator from faucet. Use wrench if necessary.
2. Remove any old washers that might be caught inside the spout.
3. Clean the threads on faucet for easier installation.
4. Install onto spout by hand.
5. Connect appliance with relevant threads.
6. Turn on faucet. If leak occurs, tighten more firmly.

Installation instructions for dual thread adapters and fittings:

1. Remove aerator from faucet. If a wrench is necessary, place cloth over aerator to prevent damage.
2. Remove any old washers that might be caught inside the spout.
3. Clean the threads on faucet.
4. For faucets with outside threads, remove thicker washer. For faucets with inside threads, leave thicker washer in place. Install adapter onto spout by hand.
5. Connect appliance with relevant threads.
6. Turn on faucet. If leak occurs, tighten more firmly.

Small Coupler and Fitting Instructions:



Large Coupler and Fitting Instructions:





NEOPERL, Inc.
171 Mattatuck Heights Road
Waterbury, CT 06705 USA
www.neoperl.com/consumer

Retail Sales Customer Support
Tel: 203-756-8451
Fax: 203-757-5512
E-mail: retail.sales@neoperl.com
retail.support@neoperl.com