

Bali® Wood, Composite, and Faux Wood Blinds



Product Information Guide and Price List for Wood, Composite, and Faux Wood Blinds

Month Year



Table of Contents

Features

The Bali® Wood Story	4
Bali Wood Characteristics	4
Northern Heights™ Wood Blinds	5
Composite Blinds	5
Premium Faux Wood and Faux Wood Blinds	5

Size Considerations

Cord Lift, Depth Requirements for Inside Mount	6-7
Cordless Lift, Depth Requirements for Inside Mount	8

Options

Blind Options	9
Cordless Lift	10
Multiple Blinds on One Headrail	11
NoHoles™	12
Cut-Out Blinds	12
Control Lengths for Cords and Wands	12
Bay and Corner Windows	13
Cloth Tapes	14
Decorative Tassels	15
Easy Grip Bottomrail	15
Valance Options	16-17
How to Measure for Valance Returns	18
How to Measure and Order Valances	18
Valance Keystones	19
Splicing Requirements	19
How to Measure a Special Splice Location	20

Faux Wood Arches

Features	21
How to Measure: Faux Wood Arch	21
Additional Information	21

General Information

Slat Count Table: 1" Wood Blinds	22
Slat Count Table: 2" Wood Blinds	23
Slat Count Table: 2 ³ / ₈ " Wood Blinds	24

Table of Contents

General Information

Slat Count Table: 2" Composite, Premium Faux Wood, and Faux Wood Blinds	25
Slat Count Table: 2½" Composite, Premium Faux Wood, and Faux Wood Blinds	26
Slat Route and Ladder Count Charts: Northern Heights™ 1" Wood Blinds, Northern Heights 2" and 2⅜" Wood Blinds, Northern Heights 2" and 2⅜" Wood Blinds with Cordless Lift	27
Slat Route and Ladder Count Charts: 2" and 2½" Composite Blinds, 2" and 2½" Composite Blinds with Cordless Lift, 2" and 2½" Premium Faux Wood and Faux Wood Blinds, 2" and 2½" Premium Faux Wood and Faux Wood Blinds with Cordless Lift	28
Northern Heights 1", 2", and 2⅜" Wood Blinds Product Detail	29
Cordless Lift Blinds Product Detail: Wood, Composite, and Faux Wood	30
2" and 2½" Composite Blinds Product Detail	31
2" and 2½" Premium Faux Wood and Faux Wood Blinds Product Detail	32

Wood Vertical Blinds

Features	33
Size Considerations	33
Depth Requirements for Inside Mount	33
Options: Cord and Chain Control	34
Paired Blinds	34
Replacement Vane Ordering	34
Stacking Chart and How to Measure for an Uncovered Window	35
Product Detail	36

Price Charts and Options Pricing

Price Group A: Northern Heights 1" Wood Blinds	39
Price Group B: Northern Heights 2" Wood Blinds	40
Price Group C: Northern Heights 2⅜" Wood Blinds	41
Price Group D: Northern Heights 2" Wood Blinds—Distressed, Rustic	42
Price Group E: Northern Heights Wood Vertical Blinds	43
Price Group F: 2" Composite Blinds	44
Price Group G: 2½" Composite Blinds	45
Price Group H: 2" Premium Faux Wood Blinds	46
Price Group I: 2½" Premium Faux Wood Blinds	47
Price Group J: 2" Faux Wood Blinds	48
Price Group K: 2½" Faux Wood Blinds	49
Price Group L: Faux Wood Arch	50
Options Pricing	51
Wood Vertical Blinds: Replacement Headrail Pricing	51

Features

The Bali® Wood Story

With Bali Wood Blinds, you can be confident you are selecting a window treatment that is manufactured and finished with the highest commitment to quality and the environment.

- We own the facilities that produce and finish our wood blind components
- We control the quality of the manufacturing process, from green lumber through finished product
- We dry the wood slowly, molding and sanding it to strict specifications for a high quality surface
- We carefully sort wood for color uniformity and wood characteristics in our own state-of-the-art finishing facility
- We use only high quality paints and stains applied on-site, by certified color technicians
- We use a three-step finishing process to ensure the wood's stain is consistent and beautiful for the life of your blinds
- We practice sound forestry techniques—nearly twice as much hardwood grows as is harvested in the U.S.
- We preserve natural resources—wood-fired boilers consume recycled wood sawdust and shavings to generate the heat needed to dry our lumber


Bali Wood Characteristics

Wood used to manufacture Bali Wood Blinds has many natural characteristics that make it truly unique. The following are all natural characteristics of wood, and we do not consider them to be defects:

- Grain—The direction, size, and appearance of wood fibers vary greatly depending on where the wood is cut from within the tree
- Tiger Striping—Occurs when a tree develops wavy grain, due to genetics, soil content, or other natural scenarios
- Burl—Formed from an irregular growth on the outer edge of the tree
- Bird's Eye—Small area on the surface of the board where fibers are contorted to form circular figures that resemble birds' eyes
- Pin Knots—Vary in size, shape, structure, and color
- Mineral Marks—Dark or discolored areas caused by minerals which the tree extracts from the water or soil; can be either a streak or a stain, usually blackish blue
- Lodge/Rustic—Material contains markings that are more extreme than in standard products; the number and degree of marking will vary throughout the blind

Please be assured that these markings in no way affect the durability or the structural integrity of the blind.

Natural variations in color and grain are inherent in the beauty of wood. These variations are within established industry guidelines and should be expected. In addition, blinds may stain slightly darker or lighter than the swatches shown in the sampling.



Features

Northern Heights™ Wood Blinds

- Stained and painted blinds crafted from North American hardwoods
- Finish highlights the natural characteristics of wood
- 1", 2", and 2½" slat sizes available
- Sandblast is not available on keystones
- Cordless lift option; not available on 1"
- NoHoles™ option available for maximum privacy; not available on 1" or with cordless lift
- Easy grip bottomrail for superior closure; makes lifting and lowering cordless lift blinds easier; standard on 2" and 2½" cordless lift wood blinds
- Rectangular bottomrail; standard on 1", 2", and 2½" cord lift wood blinds
- Decorative cloth tape option; not available with 1" or NoHoles
- Decorative tassel selection

Composite Blinds

- Moisture-resistant multiple polymer composite slats
- 2" and 2½" slat sizes available
- Cordless lift option
- NoHoles option available for maximum privacy; not available with cordless lift
- Trapezoid bottomrail for superior closure
- Decorative cloth tape option; not available with NoHoles

Premium Faux Wood and Faux Wood Blinds

- Solid or woodgrain moisture-resistant PVC slats
- 2" and 2½" slat sizes available in both premium faux wood and faux wood
- Cordless lift option
- NoHoles option available for maximum privacy; not available with cordless lift
- Trapezoid bottomrail for superior closure; available on premium faux wood blinds only
- Rectangular bottomrail; available on faux wood blinds only
- Decorative cloth tape option; not available with NoHoles

Size Considerations

Cord Lift

Styles	Price Group									
		Cord Lift Blinds				Cord Lift Blinds Multiple Blinds on One Headrail				
		Width		Height		Width			Height	
		Min (exact) (inches)	Max (inches)	Min (inches)	Max (inches)	Min Panel (exact) (inches)	Max Panel (inches)	Max Blind (inches)	Min Blind (inches)	Max Blind (inches)
Northern Heights™ Wood Blinds										
Northern Heights 1" Wood Blinds	A	7	96	6	120	7	96	120	6	120
Northern Heights 2" Wood Blinds	B	7	96	10	120	7	96	120	10	120
Northern Heights 2" Distressed and Rustic Wood Blinds	D	7	96	10	120	7	96	120	10	120
Northern Heights 2½" Wood Blinds	C	7	96	10	120	7	96	120	10	120
Exceptions: 1" Blinds 7" to 8⅞" center tilt only; no lift 9" to 13¾" standard or reverse standard controls only 13⅞" minimum for same side controls					Exceptions: 2" and 2½" Blinds 7" to 11⅞" center tilt only; no lift 12" to 16" standard or reverse standard controls only 16⅞" minimum for same side controls 7" to 8⅞" not available with cloth tapes					
Composite Blinds										
2" Composite Blinds	F	7	96	10	120	7	96	120	10	120
2½" Composite Blinds	G	7	96	10	120	7	96	120	10	120
Exceptions: 2" and 2½" Blinds 7" to 11⅞" center tilt only; no lift 12" to 16" standard or reverse standard controls only 16⅞" minimum for same side controls 7" to 8⅞" not available with cloth tapes										
Premium Faux Wood and Faux Wood Blinds										
2" Premium Faux Wood Blinds	H	7	96	10	120	7	96	120	10	120
2" Faux Wood Blinds	J	7	96	10	120	7	96	120	10	120
2½" Premium Faux Wood Blinds	I	7	96	10	120	7	96	120	10	120
2½" Faux Wood Blinds	K	7	96	10	120	7	96	120	10	120
Exceptions: 2" and 2½" Blinds 7" to 11⅞" center tilt only; no lift 12" and wider standard or reverse standard controls only 7" to 8⅞" not available with cloth tapes Same side controls not available with any size										

Size Considerations

Cord Lift

Depth Requirements for Inside Mount

Blind Type	Headrail Dimensions (inches)	 Partially recessed headrail in window casing/molding	 Fully recessed headrail in window casing/molding Flush with Casing (without valance)*	
			Cord Tilt (inches)	Wand Tilt (inches)
Northern Heights™ 1" Wood	1 x 1½	¾	N/A	1⅞
Northern Heights 2" Wood	1⅝ x 2¼	¾	2⅞	3⅞
Northern Heights 2⅝" Wood^	1⅝ x 2¼	¾	2⅞	N/A
2" Composite	1⅝ x 2¼	¾	2⅞	3⅞
2½" Composite^	1⅝ x 2¼	¾	2⅞	N/A
2" Premium Faux Wood 2" Faux Wood	1⅝ x 2¼	¾	2⅞	3⅞
2½" Premium Faux Wood^ 2½" Faux Wood^	1⅝ x 2¼	¾	2⅞	N/A

*For measurements of fully recessed headrails with a valance, see valance options.

^Additional clearance may be required for larger slat sizes.

Size Considerations

Cordless Lift

Styles	Price Group									
		Cordless Lift Blinds				Cordless Lift Blinds Multiple Blinds on One Headrail				
		Width		Height		Width			Height	
		Min (exact) (inches)	Max (inches)	Min (inches)	Max (inches)	Min Panel (exact) (inches)	Max Panel (inches)	Max Blind (inches)	Min Blind (inches)	Max Blind (inches)
Northern Heights™ Wood Blinds										
Northern Heights 2" Wood Blinds	B	12	84	10	86	12	84	120	10	86
Northern Heights 2" Distressed and Rustic Wood Blinds	D	12	84	10	86	12	84	120	10	86
Northern Heights 2½" Wood Blinds	C	12	84	10	86	12	84	120	10	86
Composite Blinds										
2" Composite Blinds	F	12	66	10	72	12	66	120	10	72
2½" Composite Blinds	G	12	66	10	72	12	66	120	10	72
Premium Faux Wood and Faux Wood Blinds										
2" Premium Faux Wood Blinds	H	12	63	10	72	12	63	120	10	72
2" Faux Wood Blinds	J	12	63	10	72	12	63	120	10	72
2½" Premium Faux Wood Blinds	I	12	63	10	72	12	63	120	10	72
2½" Faux Wood Blinds	K	12	63	10	72	12	63	120	10	72

Depth Requirements for Inside Mount

Blind Type	Headrail Dimensions (inches)	 Partially recessed headrail in window casing/molding	 Fully recessed headrail in window casing/molding	
			Flush with Casing (without valance)*	
		Minimum Depth Mount (inches)	Cord Tilt (inches)	Wand Tilt (inches)
Northern Heights 2" and 2½" Wood Blinds 2" and 2½" Composite Blinds 2" and 2½" Premium Faux Wood and Faux Wood Blinds	2 x 2¼	¾	2⅞	2¼

*For measurements of fully recessed headrails with a valance, see valance options.

Options

Blind Options (for surcharges and pricing refer to pricing section)

Blind Options	Northern Heights™ 1" Wood	Northern Heights 2" Wood	Northern Heights 2⅜" Wood	2" and 2½" Composite	2" Premium Faux Wood and 2" Faux Wood	2½" Premium Faux Wood and 2½" Faux Wood	Details
Bay and Corner Windows	•	•	•	•	•	•	See the options section for measuring and ordering information
Cloth Tapes		•\$	•\$	•\$	•\$	•\$	See price charts for surcharge
Control Locations:							
• Tilt Left, Lift Right (standard)	•	•	•	•	•	•	Must be requested at time of order
• Tilt Right, Lift Left	•	•	•	•	•	•	
• All Controls Right/ All Controls Left	•	•	•	•			
Cord Tilt		•	•	•	•	•	Color coordinated
Cordless Lift		•\$	•\$	•\$	•\$	•\$	See price charts for surcharge
Cut-Outs	•	•	•	•	•	•	See the options section
Decorative Tassels	•\$	•\$	•\$				See the options section
Easy Grip Bottomrail		•\$\$	•\$\$				
Hold Down Brackets	•	•	•	•	•	•	Must be requested at time of order
Multiple Blinds on One Headrail: 2 or 3 on 1 to left of solid line*	•\$	•\$	•\$	•\$	•\$	•\$	See the options section
NoHoles™ ¹		•\$	•\$	•\$	•\$	•\$	See price charts for surcharge
Projection Brackets							Projection brackets not available for inside mount; must be requested at time of order; shims are standard on 2⅜" and 2½" blinds (outside mount)
• 2¾" and 4¾" Projection Brackets	•	•	•	•	•	•	
• ⅜" Shims	•+	•	•	•	•	•	
Ring Pull	•	•	•	•	•	•	
Ring Tilt	•	•		•^	•		
Sky Pole ¹							Available with ring tilt/ring pull only; must be requested at time of order
• 6 foot pole	•\$	•\$	•\$	•\$	•\$	•\$	
• 9 foot pole							
Wand Tilt (standard on 1")	•	•	•**	•**	•	•**	Color coordinated
Wood Cornices	•\$	•\$	•\$	•\$	•\$	•\$	See cornices and valances product information guide and price list

*See solid line on appropriate price grid.

¹Not available with cordless lift option.

+⅜" projection block available.

\$Option available with surcharge.

\$\$Option available with surcharge for cord lift; no charge for cordless lift.

^Not available with 2½" composite.

**Available with cordless lift only for 2⅜" and 2½" slat sizes.

Options

Cordless Lift



- **For surcharge, see price charts**
- Available on wood, composite, and faux wood blinds (not available on 1" wood)
- Cordless lift blinds offer a safer alternative for homes with children and pets
- Wand tilt is standard on cordless lift (maximum wand length 48"); optional cord tilt available
- Standard wand tilt eliminates all dangling cords
- Easy to use: to lower blind, pull down; to raise, simply guide the blind into the desired location by gently lifting the bottomrail
- Not available with NoHoles™ or cut-outs
- Premium traditional, modern, or eloquence valances recommended with cordless lift blinds for better headrail coverage

	Wood	Composite	Faux Wood
Minimum Width (inches)	12	12	12
Maximum Single Blind Width (inches)	84	66	63
Maximum Multiple Blinds on One Headrail (inches)	120	120	120
Minimum Height (inches)	10	10	10
Maximum Height (inches)	86	72	72
Maximum Square Footage (square feet)	50	29	31½

Options

Multiple Blinds on One Headrail



Gap 1/4"

- **Surcharge:** blinds to the left of the solid line on the price charts
- **No charge:** blinds to the right of the solid line on the price charts
- Two or more blinds can be installed on a single headrail to provide a practical treatment for larger windows or sliding patio doors
- Due to weight limitations, some blinds must be manufactured as two or three blinds on one headrail

Multiple Blinds	Control Cord Locations	Gap (inches)
Cord Lift		
Two on One Headrail	Left panel (tilt and lift left) Right panel (tilt and lift right)	1/4 (1/2 on NoHoles™)
Three on One Headrail	Left panel (tilt and lift left) Right panel (tilt and lift right) Center panel (tilt left/lift right)	1/4 (1/2 on NoHoles)
Cordless Lift		
Two on One Headrail	Left panel (tilt left) Right panel (tilt right)	1/4
Three on One Headrail	Left panel (tilt left) Right panel (tilt right) Center panel (tilt left)	1/4

NOTE: Optional control locations may be requested.

2" and 2½" premium faux wood and faux wood cannot have same side controls.

Measuring


1. Measure overall width of the area to be covered. If space permits, an overlap of 1½" per side is recommended for outside mounts.
2. Measure the width of the area each blind is to cover. Measure and specify the left blind first, continuing to the right. Allow a minimum of 1/4" between blinds for operating clearance.
3. Total width of all blinds, plus clearance(s) must equal overall width.
4. Measure height as follows:
 - a. For windows, use standard inside or outside measuring procedures.
 - b. For patio doors, measure height within 3/4" of floor, either from ceiling or a point at least 6½" above the door frame. Check slat count table to see if blind will completely clear the doorway.

Ordering

1. Indicate whether two or three blinds are to be mounted on one headrail.
2. Specify total width of headrail.
3. Indicate each panel width separately, specify left blind first, continuing to the right.
4. Specify control positions, if other than standard.
5. Add appropriate surcharge, if to the left of the solid line on the price chart.

Options

NoHoles™



- **For surcharge, see price charts**
- The design of the NoHoles option eliminates route holes, providing maximum privacy and the best available light control
- Cleaning is simplified by sliding the NoHoles slats out and wiping clean, or keeping the slats in place and vacuuming using a soft brush attachment
- Not available on 1" wood blinds, blinds with cloth tapes, or blinds with cordless lift
- Best suited for inside mount applications due to the slight shifting of slats during operation




Standard




NoHoles

Cut-Out Blinds



- **For surcharge, see options pricing**
- Maximum cut-out is 1" before route hole or NoHoles notch (corner and side cut-outs only)
- Cut-outs are measured with the slats tilted in the closed position for maximum clearance
- The cut-out height may be larger than requested due to slat placement
- Measure height from the bottom of the window up to the desired location
- Not available with cordless lift and wood vertical blinds

NOTE: Standard lead time does not apply for this feature. Additional manufacturing time is required.



Side Cut-Out

Control Lengths for Cords and Wands

Finished Blind Height (inches)	Cord Length (inches)	Wand Length* (inches)
up to 32	14	12
32 $\frac{1}{16}$ to 50	22	20
50 $\frac{1}{16}$ to 70	32	30
70 $\frac{1}{16}$ to 80	42	40
80 $\frac{1}{16}$ to 87	50	48
87 $\frac{1}{16}$ to 99	62	60
99 $\frac{1}{16}$ to 120	74	72

*Wands over 48" long are a clear plastic.

Options



Bay and Corner Windows

- Made as individual blinds to fit in bay or corner windows
- Each blind is on an individual headrail and has its own control
- Indicate each blind with bypass or butt; bypass is the blind mounted into the corner; butt is the blind butted up to the other blind; must provide blind location (left and right blind)
- Control locations can be on the right or left side of each blind; placing controls opposite the corner is recommended
- Depending on the angle, some corner blinds cannot be raised to the same height

- Manufacturer will take appropriate deductions for proper fit
- No additional charge
- Valances will be mitered in the corner for finished look
- Cornices and wood verticals are not available on bay or corner windows
- Slat alignment cannot be guaranteed on side by side blinds
- If you do not want manufacturer to take deductions DO NOT order as bay or corner

NOTE: Standard lead time does not apply for this feature. Additional manufacturing time is required.

Measuring Information



Corner Window

Measure:

Width of each window from corner to the point you would like to cover.

Three-Sided Bay Window

Measure:

A and C: Width of side windows from the corners to the point you would like the blind to cover.

B: Width of the center window from corner to corner.

Angle A-B: Angle between windows (A) and (B).

Angle B-C: Angle between windows (B) and (C).

Four-Sided Bay Window

Measure:

A and D: Width of side windows from the corners to the point you would like the blind to cover.

B and C: Width of each window from corner to corner.

Angle A-B: Angle between windows (A) and (B).

Angle B-C: Angle between windows (B) and (C).

Angle C-D: Angle between windows (C) and (D).

Five-Sided Bay Window

Measure:

A and E: Width of side windows from the corners to the point you would like the blind to cover.

B, C, and D: Width of each center window from corner to corner.

Angle A-B: Angle between windows (A) and (B).

Angle B-C: Angle between windows (B) and (C).

Angle C-D: Angle between windows (C) and (D).

Angle D-E: Angle between windows (D) and (E).

NOTE: Measure bay angle using protractor or angle finder, or use two business cards in bay corner as illustrated above, trace onto paper and fax to customer service.

Options

Cloth Tapes



- For surcharge, see price charts
- Decorative option to add to wood, composite, or faux wood blinds
- Decorative tapes will have pattern visible to room side only
- Not available with 1" wood or NoHoles™ option
- See chart below for availability of colors

Color Name	Color Number	Backer Tape Color	Northern Heights™ 2" Wood 2" Composite 2" Premium Faux Wood 2" Faux Wood	Northern Heights 2 3/4" Wood 2 1/2" Composite 2 1/2" Premium Faux Wood 2 1/2" Faux Wood
1" Solid Tapes			Cloth Tapes (available as marked)	
Beige	1011		•	
Black	1033		•	
Cocoa	1297		•	
Duck White	1136		•	
Toffee	1296		•	
White Smoke	1617		•	
1 1/2" Solid Tapes				
Aztec Amber	2177		•	•
Beige	2011		•	•
Black	2033		•	•
Chocolate	2353		•	•
Cocoa	2297		•	•
Dark Grey	2857		•	•
Duck White	2136		•	•
Golden Honey	2176		•	•
Light Grey	2861		•	•
Moss	2500		•	•
Navy	2369		•	•
Shadow Grey	2178		•	•
Taupe	2659		•	•
Toffee	2296		•	•
White	2005		•	•
White Smoke	2617		•	•
1 1/2" Decorative Tapes				
Arctic Sky	S164	Duck White	•	
Belgian Cream	Q164	Duck White	•	
Coastal Fog	C159	Duck White	•	
Creamy Taupe	D147	Duck White	•	
Dew Alabaster	N112	Duck White	•	
Faireweather Blue	D155	Duck White	•	
Fresh Sage	B160	Duck White	•	
Medallion Flax	F541	Light Beige	•	
Medallion Taupe	F659	Taupe	•	
Medallion Toffee	F296	Black	•	
Modern Taupe	C157	Duck White	•	
Natural Linen	S166	Taupe	•	
Neutral Intrigue	B161	Duck White	•	
Palm Beach	P179	White Smoke	•	
Variegated Taupe	Q659	Taupe	•	

Options

Decorative Tassels (wood blinds only)

For surcharge, see options pricing.



Standard Tassel

1" wood tassel stained or painted to coordinate with your wood blinds.



Nickel Tassel

1" nickel tassel ideal for light stains and paints.



Brass Tassel

1" antique brass tassel ideal for medium and dark stains and paints.




Flared Tassel

2¼" long, genuine hardwood tassel stained or painted to coordinate with your wood blinds.

Easy Grip Bottomrail


For surcharge, see options pricing.

- For superior closure, privacy, and light control
- Makes lifting and lowering cordless lift blinds easier
- Standard on 2" and 2¾" cordless lift wood blinds and all distressed and rustic wood blinds
- Optional on 2" and 2¾" cord lift wood blinds



Options

Valance Options

Valance Type	Blind Type	Maximum Continuous Width*		Control Type	Recommended	Outside Mount Returns (inches)	Full Recess Depth (inches)
		Inside Mount No Returns (inches)	Inside Mount with Returns (inches)				
3" Standard Valance  Valance Returns 1/2" to 1": glued 1 1/16" to 4 3/4": optional glued 4 11/16" and greater: not glued	1" Wood	100 1/4	98 3/8	Wand tilt	●	2 1/16	2 3/8
	2" Wood	100 1/4	98 3/8	Cord tilt	●	2 7/8	3 1/4
				Wand tilt	●	3 3/16	3 3/8
				Cordless wand tilt		3 3/8	3 3/4
				Cordless cord tilt		2 3/4	3 1/16
	2 3/4" Wood	100 1/4	98 3/8	Cord tilt		3 3/4	4 1/16
				Cordless wand tilt		3 3/16	3 15/16
	2" Composite^	106 5/8	105 3/8	Cordless cord tilt		3 3/16	3 15/16
				N/A		5 1/2	5 13/16
	2 1/2" Composite^	106 5/8	105 3/8	Cord tilt	●	2 7/8	3 1/4
				Wand tilt	●	3 3/16	3 3/8
				Cordless wand tilt		3 3/8	3 3/4
				Cordless cord tilt		2 3/4	3 1/16
3 1/4" Eloquence Valance  Valance Returns 1/2" to 1": glued 1 1/16" to 4 3/4": optional glued 4 11/16" and greater: not glued	2" Composite^	106 5/8	105 3/8	Cord tilt	●	2 7/8	3 3/8
				Wand tilt	●	3 3/16	4 1/16
				Cordless wand tilt	●	3 3/8	3 3/8
				Cordless cord tilt	●	2 3/4	3 3/16
	2 1/2" Composite^	106 5/8	105 3/8	Cord tilt	●	3 15/16	4 7/16
				Cordless wand tilt	●	3 3/4	4 1/4
				Cordless cord tilt	●	3 3/4	4 1/4
				Cord tilt	●	2 7/8	3 3/8
	2" Premium Faux Wood^ 2" Faux Wood^	106 5/8	105 3/8	Wand tilt	●	3 3/16	4 1/16
				Cordless wand tilt	●	3 3/8	3 3/8
				Cordless cord tilt	●	2 3/4	3 3/16
				Cord tilt	●	3 15/16	4 7/16
	2 1/2" Premium Faux Wood^ 2 1/2" Faux Wood^	106 5/8	105 3/8	Cordless wand tilt	●	3 3/4	4 1/4
				Cordless cord tilt	●	3 3/4	4 1/4
				Cordless cord tilt	●	3 3/4	4 1/4

*Continuous valances wider than sizes shown above will have two or more sections spliced together with a keystone. Maximum width for spliced valances is 300 3/4".

^Keystones not available.

NOTE: For replacement valances see cornice and valance product information guide and price list.

Options

Valance Options

Valance Type	Blind Type	Maximum Continuous Width*		Control Type	Recommended	Outside Mount Returns (inches)	Full Recess Depth (inches)
		Inside Mount No Returns (inches)	Inside Mount with Returns (inches)				
3½" Modern Valance  Valance Returns ½" to 1": glued 1⅛" to 4⅝": optional glued 4⅞" and greater: not glued	1" Wood	100¼	98⅜	Wand tilt	●	2¼	2⅜
	2" Wood	100¼	98⅜	Cord tilt	●	2⅞	3¼
				Wand tilt	●	3⅞	3⅝
				Cordless wand tilt	●	3⅝	3¾
	2⅝" Wood	100¼	98⅜	Cordless cord tilt	●	2¾	3⅞
				Cord tilt	●	3¾	4⅞
				Cordless wand tilt	●	3⅞	3⅞
	Wood Verticals	100¼	98⅜	Cordless cord tilt	●	3⅞	3⅞
				N/A	●	5½	5⅞
3½" Premium Traditional Valance  Valance Returns ½" to 1": glued 1⅛" to 4⅝": optional glued 4⅞" and greater: not glued	1" Wood	100¼	98⅜	Wand tilt	● ^{\$}	2¼	2⅞
	2" Wood	100¼	98⅜	Cord tilt	● ^{\$}	2⅞	3½
				Wand tilt	● ^{\$}	3⅞	4⅞
				Cordless wand tilt	●	3⅝	4
				Cordless cord tilt	●	2¾	3⅞
	2" Distressed Wood [^]	100¼	98⅜	Cord tilt	●	2⅞	3½
				Wand tilt	●	3⅞	4⅞
				Cordless wand tilt	●	3⅝	4
				Cordless cord tilt	●	2¾	3⅞
	2⅝" Wood	100¼	98⅜	Cord tilt	●	3¾	4⅞
				Cordless wand tilt	●	3⅞	4⅞
				Cordless cord tilt	●	3⅞	4⅞
	Wood Verticals	100¼	98⅜	N/A	●	5½	6⅞
4½" Eloquence Valance  Valance Returns ½" to 1": glued 1⅛" to 4⅝": optional glued 4⅞" and greater: not glued	1" Wood	100¼	98⅜	Wand tilt	● ^{\$}	2¼	2⅞
	2" Wood	100¼	98⅜	Cord tilt	● ^{\$}	2⅞	3⅝
				Wand tilt	● ^{\$}	3⅞	4⅞
				Cordless wand tilt	● ^{\$}	3⅝	4⅞
				Cordless cord tilt	● ^{\$}	2¾	3½
	2⅝" Wood	100¼	98⅜	Cord tilt	● ^{\$}	3¾	4½
				Cordless wand tilt	● ^{\$}	3⅞	4⅞
				Cordless cord tilt	● ^{\$}	3⅞	4⅞
	Wood Verticals	100¼	98⅜	N/A	● ^{\$}	5½	6¼

*Continuous valances wider than sizes shown above will have two or more sections spliced together with a keystone. Maximum width for spliced valances is 300¼".

^{\$}Surcharge

[^]Keystones not available.

NOTE: For replacement valances see cornice and valance product information guide and price list.

Options

How to Measure for Valance Returns


Window depths vary considerably depending on the age and style of the window. **Always** measure the window depth, regardless of the type of window treatment the client is considering. Knowing the depth when the order is placed can help prevent costly errors.

To calculate the return width, use this formula:

[standard return width] minus [client window depth] = special return width to order for inside mount blind

REMEMBER:

- Smallest return width is $\frac{1}{2}$ " (inside measurement), maximum return width is 8"
- Returns $\frac{1}{2}$ " to 1" (inside measurement) will be glued; returns $1\frac{1}{16}$ " to $4\frac{5}{8}$ " (inside measurement) have the option of being glued
- The width of a return and the width of a valance are measured on the inside (back side) of the valance, not the outside (face) of the valance (see diagram at right)
- Standard return size for $2\frac{3}{8}$ " blinds—subtract $\frac{3}{16}$ " prior to determining special return width
- Standard return size for $2\frac{1}{2}$ " blinds—subtract $\frac{3}{8}$ " prior to determining special return width



A: Inside Measurement
B: Outside Measurement



How to Measure and Order Valances

If a valance is ordered, it is supplied in one of the following styles, depending on how your blind will be mounted. For a more custom look, the valance and returns may be special ordered to your measurements.

NOTE: Valances with returns are measured and cut from the **INSIDE** of the miter to ensure the most accurate fit when installed over the headrail or window frame.


Blinds ordered as an OUTSIDE MOUNT

with requested returns will be supplied with returns sized to cover the end of the blind back to the mounting surface. If projection brackets are requested when the blind is ordered, longer returns will be sent automatically. Outside mount blinds are available without returns upon request.



A: Inside Measurement
B: Outside Measurement

NOTE: Minimum return width is $\frac{1}{2}$ ", maximum return width is 8".




Additional Ordering Information:

- Please state at the time of order if the valance and return measurements are for the **EXACT** size required so that no additions or deductions are made
- Different return sizes can be ordered for the same valance; always provide **LEFT** return **INSIDE** measurement first when ordering
- Valance projection is different if the blind has a wand tilt or cord tilt; please refer to the previous specifications chart for more information
- Returns $\frac{1}{2}$ " to 1" (inside measurement) will be glued; returns $1\frac{1}{16}$ " to $4\frac{5}{8}$ " (inside measurement) have the option of being glued; returns $4\frac{11}{16}$ " (inside measurement) and greater will not be glued
- Bay and corner blinds—must specify return width on inside mount at time of order
- Single side returns are available—opposite end will be cut straight

Options

Valance Keystones

- Decorative keystones are required on wood valances that require splicing
- Keystones will be equally spaced unless special splice locations are requested at time of order
- Optional keystones can be ordered with single piece valances, or in addition to required keystones at the time of order only
 - Minimum width with a keystone: 12"
 - Maximum number of keystones: 3
- Keystones will be stained or painted to match the valance ordered as standard; optional different color selection available
- Keystones not available on distressed wood, in sandblast finish, composite, or faux wood valances
- Keystones cannot be ordered for existing valances, attachment will not work
- All inside mount applications will have a slight light gap at the top of valance when installed




Splicing Requirements

Profile	Number of Sections	Number of Keystones	No Returns		With Returns (inside dimensions)	
			Minimum (inches)	Maximum (inches)	Minimum (inches)	Maximum (inches)
3" Standard Wood Valance	1	0	8	100 $\frac{1}{4}$	8	98 $\frac{5}{8}$
3 $\frac{1}{2}$ " Modern Wood Valance	2	1	100 $\frac{1}{16}$	200 $\frac{1}{2}$	98 $\frac{7}{16}$	198 $\frac{5}{8}$
3 $\frac{1}{2}$ " Premium Traditional Wood Valance	3	2	200 $\frac{1}{16}$	300 $\frac{1}{4}$	198 $\frac{11}{16}$	298 $\frac{5}{8}$
4 $\frac{1}{2}$ " Eloquence Wood Valance						


Outside Mount

- Wood valances requiring a splice will include a keystone (see chart above for details)



Inside Mount


- Wood valances 100 $\frac{1}{4}$ " or wider will require a keystone



Options

How to Measure a Special Splice Location

A keystone is supplied for valance widths that require a splice. Keystone will be equally spaced unless a special splice location is requested at time of order. The placement of the splice will be calculated by the factory using an **INSIDE** measurement from the mitered corner to the location specified on the order.



Each splice location should be recorded starting from the **LEFT BACKSIDE** corner.

These formulas are used to calculate BACKSIDE valance measurements.

Inside Mount with No Returns	Ordered width $-\frac{1}{16}$ "
Inside Mount with Returns	Ordered width $+\frac{1}{4}$ "
Outside Mount with No Returns	Ordered width $+\frac{1}{2}$ "
Outside Mount with Returns	Ordered width $+\frac{3}{4}$ "

Example: Overall valance width = 80" backside measurement
First splice from left = 30" backside measurement
Second splice from left = 50" backside measurement

For surcharge, see options pricing.


NOTE: All measurements need to be from BACKSIDE.

Faux Wood Arches

Features

- Bali® Faux Wood Arch is a perfect complement to our faux wood blinds
- Arch louvers are designed with a rabbet edge for tight closure
- Each slat can be individually rotated for maximum light control
- Curved frame allows product to cover a range of window opening sizes
- Provides good insulation

How to Measure: Faux Wood Arch



- Measure width and height
- Frame of arch will extend past window opening

Additional Information

- Arches are inside mount only
- Arches are made of PVC
- Arch frame is 2½" deep
- For ease of installation, arch comes fully assembled
- Depending on the size of your window, the arch frame can extend beyond the arch opening; there must be sufficient wall space (outside the arch window opening) to accommodate the frame
- Arch is for perfect and some non-perfect arches only (will not work for elongated or eyebrow arches)

Color Available: Coconut

Size Considerations

Minimum Width (inches)	Maximum Width (inches)	Minimum Height (inches)	Maximum Height (inches)	Depth Required to Fully Recess Arch (inches)
20½	73½	10⅝	36⅝	2½

Limitations and Restrictions

In order to hang a standard blind below an arch, see limitations and restrictions below:

If Width of Arch (at widest point)	Limitation/Restriction
Is less than or equal to 48"	Blind below arch must be side-mounted
Is more than 48" but less than or equal to 73"	Blind below arch must be top mounted with center supports



Front View



Back View

General Information

Slat Count Table: 1" Wood Blinds

Number of Slats	1" Wood Blinds		Number of Slats	1" Wood Blinds		Number of Slats	1" Wood Blinds	
	Finished Blind Height (inches)	Finished Stack Height (inches)		Finished Blind Height (inches)	Finished Stack Height (inches)		Finished Blind Height (inches)	Finished Stack Height (inches)
4	5 ⁵ / ₁₆	2 ⁷ / ₈	50	44 ⁷ / ₁₆	9 ⁹ / ₁₆	96	83 ³ / ₄	
5	6 ³ / ₁₆		51	45 ¹ / ₈		97	84 ¹ / ₈	
6	7		52	46		98	84 ¹⁵ / ₁₆	
7	7 ⁷ / ₈		53	46 ¹³ / ₁₆		99	85 ¹ / ₈	
8	8 ³ / ₄		54	47 ¹¹ / ₁₆		100	86 ⁵ / ₈	16 ⁷ / ₈
9	9 ⁹ / ₁₆		55	48 ⁹ / ₁₆		101	87 ¹ / ₂	
10	10 ⁷ / ₁₆	3 ³ / ₄	56	49 ³ / ₈		102	88 ³ / ₈	
11	11 ¹ / ₄		57	50 ¹ / ₄		103	89 ³ / ₁₆	
12	12 ¹ / ₈		58	51 ¹ / ₁₆		104	90 ¹ / ₁₆	
13	12 ¹⁵ / ₁₆		59	51 ¹⁵ / ₁₆		105	90 ⁷ / ₈	
14	13 ¹³ / ₁₆		60	52 ³ / ₄	11	106	91 ³ / ₄	
15	14 ⁵ / ₈		61	53 ³ / ₈		107	92 ³ / ₁₆	
16	15 ¹ / ₂		62	54 ⁷ / ₁₆		108	93 ⁷ / ₁₆	
17	16 ³ / ₈		63	55 ⁵ / ₁₆		109	94 ¹ / ₄	
18	17 ³ / ₁₆		64	56 ³ / ₁₆		110	95 ⁵ / ₈	18 ¹ / ₄
19	18 ¹ / ₁₆		65	57		111	95 ¹⁵ / ₁₆	
20	18 ³ / ₈	5 ¹ / ₄	66	57 ⁷ / ₈		112	96 ¹³ / ₁₆	
21	19 ³ / ₄		67	58 ¹¹ / ₁₆		113	97 ¹ / ₁₆	
22	20 ⁹ / ₁₆		68	59 ⁹ / ₁₆		114	98 ¹ / ₂	
23	21 ⁷ / ₁₆		69	60 ³ / ₈		115	99 ³ / ₈	
24	22 ¹ / ₄		70	61 ¹ / ₄	12 ¹ / ₂	116	100 ³ / ₁₆	
25	23 ¹ / ₈		71	62 ¹ / ₁₆		117	101 ¹ / ₁₆	
26	24		72	62 ¹⁵ / ₁₆		118	101 ⁷ / ₈	
27	24 ¹³ / ₁₆		73	63 ¹³ / ₁₆		119	102 ³ / ₄	
28	25 ¹¹ / ₁₆		74	64 ³ / ₈		120	103 ³ / ₁₆	19 ³ / ₄
29	26 ¹ / ₂		75	65 ¹ / ₂		121	104 ⁷ / ₁₆	
30	27 ³ / ₈	6 ¹¹ / ₁₆	76	66 ⁵ / ₁₆		122	105 ⁵ / ₁₆	
31	28 ³ / ₁₆		77	67 ³ / ₁₆		123	106 ⁵ / ₈	
32	29 ¹ / ₁₆		78	68		124	107	
33	29 ⁷ / ₈		79	68 ⁷ / ₈		125	107 ¹³ / ₁₆	
34	30 ³ / ₄		80	69 ¹¹ / ₁₆	13 ¹⁵ / ₁₆	126	108 ¹¹ / ₁₆	
35	31 ⁵ / ₈		81	70 ⁹ / ₁₆		127	109 ¹ / ₂	
36	32 ⁷ / ₁₆		82	71 ³ / ₈		128	110 ³ / ₈	
37	33 ³ / ₁₆		83	72 ¹ / ₄		129	111 ¹ / ₄	
38	34 ¹ / ₈		84	73 ³ / ₈		130	112 ¹ / ₁₆	21 ³ / ₁₆
39	35		85	73 ¹⁵ / ₁₆		131	112 ¹⁵ / ₁₆	
40	35 ¹³ / ₁₆	8 ¹ / ₈	86	74 ¹³ / ₁₆		132	113 ³ / ₄	
41	36 ¹¹ / ₁₆		87	75 ⁵ / ₈		133	114 ³ / ₈	
42	37 ¹ / ₂		88	76 ¹ / ₂		134	115 ⁷ / ₁₆	
43	38 ³ / ₈		89	77 ⁷ / ₁₆		135	116 ⁵ / ₁₆	
44	39 ³ / ₁₆		90	78 ³ / ₁₆	15 ³ / ₈	136	117 ⁷ / ₈	
45	40 ¹ / ₁₆		91	79		137	118	
46	40 ¹⁵ / ₁₆		92	79 ⁷ / ₈		138	118 ¹³ / ₁₆	
47	41 ³ / ₄		93	80 ³ / ₄		139	119 ¹ / ₁₆	
48	42 ⁵ / ₈		94	81 ¹ / ₁₆		140	120 ¹ / ₂	22 ³ / ₈
49	43 ⁷ / ₁₆		95	82 ⁷ / ₁₆		141		

NOTE: Finished height includes headrail and bottomrail.

General Information

Slat Count Table: 2" Wood Blinds

Number of Slats	2" Wood Blinds with NoHoles™		2" Wood Blinds with Cordless Lift		Number of Slats	2" Wood Blinds with NoHoles		2" Wood Blinds with Cordless Lift	
	Finished Blind Height (inches)	Finished Stack Height (inches)	Finished Blind Height (inches)	Finished Stack Height (inches)		Finished Blind Height (inches)	Finished Stack Height (inches)	Finished Blind Height (inches)	Finished Stack Height (inches)
5	8 ⁵ / ₁₆	4 ¹ / ₁₆	9 ¹ / ₁₆	4 ⁵ / ₁₆	38	65 ¹³ / ₁₆		66 ⁷ / ₁₆	
6	10 ⁵ / ₁₆		10 ⁵ / ₁₆		39	67 ⁷ / ₁₆		68 ¹ / ₁₆	
7	12 ¹ / ₁₆		12 ⁵ / ₁₆		40	69 ¹ / ₄	9 ⁵ / ₁₆	69 ¹ / ₄	10 ¹ / ₁₆
8	13 ¹³ / ₁₆		14 ⁵ / ₁₆		41	71		71 ¹ / ₂	
9	15 ⁹ / ₁₆		16 ¹ / ₁₆		42	72 ³ / ₄		73 ¹ / ₄	
10	17 ⁵ / ₁₆	4 ⁷ / ₁₆	17 ¹³ / ₁₆	5 ⁵ / ₁₆	43	74 ⁷ / ₁₆		74 ¹⁵ / ₁₆	
11	19 ¹ / ₁₆		19 ⁹ / ₁₆		44	76 ³ / ₁₆		76 ¹ / ₁₆	
12	20 ¹ / ₄		21 ¹ / ₄		45	77 ¹⁵ / ₁₆		78 ⁷ / ₁₆	
13	22 ¹ / ₂		23		46	79 ¹ / ₁₆		80 ⁹ / ₁₆	
14	24 ¹ / ₄		24 ³ / ₄		47	81 ¹ / ₈		81 ¹ / ₈	
15	25 ¹⁵ / ₁₆		26 ⁷ / ₁₆		48	83 ¹ / ₈		83 ³ / ₈	11 ⁷ / ₁₆
16	27 ¹ / ₁₆		28 ³ / ₁₆		49	84 ⁷ / ₈		85 ³ / ₈	
17	29 ¹ / ₁₆		29 ¹⁵ / ₁₆		50	86 ⁹ / ₁₆	11 ¹ / ₄	86	
18	31 ¹ / ₁₆		31 ¹ / ₁₆		51	88 ⁵ / ₁₆			
19	32 ⁷ / ₁₆		33 ³ / ₈		52	90 ¹ / ₁₆			
20	34 ³ / ₈	6 ¹ / ₂	35 ¹ / ₈	7	53	91 ¹³ / ₁₆			
21	36 ³ / ₈		36 ³ / ₈		54	93 ¹ / ₂			
22	38 ¹ / ₁₆		38 ⁹ / ₁₆		55	95 ¹ / ₄			
23	39 ¹³ / ₁₆		40 ⁵ / ₁₆		56	97			
24	41 ¹ / ₁₆		42 ¹ / ₁₆		57	98 ¹ / ₁₆			
25	43 ³ / ₁₆		43 ¹³ / ₁₆		58	100 ¹ / ₁₆			
26	45		45 ¹ / ₂		59	102 ³ / ₁₆			
27	46 ³ / ₄		47 ¹ / ₄		60	103 ³ / ₈	12 ¹³ / ₁₆		
28	48 ¹ / ₂		49		61	105 ⁵ / ₈			
29	50 ⁹ / ₁₆		50 ¹ / ₁₆		62	107 ⁷ / ₈			
30	51 ¹⁵ / ₁₆	8 ¹ / ₁₆	52 ⁷ / ₁₆	8 ⁹ / ₁₆	63	109 ⁹ / ₈			
31	53 ¹ / ₁₆		54 ³ / ₁₆		64	110 ¹³ / ₁₆			
32	55 ¹ / ₁₆		55 ¹⁵ / ₁₆		65	112 ⁹ / ₁₆			
33	57 ⁷ / ₁₆		57 ⁵ / ₈		66	114 ⁵ / ₁₆			
34	58 ⁷ / ₈		59 ³ / ₈		67	116			
35	60 ⁵ / ₈		61 ¹ / ₈		68	117 ³ / ₄			
36	62 ⁵ / ₁₆		62 ¹³ / ₁₆		69	119 ¹ / ₂	14 ¹ / ₄		
37	64 ¹ / ₁₆		64 ⁹ / ₁₆		70	120			

NOTE: Finished height includes headrail and bottomrail.

General Information

Slat Count Table: 2³/₈" Wood Blinds

Number of Slats	2 ³ / ₈ " Wood Blinds with NoHoles™		2 ³ / ₈ " Wood Blinds with Cordless Lift		Number of Slats	2 ³ / ₈ " Wood Blinds with NoHoles		2 ³ / ₈ " Wood Blinds with Cordless Lift	
	Finished Blind Height (inches)	Finished Stack Height (inches)	Finished Blind Height (inches)	Finished Stack Height (inches)		Finished Blind Height (inches)	Finished Stack Height (inches)	Finished Blind Height (inches)	Finished Stack Height (inches)
5	9 ¹ / ₁₆	4 ¹ / ₁₆	10 ³ / ₈	4 ³ / ₄	32	67 ¹ / ₈		67 ³ / ₄	
6	11 ¹ / ₁₆		12 ¹ / ₂		33	69 ¹ / ₄		69 ⁵ / ₈	
7	13 ¹ / ₁₆		14 ³ / ₈		34	71 ³ / ₈		72	
8	16 ¹ / ₁₆		16 ³ / ₄		35	73 ¹ / ₂		74 ¹ / ₈	
9	18 ³ / ₁₆		18 ⁷ / ₈		36	75 ⁵ / ₈		76 ¹ / ₄	
10	20 ⁵ / ₁₆	4 ⁷ / ₈	21	5 ⁵ / ₁₆	37	77 ³ / ₄		78 ³ / ₈	
11	22 ⁷ / ₁₆		23 ¹ / ₈		38	79 ⁷ / ₈		80 ¹ / ₂	
12	24 ⁹ / ₁₆		25 ¹ / ₄		39	82		82 ⁵ / ₈	
13	26 ¹ / ₁₆		27 ³ / ₈		40	84 ¹ / ₈	9 ⁵ / ₈	84 ³ / ₄	10 ⁵ / ₁₆
14	28 ³ / ₁₆		29 ¹ / ₂		41	86 ¹ / ₄		86	
15	30 ⁵ / ₁₆		31 ³ / ₈		42	88 ³ / ₈			
16	33 ⁷ / ₈		33 ³ / ₄		43	90 ¹ / ₂			
17	35 ¹ / ₄		35 ⁵ / ₈		44	92 ⁵ / ₈			
18	37 ³ / ₈		38		45	94 ³ / ₄			
19	39 ¹ / ₂		40 ⁵ / ₈		46	96 ⁷ / ₈			
20	41 ³ / ₈	6 ¹ / ₂	42 ¹ / ₄	7 ¹ / ₈	47	99			
21	43 ¹ / ₄		44 ³ / ₈		48	101 ¹ / ₈			
22	45 ⁵ / ₈		46 ¹ / ₂		49	103 ³ / ₄			
23	48		48 ⁵ / ₈		50	105 ⁷ / ₈	11 ¹ / ₄		
24	50 ⁹ / ₁₆		50 ³ / ₄		51	107 ¹ / ₂			
25	52 ¹ / ₄		52 ⁵ / ₈		52	109 ⁵ / ₈			
26	54 ³ / ₈		55		53	111 ³ / ₄			
27	56 ¹ / ₂		57 ¹ / ₈		54	113 ⁷ / ₈			
28	58 ⁵ / ₈		59 ¹ / ₄		55	116			
29	60 ³ / ₄		61 ³ / ₈		56	118 ¹ / ₈	12 ³ / ₁₆		
30	62 ⁷ / ₈	8 ¹ / ₁₆	63 ¹ / ₂	8 ³ / ₄	57	120			
31	65		65 ⁵ / ₈						

NOTE: Finished height includes headrail and bottomrail.

General Information

Slat Count Table: 2" Composite, Premium Faux Wood, and Faux Wood Blinds

Number of Slats	2" Composite Blinds with NoHoles™		2" Premium Faux Wood and Faux Wood Blinds with NoHoles		2" Composite, Premium Faux Wood, and Faux Wood Blinds with Cordless Lift	
	Finished Blind Height (inches)	Finished Stack Height (inches)	Finished Blind Height (inches)	Finished Stack Height (inches)	Finished Blind Height (inches)	Finished Stack Height (inches)
4	10 ³ / ₁₆	4 ¹ / ₁₆	10 ³ / ₁₆	4 ¹ / ₁₆		
5	12 ¹ / ₁₆		12 ¹ / ₁₆		10 ⁷ / ₁₆	4 ⁹ / ₁₆
6	13 ¹³ / ₁₆		13 ¹³ / ₁₆		12 ³ / ₁₆	
7	15 ⁹ / ₁₆		15 ⁹ / ₁₆		14 ⁵ / ₁₆	
8	17 ⁵ / ₁₆		17 ⁵ / ₁₆		16 ¹ / ₁₆	
9	19 ¹ / ₁₆		19 ¹ / ₁₆		17 ¹³ / ₁₆	
10	20 ³ / ₄	5 ¹ / ₁₆	20 ³ / ₄	5 ¹ / ₁₆	19 ⁹ / ₁₆	5 ³ / ₈
11	22 ¹ / ₂		22 ¹ / ₂		21 ¹ / ₄	
12	24 ¹ / ₄		24 ¹ / ₄		23	
13	25 ¹⁵ / ₁₆		25 ¹⁵ / ₁₆		24 ³ / ₄	
14	27 ¹¹ / ₁₆		27 ¹¹ / ₁₆		26 ⁷ / ₁₆	
15	29 ⁷ / ₁₆		29 ⁷ / ₁₆		28 ³ / ₁₆	
16	31 ³ / ₁₆		31 ³ / ₁₆		29 ⁹ / ₁₆	
17	32 ⁷ / ₁₆		32 ⁷ / ₁₆		31 ¹¹ / ₁₆	
18	34 ³ / ₁₆		34 ³ / ₁₆		33 ³ / ₁₆	
19	36 ³ / ₁₆		36 ³ / ₁₆		35 ¹ / ₁₆	
20	38 ¹ / ₁₆	6 ³ / ₁₆	38 ¹ / ₁₆	6 ³ / ₁₆	36 ⁷ / ₁₆	7
21	39 ¹³ / ₁₆		39 ¹³ / ₁₆		38 ⁹ / ₁₆	
22	41 ⁹ / ₁₆		41 ⁹ / ₁₆		40 ⁵ / ₁₆	
23	43 ⁵ / ₁₆		43 ⁵ / ₁₆		42 ¹ / ₁₆	
24	45		45		43 ¹³ / ₁₆	
25	46 ³ / ₄		46 ³ / ₄		45 ¹ / ₂	
26	48 ¹ / ₂		48 ¹ / ₂		47 ¹ / ₄	
27	50 ³ / ₁₆		50 ³ / ₁₆		49	
28	51 ¹⁵ / ₁₆		51 ¹⁵ / ₁₆		50 ¹¹ / ₁₆	
29	53 ¹¹ / ₁₆		53 ¹¹ / ₁₆		52 ⁷ / ₁₆	
30	55 ⁷ / ₁₆	8 ¹ / ₄	55 ⁷ / ₁₆	8 ¹ / ₄	54 ³ / ₁₆	8 ⁹ / ₁₆
31	57 ³ / ₁₆		57 ³ / ₁₆		55 ¹⁵ / ₁₆	
32	58 ³ / ₁₆		58 ³ / ₁₆		57 ³ / ₁₆	
33	60 ³ / ₁₆		60 ³ / ₁₆		59 ³ / ₁₆	
34	62 ³ / ₁₆		62 ³ / ₁₆		61 ¹ / ₈	
35	64 ¹ / ₁₆		64 ¹ / ₁₆		62 ¹³ / ₁₆	
36	65 ¹³ / ₁₆		65 ¹³ / ₁₆		64 ⁹ / ₁₆	
37	67 ⁹ / ₁₆		67 ⁹ / ₁₆		66 ⁵ / ₁₆	
38	69 ¹ / ₄		69 ¹ / ₄		68 ¹ / ₁₆	
39	71		71		69 ³ / ₄	
40	72 ³ / ₄	9 ¹³ / ₁₆	72 ³ / ₄	9 ¹³ / ₁₆	71 ¹ / ₂	10 ¹ / ₁₆
41	74 ⁷ / ₁₆		74 ⁷ / ₁₆		73 ¹ / ₄	
42	76 ³ / ₁₆		76 ³ / ₁₆		74 ¹⁵ / ₁₆	
43	77 ¹⁵ / ₁₆		77 ¹⁵ / ₁₆		76 ¹¹ / ₁₆	
44	79 ¹¹ / ₁₆		79 ¹¹ / ₁₆		78 ⁷ / ₁₆	
45	81 ¹ / ₁₆		81 ¹ / ₁₆		80 ³ / ₁₆	
46	83 ¹ / ₁₆		83 ¹ / ₁₆		81 ¹ / ₁₆	
47	84 ⁷ / ₁₆		84 ⁷ / ₁₆		83 ³ / ₁₆	
48	86 ³ / ₁₆		86 ³ / ₁₆		85 ³ / ₁₆	11 ⁷ / ₁₆
49	88 ³ / ₁₆		88 ³ / ₁₆		86	
50	90 ¹ / ₁₆	11 ³ / ₁₆	90 ¹ / ₁₆	11 ³ / ₁₆		
51	91 ¹³ / ₁₆		91 ¹³ / ₁₆			
52	93 ¹ / ₂		93 ¹ / ₂			
53	95 ¹ / ₄		95 ¹ / ₄			
54	97		97			
55	98 ¹¹ / ₁₆		98 ¹¹ / ₁₆			
56	100 ⁷ / ₁₆		100 ⁷ / ₁₆			
57	102 ³ / ₁₆		102 ³ / ₁₆			
58	103 ³ / ₁₆		103 ³ / ₁₆			
59	105 ³ / ₁₆		105 ³ / ₁₆			
60	107 ³ / ₁₆	13	107 ³ / ₁₆	13		
61	109 ³ / ₁₆		109 ³ / ₁₆			
62	110 ¹³ / ₁₆		110 ¹³ / ₁₆			
63	112 ⁹ / ₁₆		112 ⁹ / ₁₆			
64	114 ⁵ / ₁₆		114 ⁵ / ₁₆			
65	116		116			
66	117 ³ / ₄		117 ³ / ₄			
67	119 ¹ / ₂		119 ¹ / ₂			
68	121 ¹ / ₄	14 ¹ / ₄	121 ¹ / ₄	14 ¹ / ₄		

NOTE: Finished height includes headrail and bottomrail.

General Information

Slat Count Table: 2½" Composite, Premium Faux Wood, and Faux Wood Blinds

Number of Slats	2½" Composite Blinds with NoHoles™		2½" Premium Faux Wood and Faux Wood Blinds with NoHoles		2½" Composite, Premium Faux Wood and Faux Wood Blinds with Cordless Lift	
	Finished Blind Height (inches)	Finished Stack Height (inches)	Finished Blind Height (inches)	Finished Stack Height (inches)	Finished Blind Height (inches)	Finished Stack Height (inches)
4	11 ¹⁵ / ₁₆	4 ¹ / ₁₆	11 ¹⁵ / ₁₆	4 ¹ / ₁₆		
5	14 ¹ / ₁₆		14 ¹ / ₁₆		12 ¹ / ₂	4 ³ / ₄
6	16 ³ / ₁₆		16 ³ / ₁₆		14 ⁵ / ₈	
7	18 ⁵ / ₁₆		18 ⁵ / ₁₆		16 ³ / ₄	
8	20 ⁷ / ₁₆		20 ⁷ / ₁₆		18 ⁵ / ₈	
9	22 ⁹ / ₁₆		22 ⁹ / ₁₆		21	
10	24 ¹¹ / ₁₆	5 ¹ / ₁₆	24 ¹¹ / ₁₆	5 ¹ / ₁₆	23 ³ / ₈	5 ⁵ / ₁₆
11	26 ¹³ / ₁₆		26 ¹³ / ₁₆		25 ¹ / ₄	
12	28 ¹⁵ / ₁₆		28 ¹⁵ / ₁₆		27 ³ / ₈	
13	31 ¹ / ₁₆		31 ¹ / ₁₆		29 ¹ / ₂	
14	33 ³ / ₁₆		33 ³ / ₁₆		31 ⁵ / ₈	
15	35 ⁵ / ₁₆		35 ⁵ / ₁₆		33 ³ / ₄	
16	37 ⁷ / ₁₆		37 ⁷ / ₁₆		35 ⁵ / ₈	
17	39 ⁹ / ₁₆		39 ⁹ / ₁₆		38	
18	41 ¹¹ / ₁₆		41 ¹¹ / ₁₆		40 ⁷ / ₈	
19	43 ¹³ / ₁₆		43 ¹³ / ₁₆		42 ¹ / ₄	
20	46	6 ⁵ / ₁₆	46	6 ⁵ / ₁₆	44 ³ / ₈	7 ¹ / ₈
21	48 ¹ / ₈		48 ¹ / ₈		46 ¹ / ₂	
22	50 ¹ / ₄		50 ¹ / ₄		48 ⁵ / ₈	
23	52 ³ / ₈		52 ³ / ₈		50 ³ / ₄	
24	54 ¹ / ₂		54 ¹ / ₂		52 ⁷ / ₈	
25	56 ⁵ / ₈		56 ⁵ / ₈		55	
26	58 ³ / ₄		58 ³ / ₄		57 ⁵ / ₈	
27	60 ⁷ / ₈		60 ⁷ / ₈		59 ³ / ₄	
28	63		63		61 ⁵ / ₈	
29	65 ⁵ / ₈		65 ⁵ / ₈		63 ¹ / ₂	

Number of Slats	2½" Composite Blinds with NoHoles		2½" Premium Faux Wood and Faux Wood Blinds with NoHoles		2½" Composite, Premium Faux Wood and Faux Wood Blinds with Cordless Lift	
	Finished Blind Height (inches)	Finished Stack Height (inches)	Finished Blind Height (inches)	Finished Stack Height (inches)	Finished Blind Height (inches)	Finished Stack Height (inches)
30	67 ¹ / ₄	8 ¹ / ₄	67 ¹ / ₄	8 ¹ / ₄	65 ⁵ / ₈	8 ³ / ₄
31	69 ³ / ₈		69 ³ / ₈		67 ³ / ₄	
32	71 ¹ / ₂		71 ¹ / ₂		69 ⁵ / ₈	
33	73 ³ / ₈		73 ³ / ₈		72	
34	75 ¹ / ₂		75 ¹ / ₂		74 ¹ / ₈	
35	77 ³ / ₈		77 ³ / ₈		76 ¹ / ₄	
36	80		80		78 ³ / ₈	
37	82 ¹ / ₂		82 ¹ / ₂		80 ¹ / ₂	
38	84 ¹ / ₄		84 ¹ / ₄		82 ⁵ / ₈	
39	86 ³ / ₈		86 ³ / ₈		84 ³ / ₄	
40	88 ¹ / ₂	9 ¹³ / ₁₆	88 ¹ / ₂	9 ¹³ / ₁₆	86	10 ⁵ / ₁₆
41	90 ⁵ / ₈		90 ⁵ / ₈			
42	92 ³ / ₄		92 ³ / ₄			
43	94 ¹ / ₂		94 ¹ / ₂			
44	97		97			
45	99 ¹ / ₂		99 ¹ / ₂			
46	101 ¹ / ₄		101 ¹ / ₄			
47	103 ³ / ₈		103 ³ / ₈			
48	105 ¹ / ₂		105 ¹ / ₂			
49	107 ⁵ / ₈		107 ⁵ / ₈			
50	109 ³ / ₄	11 ⁵ / ₈	109 ³ / ₄	11 ⁵ / ₈		
51	111 ¹ / ₂		111 ¹ / ₂			
52	114		114			
53	116 ³ / ₈		116 ³ / ₈			
54	118 ¹ / ₄		118 ¹ / ₄			
55	120 ⁵ / ₈	12 ³ / ₁₆	120 ⁵ / ₈	12 ³ / ₁₆		

NOTE: Finished height includes headrail and bottomrail.

General Information

Slat Route and Ladder Count Charts

Take any inside mount deductions before determining ladder quantity (inside mount— $\frac{1}{2}$ "; outside mount—no deduction).

Blinds with two lift cords will have two clear plastic cord stop beads located approximately 2" below the headrail. Cords will continue down, each ending in a tassel. Blinds with three or more lift cords will have the cords joined together with a tassel approximately 2" below the headrail. Two individual cords will continue down, each ending in a tassel.

Northern Heights™ 1" Wood Blinds

For Standard or Reverse Controls

Finished Blind Width (inches)	Slat End Route (inches)	# of Ladders	# of Lifts	# of Center Brackets
7 to 8 $\frac{1}{16}$	1 $\frac{3}{4}$	2	2	0
9 to 13 $\frac{3}{4}$	3 $\frac{1}{4}$	2	2	0
13 $\frac{13}{16}$ to 20 $\frac{3}{4}$	4	2	2	0
20 $\frac{13}{16}$ to 35	6	2	2	0
35 $\frac{1}{16}$ to 58	6	3	2	1 over 48" FBW
58 $\frac{1}{16}$ to 81	6	4	4	2 over 78" FBW
81 $\frac{1}{16}$ to 96	6	5	4	2

For Same Side Controls

13 $\frac{13}{16}$ to 20 $\frac{3}{4}$	4 $\frac{7}{8}$	As stated above		
20 $\frac{13}{16}$ to 96	6	As stated above		

NOTES:

- Maximum spacing between ladders is 23".
- Standard control positions: lift right/tilt left.
- Maximum slat width is 96". Wider blinds must be multiple blinds on one headrail.

Northern Heights 2" and 2 $\frac{3}{8}$ " Wood Blinds

For Standard or Reverse Controls

Finished Blind Width (inches)	Slat End Route (inches)	# of Ladders	# of Lifts	NoHoles # of Cords	# of Center Brackets
7 to 8 $\frac{1}{16}$	1 $\frac{3}{4}$	2	2	4	0
9 to 11 $\frac{15}{16}$	2 $\frac{3}{4}$	2	2	4	0
12 to 24	4	2	2	4	0
24 $\frac{1}{16}$ to 36	6	2	2	4	0
36 $\frac{1}{16}$ to 60	6	3	2	3	1 over 48" FBW
60 $\frac{1}{16}$ to 84	6	4	4	4	2 over 72" FBW
84 $\frac{1}{16}$ to 96	6	5	4	4	2

For Same Side Controls

16 $\frac{1}{16}$ to 96	6	As stated above			
-------------------------	---	-----------------	--	--	--

NOTES:

- Maximum spacing between ladders is 24".
- Standard control positions: lift right/tilt left.
- Maximum slat width is 96". Wider blinds must be multiple blinds on one headrail.
- 7" to 8 $\frac{15}{16}$ " not available with cloth tapes.
- Cloth tape ladder quantity is the same as number of ladders listed above.

Northern Heights 2" and 2 $\frac{3}{8}$ " Wood Blinds with Cordless Lift

For Standard or Reverse Controls

Finished Blind Width (inches)	Slat End Route (inches)	# of Ladders	# of Lifts	# of Center Brackets
12 to 24	4	2	2	0
24 $\frac{1}{16}$ to 36 $\frac{1}{2}$	6 $\frac{1}{2}$	2	2	0
36 $\frac{9}{16}$ to 50	6 $\frac{1}{2}$	3	2	1 over 48" FBW
50 $\frac{1}{16}$ to 60	6 $\frac{1}{2}$	3	3	1
60 $\frac{1}{16}$ to 84	6 $\frac{1}{2}$	4	4	2 over 72" FBW

NOTES:

- Maximum spacing between ladders is 23 $\frac{1}{2}$ ".
- Standard control positions: tilt left; tilt right is optional.
- Maximum slat width is 84". Wider blinds must be multiple blinds on one headrail.
- Cloth tape ladder quantity is the same as number of ladders listed above.

General Information

Slat Route and Ladder Count Charts

Take any inside mount deductions before determining ladder quantity (inside mount— $\frac{1}{2}$ "; outside mount—no deduction).

Blinds with two lift cords will have two clear plastic cord stop beads located approximately 2" below the headrail. Cords will continue down, each ending in a tassel. Blinds with three or more lift cords will have the cords joined together with a tassel approximately 2" below the headrail. Two individual cords will continue down, each ending in a tassel.

2" and 2½" Composite Blinds

For Standard or Reverse Controls

Finished Blind Width (inches)	Slat End Route (inches)	# of Ladders	# of Lifts	NoHoles # of Cords	# of Center Brackets
7 to 8 $\frac{15}{16}$	1 $\frac{1}{8}$	2	2	4	0
9 to 11 $\frac{15}{16}$	2 $\frac{3}{8}$	2	2	4	0
12 to 22	4	2	2	4	0
22 $\frac{1}{16}$ to 38	5	3	2	3	0
38 $\frac{1}{16}$ to 52	5	4	4	4	1 over 48" FBW
52 $\frac{1}{16}$ to 66	5	5	3	4	1
66 $\frac{1}{16}$ to 80	5	6	4	4	2 over 72" FBW
80 $\frac{1}{16}$ to 94	5	7	4	5	2
94 $\frac{1}{16}$ to 96	5	8	4	6	2

For Same Side Controls

16 $\frac{1}{16}$ to 96	6	As stated above			
-------------------------	---	-----------------	--	--	--

NOTES:

- Maximum spacing between ladders is 14".
- Standard control positions: lift right/tilt left.
- Maximum slat width is 96". Wider blinds must be multiple blinds on one headrail.
- 7" to 8 $\frac{15}{16}$ " not available with cloth tapes.
- Cloth tape ladder quantity is the same as number of ladders listed above.

2" and 2½" Composite Blinds with Cordless Lift

For Standard or Reverse Controls

Finished Blind Width (inches)	Slat and Bottomrail End Route (inches)	# of Ladders	# of Lifts	# of Center Brackets
12 to 22	4	2	2	0
22 $\frac{1}{16}$ to 38	5	3	3	0
38 $\frac{1}{16}$ to 52	5	4	4	1 over 48" FBW
52 $\frac{1}{16}$ to 66	5	5	5	1

NOTES:

- Maximum spacing between ladders is 14".
- Standard control positions: tilt left; tilt right is optional.
- Maximum slat width is 66". Wider blinds must be multiple blinds on one headrail.
- Cloth tape ladder quantity is the same as number of ladders listed above.

2" and 2½" Premium Faux Wood and Faux Wood Blinds

For Standard or Reverse Controls

Finished Blind Width (inches)	Slat End Route (inches)	# of Ladders	# of Lifts	NoHoles # of Cords	# of Center Brackets
7 to 8 $\frac{15}{16}$	1 $\frac{1}{8}$	2	2	4	0
9 to 11 $\frac{15}{16}$	2 $\frac{3}{8}$	2	2	4	0
12 to 19	4	2	2	4	0
19 $\frac{1}{16}$ to 30	4	3	2	3	0
30 $\frac{1}{16}$ to 41	4	4	4	4	0
41 $\frac{1}{16}$ to 52	4	5	3	4	1 over 48" FBW
52 $\frac{1}{16}$ to 63	4	6	4	4	1
63 $\frac{1}{16}$ to 74	4	7	4	5	1
74 $\frac{1}{16}$ to 85	4	8	4	6	2
85 $\frac{1}{16}$ to 96	4	9	4	5	2

NOTES:

- Maximum spacing between ladders is 11".
- Standard control positions: lift right/tilt left.
- Maximum slat width is 96". Wider blinds must be multiple blinds on one headrail.
- 7" to 8 $\frac{15}{16}$ " not available with cloth tapes.
- Cloth tape ladder quantity is the same as number of ladders listed above.

2" and 2½" Premium Faux Wood and Faux Wood Blinds with Cordless Lift

For Standard or Reverse Controls

Finished Blind Width (inches)	Slat and Bottomrail End Route (inches)	# of Ladders	# of Lifts	# of Center Brackets
12 to 19	4	2	2	0
19 $\frac{1}{16}$ to 30	4	3	2	0
30 $\frac{1}{16}$ to 41	4	4	4	0
41 $\frac{1}{16}$ to 52	4	5	3	1 over 48" FBW
52 $\frac{1}{16}$ to 63	4	6	6	1


NOTES:

- Maximum spacing between ladders is 11".
- Standard control positions: tilt left; tilt right is optional.
- Maximum slat width is 63". Wider blinds must be multiple blinds on one headrail.
- Cloth tape ladder quantity is the same as number of ladders listed above.


General Information

Northern Heights™ 1", 2", and 2⅜" Wood Blinds Product Detail

2" and 2⅜" Blinds



1" Blind



NoHoles™

- Available with 2" and 2⅜"




NoHoles




With Route Holes

Slat Comparison




Cord Management Options



General Information

Cordless Lift Blinds Product Detail: Wood, Composite, and Faux Wood




Pair cordless lift with wand tilt for a blind that eliminates operating cords and is safer for homes with children and pets, or pair it with cord tilt for fast simple control.

To lower blind simply pull down on the bottomrail. To raise the blind, simply guide the blind into the desired location by gently lifting the bottomrail.

Not available with sky pole option.


Slat Comparison



General Information


2" and 2½" Composite Blinds Product Detail

2" Slat Shown



NoHoles™

- Available with 2" and 2½"



NoHoles




With Route Holes

Slat Comparison




2" Slat



2½" Slat


Cord Management Options



General Information

2" and 2½" Premium Faux Wood and Faux Wood Blinds Product Detail

2" Slat Shown



NoHoles™


- Available with 2" and 2½"




NoHoles

With Route Holes

Slat Comparison



Cord Management Options



Wood Vertical Blinds

Features

- Available in all Bali® wood paints and stains
- G-71 headrail features the patented pantograph traversing system to assure proportional spacing of vanes and automatically rotates the vanes when the cord is pulled to traverse the blind
- Unique design features multiple hinges on each vane to ensure they hang straight—without warping or twisting
- One-way or split stack available

Size Considerations

					
		Width		Height	
		Min Blind (exact) (inches)	Max Track (inches)	Min Blind (inches)	Max Blind (inches)
Blind Type	Price Group				
Northern Heights™ Wood Vertical Blinds	E	9	144*	6	120

*Blinds over 96" wide: must be a split stack due to the weight of wood vane.

Depth Requirements for Inside Mount

			Partially recessed headrail in window casing/molding		Fully recessed headrail in window casing/molding	Depth Needed for Flush Mount Vane (inches)	Depth Needed for Flush Mount Valance (inches)
		Minimum Depth Mount (inches)		Flush with Casing (inches)			
Blind Type	Headrail Dimensions (inches)						
Northern Heights Wood Vertical Blinds	1 3/8 x 1 15/16	2 3/8		3		3 3/4	4 5/8


Wood Vertical Blinds

Options: Cord and Chain Control




- Cord and chain control standard

Opening	Standard Controls	Optional Controls
Split Stack	Right	Left
One-Way Stack Right	Right	Left
One-Way Stack Left	Left	Right
Opposite Stack and Control	Left stack/right control	Right stack/left control




Chain and traversing cord must be at the same end of the track.

Paired Blinds



- **Price as two separate blinds**
- The appearance of a split stack blind can be achieved by pairing two individual one-way stack blinds; the center opening point can be either on center or off center
- Paired blinds can also be used when the required width is larger than the maximum width available for a single blind
- Specify paired blinds on your order
- Control locations must be same as stack
- Cut-outs not available
- Warranty will be voided if one-way stack is wider than 96"
- Available with one-way cord and chain only

Replacement Vane Ordering



FLL = Finished vane length/height—the measurement from the top of the vane to the bottom of the vane. This measurement is approximately 2¼" less than the FBL.
FBL = Finished blind length/height—the measurement from the top of the headrail to the bottom of the vane.

- **For surcharge, see options pricing**


How to Measure a Replacement Existing Vane, No Changes

- Measure the vane(s) from tip to tip to determine the exact length/height (FLL)
- Finished vane length (FLL) is measured from top of metal vane clip to the bottom of the vane
- No additional deductions will be taken by manufacturing; vanes will be manufactured to the exact size provided
- Submit the measurement as exact height

How to Measure a Replacement Existing Vane, Changing the Height of the Vanes

- Measure from top of mounted headrail to bottom of location to be covered
- Record this measurement; this is the finished blind length/height (FBL)
- Manufacturing will take appropriate deduction so vanes will cover desired area

NOTE: When ordering replacement vanes only, hinge direction must be indicated (up or down).



Wood Vertical Blinds

Stacking Chart and How to Measure for an Uncovered Window


Vertical Vane Stacking Chart				
Number of Vanes	One-Way		Split-Stack	
	CO (inches)	FBW (inches)	CO (inches)	FBW (inches)
3	7 $\frac{1}{8}$	10 $\frac{1}{2}$		
4	9 $\frac{3}{4}$	13 $\frac{3}{8}$	7 $\frac{1}{8}$	13 $\frac{1}{4}$
5	12 $\frac{3}{8}$	16 $\frac{3}{4}$		
6	15 $\frac{1}{8}$	19 $\frac{7}{8}$	13 $\frac{1}{8}$	19 $\frac{1}{2}$
7	17 $\frac{3}{4}$	23		
8	20 $\frac{3}{8}$	26 $\frac{1}{8}$	18 $\frac{3}{8}$	25 $\frac{3}{4}$
9	23	29 $\frac{1}{4}$		
10	25 $\frac{5}{8}$	32 $\frac{3}{8}$	23 $\frac{3}{8}$	32
11	28 $\frac{1}{4}$	35 $\frac{1}{2}$		
12	30 $\frac{7}{8}$	38 $\frac{5}{8}$	29	38 $\frac{1}{4}$
13	33 $\frac{1}{2}$	41 $\frac{1}{4}$		
14	36 $\frac{1}{8}$	44 $\frac{7}{8}$	34 $\frac{1}{4}$	44 $\frac{1}{2}$
15	38 $\frac{3}{4}$	48		
16	41 $\frac{3}{8}$	51 $\frac{1}{8}$	39 $\frac{1}{2}$	50 $\frac{3}{4}$
17	44	54 $\frac{1}{4}$		
18	46 $\frac{5}{8}$	57 $\frac{3}{8}$	44 $\frac{3}{4}$	57
19	49 $\frac{1}{4}$	60 $\frac{1}{2}$		
20	51 $\frac{7}{8}$	63 $\frac{5}{8}$	50	63 $\frac{3}{4}$
21	54 $\frac{1}{2}$	66 $\frac{3}{4}$		
22	57 $\frac{1}{4}$	69 $\frac{7}{8}$	55 $\frac{1}{4}$	69 $\frac{1}{2}$
23	59 $\frac{5}{8}$	73		
24	62 $\frac{1}{2}$	76 $\frac{1}{8}$	60 $\frac{1}{2}$	75 $\frac{3}{4}$
25	65 $\frac{1}{8}$	79 $\frac{1}{4}$		
26	67 $\frac{3}{4}$	82 $\frac{3}{8}$	65 $\frac{3}{4}$	82
27	70 $\frac{5}{8}$	85 $\frac{1}{2}$		
28	73	88 $\frac{5}{8}$	71 $\frac{1}{8}$	88 $\frac{1}{4}$
29	75 $\frac{5}{8}$	91 $\frac{3}{4}$		
30	78 $\frac{1}{4}$	94 $\frac{7}{8}$	76 $\frac{3}{8}$	94 $\frac{1}{2}$
31	80 $\frac{7}{8}$	98		
32	83 $\frac{1}{2}$	101 $\frac{1}{8}$	81 $\frac{1}{2}$	100 $\frac{3}{4}$
33	86 $\frac{1}{8}$	104 $\frac{1}{4}$		
34	88 $\frac{3}{4}$	107 $\frac{5}{8}$	86 $\frac{5}{8}$	107
35	91 $\frac{3}{8}$	110 $\frac{1}{2}$		
36	94	113 $\frac{3}{8}$	92 $\frac{1}{8}$	113 $\frac{1}{4}$
37	96 $\frac{5}{8}$	116 $\frac{3}{4}$		
38	99 $\frac{1}{4}$	119 $\frac{7}{8}$	97 $\frac{3}{8}$	119 $\frac{1}{2}$
39	101 $\frac{7}{8}$	123		
40	104 $\frac{3}{8}$	126 $\frac{1}{8}$	102 $\frac{3}{8}$	125 $\frac{3}{4}$
41	107 $\frac{1}{4}$	129 $\frac{1}{4}$		
42	109 $\frac{5}{8}$	132 $\frac{3}{8}$	107 $\frac{5}{8}$	132
43	112 $\frac{1}{2}$	135 $\frac{1}{2}$		
44	115 $\frac{1}{8}$	138 $\frac{3}{8}$	113 $\frac{1}{8}$	138 $\frac{1}{4}$
45	117 $\frac{3}{4}$	141 $\frac{1}{4}$		
46	119 $\frac{1}{2}$	144	117 $\frac{7}{8}$	144

1. Determine the clear opening width for one-way stack or split stack (see diagrams)—the additional 3" shown for privacy is recommended if ordering one-way stack.
2. Match the clear opening width dimension found under CO column. For even spacing, round up width measurement to the next size in the stack chart. Split stack will have even numbers of vanes.
3. Order the corresponding dimension found in the FBW (finished blind width) column.


EXAMPLE: One-way stack if determined width for clear opening window view is 54 $\frac{1}{2}$ "; order width needed to provide full unobstructed view is 66 $\frac{3}{4}$ ".

NOTE: For one-way stack blinds add an additional 3" to the clear opening before calculating the finished blind width.

One-Way Stack Finished Blind Width (FBW)



Split-Stack
(recommended for balanced appearance)
finished blind width (FBW)





Wood Vertical Blinds

Product Detail


Pantograph Traversing System

- Keeps vanes evenly spaced whether blind is closed or partially open




Height of Vanes without Metal Clip (inches)	Number of Splices Per Vane
0 to 24	0
24 $\frac{1}{16}$ to 47 $\frac{1}{8}$	1
47 $\frac{1}{16}$ to 70 $\frac{1}{2}$	2
70 $\frac{1}{16}$ to 93 $\frac{3}{4}$	3
93 $\frac{1}{16}$ to 117	4


Installation Hardware for Wood Vertical Blinds



Track Clip for Inside or Ceiling Mount



Angle Bracket for Outside or Wall Mount



Optional 4" Angle Bracket

NOTE: Must be requested at time of order.

Mount	Standard/Option	Hardware
Inside	Standard	Track clip
Outside	Standard	3 $\frac{1}{4}$ " angle bracket with track clip
	Optional	4" angle bracket with track clip

XX-XXXX-XX (XX/XX) XX-XXXX|S18-7971

Price Charts

Price Group A: Northern Heights™ 1" Wood Blinds

1" Cord Lift Blinds

Height up to (inches) ↓	Width up to (inches) →																
	18	23	31	36	42	48	54	60	66	72	78	84	90	96	106	116	120
30	\$																
36																	
42																	
48																	
54																	
60																	
66																	
72																	
78																	
84																	
90																	
96																	
102																	
108																	
120																	

NOTE: Due to weight limitations, blinds to the right of the solid line must be manufactured as two or three blinds on one headrail. Single blinds over 43 square feet will be heavy and difficult to lift and may have light gaps toward the bottom of the blind.

Add Surcharge to Blind Price

Width up to (inches) →	18	23	31	36	42	48	54	60	66	72	78	84	90	96	106	116	120
Multiple Blinds on One Headrail	\$XX (no charge to the right of the solid line)																
Premium Traditional Valance																	
Eloquence Valance																	

See options pricing for additional options and surcharges.

Colors

1" Paint Colors

Heirloom 0026
Heron Grey 0841
Picket Fence 0051
Snowstorm 0318
Winter 0837

1" Stain Colors

Majestic Walnut 0041
Maple 0039
Natural 0036
Regal Oak 0038
Teriyaki 0694
Wheatfields 0850

NOTE: Color of wood may vary slightly due to the natural characteristics of wood. See wood characteristics section for more information.

Price Charts

Price Group B: Northern Heights™ 2" Wood Blinds

2" Cord Lift and Cordless Lift Blinds

Height up to (inches) ↓	Width up to (inches) →																
	18	23	31	36	42	48	54	60	66	72	78	84*	90	96	106	116	120
30	\$																
36																	
42																	
48																	
54																	
60																	
66																	
72																	
78																	
84																	
90*																	
96																	
102																	
108																	
120																	

2" Blinds with NoHoles™ or Cloth Tape Option (see cloth tape section for color selection)

*Always install a reverse or drain pipe option (see drain pipe section for color selection.)																				
Height up to (inches) ↓	Width up to (inches) →																			
	18	23	31	36	42	48	54	60	66	72	78	84*	90	96	106	116	120			
30	\$																			
36																				
42																				
48																				
54																				
60																				
66																				
72																				
78																				
84																				
90*																				
96																				
102																				
108																				
120																				

*Cordless lift blinds are available in the heavy outlined area above; multiple blinds on one headrail are required for cordless lift blinds over 84" wide. Cordless lift maximum height is 86". **Cordless lift is not available with NoHoles.**

NOTE: Due to weight limitations, blinds to right of solid line will be manufactured as two or three blinds on one headrail. Single blinds over 43 square feet will be heavy and difficult to lift and may have light gaps toward the bottom of the blind.

Add Surcharge to Blind Price

Width up to (inches) —→	18	23	31	36	42	48	54	60	66	72	78	84	90	96	106	116	120	
Cordless Lift*	\$XX (single blind)												XX (multiple blinds)					
Multiple Blinds on One Headrail	XX (no charge to the right of the solid line)																	
Premium Traditional Valance†																		
Eloquence Valance																		

See options pricing for additional options and surcharges.

†No charge on cordless lift.

NOTE: Premium traditional, modern, or eloquence valances are recommended with cordless lift for better headrail coverage.

Colors

2" Paint Colors

Creamer	1052	Sandblast Heron Grey . . .	SB841
Distant Thunder	1839	Sandblast Snowstorm . . .	SB318
Grey Mist	1889	Snowstorm	1318
Heirloom	1026	Sugar White	1840
Heron Grey	1841	Winter	1837
Picket Fence	1051		

2" Stain Colors

Bourbon	1465	Mocha	1759
Cayenne	1685	Natural	1036
Chocolate Lava	1825	Peppercorn	1054
Deep Cherry	1316	Regal Oak	1038
Ebony	1690	Sandcastle	1943
Fig	1851	Sandy Taupe	1848
Koala	1761	Smoked Oyster	1834
Lodge	1702	Teriyaki	1694
Majestic Walnut	1041	Wheatfields	1850
Maple	1039		

NOTE: Color of wood may vary slightly due to the natural characteristics of wood. See wood characteristics section for more information.

Price Charts

Price Group C: Northern Heights™ 2⅜" Wood Blinds

2⅜" Cord Lift and Cordless Lift Blinds

Height up to (inches) ↓	Width up to (inches) →	18	23	31	36	42	48	54	60	66	72	78	84*	90	96	106	116	120
30	\$																	
36																		
42																		
48																		
54																		
60																		
66																		
72																		
78																		
84																		
90*																		
96																		
102																		
108																		
120																		

2⅜" Blinds with NoHoles™ or Cloth Tape Option (see cloth tape section for color selection)

Height up to (inches) ↓	Width up to (inches) →	18	23	31	36	42	48	54	60	66	72	78	84*	90	96	106	116	120
30	\$																	
36																		
42																		
48																		
54																		
60																		
66																		
72																		
78																		
84																		
90*																		
96																		
102																		
108																		
120																		

*Cordless lift blinds are available in the heavy outlined area above; multiple blinds on one headrail are required for cordless lift blinds over 84" wide. Cordless lift maximum height is 86". **Cordless lift is not available with NoHoles.**

NOTE: Due to weight limitations, blinds to right of solid line will be manufactured as two or three blinds on one headrail. Single blinds over 43 square feet will be heavy and difficult to lift and may have light gaps toward the bottom of the blind.

Add Surcharge to Blind Price

Width up to (inches) →	18	23	31	36	42	48	54	60	66	72	78	84	90	96	106	116	120	
Cordless Lift*	\$XX (single blind)												XX (multiple blinds)					
Multiple Blinds on One Headrail	XX (no charge to the right of the solid line)																	
Eloquence Valance																		

See options pricing for additional options and surcharges.

NOTE: Premium traditional, modern, or eloquence valances are recommended with 2⅜" blinds or cordless lift for better headrail coverage.

Colors

2⅜" Paint Colors

Distant Thunder	3839
Heirloom	3026
Picket Fence	3051
Snowstorm	3318
Winter	3837

2⅜" Stain Colors

Majestic Walnut	3041
Maple	3039
Regal Oak	3038
Teriyaki	3694
Wheatfields	3850

NOTE: Color of wood may vary slightly due to the natural characteristics of wood. See wood characteristics section for more information.

Price Charts

Price Group D: Northern Heights™ 2" Wood Blinds—Distressed, Rustic

2" Cord Lift and Cordless Lift Blinds

Height up to (inches) ↓	Width up to (inches) →																			
	18	23	31	36	42	48	54	60	66	72	78	84*	90	96	106	116	120			
30	\$																			
36																				
42																				
48																				
54																				
60																				
66																				
72																				
78																				
84																				
90*																				
96																				
102																				
108																				
120																				

2" Blinds with NoHoles™ or Cloth Tape Option (see cloth tape section for color selection)

Height up to (inches) ↓	Width up to (inches) →																		
	18	23	31	36	42	48	54	60	66	72	78	84*	90	96	106	116	120		
30	\$																		
36																			
42																			
48																			
54																			
60																			
66																			
72																			
78																			
84																			
90*																			
96																			
102																			
108																			
120																			

*Cordless lift blinds are available in the heavy outlined area above; multiple blinds on one headrail are required for cordless lift blinds over 84" wide. Cordless lift maximum height is 86". **Cordless lift is not available with NoHoles.**

NOTE: Due to weight limitations, blinds to right of solid line will be manufactured as two or three blinds on one headrail. Single blinds over 43 square feet will be heavy and difficult to lift and may have light gaps toward the bottom of the blind.

Add Surcharge to Blind Price

Width up to (inches) —→	18	23	31	36	42	48	54	60	66	72	78	84	90	96	106	116	120	
Cordless Lift*	\$XX (single blind)												XX (multiple blinds)					
Multiple Blinds on One Headrail	XX (no charge to the right of the solid line)																	
Premium Traditional Valance†																		
Eloquence Valance^																		

See options pricing for additional options and surcharges.

*No charge on cordless lift or distressed wood blinds.

†Not available with distressed wood blinds.

NOTE: Premium traditional, modern, or eloquence valances are recommended with cordless lift for better headrail coverage.

Colors

2" Distressed Colors

Canyon 1070
Shadow 1572

2" Rustic Colors

Bourbon. R1465
Koala R1761

NOTE: Color of wood may vary slightly due to the natural characteristics of wood. See wood characteristics section for more information.

Distressed and rustic may have visual inconsistencies in color and grain. These unique characteristics are inherent in these materials and are not considered defects. Exact color match cannot be guaranteed.

Price Charts

Price Group E: Northern Heights™ Wood Vertical Blinds

Wood Vertical Blinds

Height up to (inches) ↓	Width up to (inches) →									
	27	39	52	66	78	96	108	120	132	144
36	\$									
48										
60										
72										
84										
96										
108										
120										

Add Surcharge to Blind Price

Width up to (inches) →	18	23	31	36	42	48	54	60	66	72	78	84	90	96	106	116	120
Eloquence Valance	\$																

See options pricing for additional options and surcharges and for replacement valance pricing.

NOTE: Premium traditional, modern, or eloquence valances are recommended with wood vertical blinds for better headrail coverage.

Colors

Paint Colors

Creamer	1052
Distant Thunder	1839
Grey Mist	1889
Heirloom	1026
Heron Grey	1841
Picket Fence	1051
Snowstorm	1318
Sugar White	1840
Winter	1837

Stain Colors

Bourbon	1465	Mocha	1759
Cayenne	1685	Natural	1036
Chocolate Lava	1825	Peppercorn	1054
Deep Cherry	1316	Regal Oak	1038
Ebony	1690	Sandcastle	1943
Fig	1851	Sandy Taupe	1848
Koala	1761	Smoked Oyster	1834
Lodge	1702	Teriyaki	1694
Majestic Walnut	1041	Wheatfields	1850
Maple	1039		

NOTE: Color of wood may vary slightly due to the natural characteristics of wood. See wood characteristics section for more information.

Price Charts

Price Group F: 2" Composite Blinds

2" Cord Lift and Cordless Lift Blinds

Height up to (inches) ↓	Width up to (inches) →	18	23	31	36	42	48	54	60	66*	72	78	84	90	96	106	116	120
30	\$																	
36																		
42																		
48																		
54																		
60																		
66																		
72*																		
78																		
84																		
90																		
96																		
102																		
108																		
114																		
120																		

2" Blinds with NoHoles™ or Cloth Tape Option (see cloth tape section for color selection)

Height up to (inches) ↓	Width up to (inches) →	18	23	31	36	42	48	54	60	66*	72	78	84	90	96	106	116	120
30	\$																	
36																		
42																		
48																		
54																		
60																		
66																		
72*																		
78																		
84																		
90																		
96																		
102																		
108																		
114																		
120																		

*Cordless lift blinds are available in the heavy outlined area above; multiple blinds on one headrail are required for cordless lift blinds over 66" wide. Cordless lift maximum height is 72". **Cordless lift is not available with NoHoles.**

NOTE: Due to weight limitations, blinds to right of solid line will be manufactured as two or three blinds on one headrail. Single blinds over 43 square feet will be heavy and difficult to lift and may have light gaps toward the bottom of the blind.

Add Surcharge to Blind Price

Width up to (inches) —→	18	23	31	36	42	48	54	60	66	72	78	84	90	96	106	116	120	
Cordless Lift*	\$XX (single blind)										XX (multiple blinds)							
Multiple Blinds on One Headrail	XX (no charge to the right of the solid line)																	

See options pricing for additional options and surcharges.

NOTE: Eloquence valance is recommended with cordless lift for better headrail coverage.

Colors

2" Colors

Greystone	2174
Heirloom	2026
Polar White	2922
Snowcap	2051
Vanilla Cocoa	2729

Price Charts

Price Group G: 2½" Composite Blinds

2½" Cord Lift and Cordless Lift Blinds

Height up to (inches) ↓	Width up to (inches) →	18	23	31	36	42	48	54	60	66*	72	78	84	90	96	106	116	120
30	\$																	
36																		
42																		
48																		
54																		
60																		
66																		
72*																		
78																		
84																		
90																		
96																		
102																		
108																		
114																		
120																		

2½" Blinds with NoHoles™ or Cloth Tape Option (see cloth tape section for color selection)

Height up to (inches) ↓	Width up to (inches) →	18	23	31	36	42	48	54	60	66*	72	78	84	90	96	106	116	120
30	\$																	
36																		
42																		
48																		
54																		
60																		
66																		
72*																		
78																		
84																		
90																		
96																		
102																		
108																		
114																		
120																		

*Cordless lift blinds are available in the heavy outlined area above; multiple blinds on one headrail are required for cordless lift blinds over 66" wide. Cordless lift maximum height is 72". **Cordless lift is not available with NoHoles.**

NOTE: Due to weight limitations, blinds to right of solid line will be manufactured as two or three blinds on one headrail. Single blinds over 43 square feet will be heavy and difficult to lift and may have light gaps toward the bottom of the blind.

Add Surcharge to Blind Price

Width up to (inches) —→	18	23	31	36	42	48	54	60	66	72	78	84	90	96	106	116	120	
Cordless Lift*	\$XX (single blind)										XX (multiple blinds)							
Multiple Blinds on One Headrail	XX (no charge to the right of the solid line)																	

See options pricing for additional options and surcharges.

NOTE: Eloquence valance is recommended with 2½" blinds or cordless lift for better headrail coverage.

Colors

2½" Colors

Greystone	7174
Heirloom	7026
Polar White	7922
Snowcap	7051
Vanilla Cocoa	7729

Price Charts

Price Group H: 2" Premium Faux Wood Blinds

2" Cord Lift and Cordless Lift Blinds

Height up to (inches) ↓	Width up to (inches) →																						
	18	23	31	36	42	48	54	60*	66	72	78	84	90	96	106	116	120						
30	\$																						
36																							
42																							
48																							
54																							
60																							
66																							
72*																							
78																							
84																							
90																							
96																							
102																							
108																							
114																							
120																							

2" Blinds with NoHoles™ or Cloth Tape Option (see cloth tape section for color selection)

*Width may vary due to drain pipe option (see drain pipe section for color selection)																							
Height up to (inches) ↓	Width up to (inches) →																						
	18	23	31	36	42	48	54	60*	66	72	78	84	90	96	106	116	120						
30	\$																						
36																							
42																							
48																							
54																							
60																							
66																							
72*																							
78																							
84																							
90																							
96																							
102																							
108																							
114																							
120																							

*Cordless lift blinds are available in the heavy outlined area above; multiple blinds on one headrail are required for cordless lift blinds over 63" wide. Cordless lift maximum height is 72". **Cordless lift is not available with NoHoles.**

NOTE: Due to weight limitations, blinds to right of solid line will be manufactured as two or three blinds on one headrail. Single blinds over 43 square feet will be heavy and difficult to lift and may have light gaps toward the bottom of the blind.

Add Surcharge to Blind Price

Width up to (inches) →	18	23	31	36	42	48	54	60	66	72	78	84	90	96	106	116	120
Cordless Lift*	\$XX (single blind)									XX (multiple blinds)							
Multiple Blinds on One Headrail	XX (no charge to the right of the solid line)																

See options pricing for additional options and surcharges.

NOTE: Eloquence valance is recommended with cordless lift for better headrail coverage.

Colors: Woodgrain

2" Colors

Bourbon	2465	Natural	2036
Deep Cherry	2316	Regal Oak	2038
Majestic Walnut	2041	Smoke	2707
Maple	2039	Teriyaki	2694
Modern Grey	2230	Wheatfields	2850
Moon Rock	2738		

Price Charts

Price Group I: 2½" Premium Faux Wood Blinds

2½" Cord Lift and Cordless Lift Blinds

Height up to (inches) ↓	Width up to (inches) →																		
	18	23	31	36	42	48	54	60*	66	72	78	84	90	96	106	116	120		
30	\$																		
36																			
42																			
48																			
54																			
60																			
66																			
72*																			
78																			
84																			
90																			
96																			
102																			
108																			
114																			
120																			

2½" Blinds with NoHoles™ or Cloth Tape Option (see cloth tape section for color selection)

Height up to (inches) ↓	Width up to (inches) →																		
	18	23	31	36	42	48	54	60*	66	72	78	84	90	96	106	116	120		
30	\$																		
36																			
42																			
48																			
54																			
60																			
66																			
72*																			
78																			
84																			
90																			
96																			
102																			
108																			
114																			
120																			

*Cordless lift blinds are available in the heavy outlined area above; multiple blinds on one headrail are required for cordless lift blinds over 63" wide. Cordless lift maximum height is 72". **Cordless lift is not available with NoHoles.**

NOTE: Due to weight limitations, blinds to right of solid line will be manufactured as two or three blinds on one headrail. Single blinds over 43 square feet will be heavy and difficult to lift and may have light gaps toward the bottom of the blind.

Add Surcharge to Blind Price

Width up to (inches) →	18	23	31	36	42	48	54	60	66	72	78	84	90	96	106	116	120
Cordless Lift*	\$XX (single blind)									XX (multiple blinds)							
Multiple Blinds on One Headrail	XX (no charge to the right of the solid line)																

See options pricing for additional options and surcharges.

NOTE: Eloquence valance is recommended with 2½" blinds or cordless lift for better headrail coverage.

Colors: Woodgrain

2½" Colors

Bourbon	7465	Natural	7036
Deep Cherry	7316	Regal Oak	7038
Majestic Walnut	7041	Smoke	7707
Maple	7039	Teriyaki	7694
Modern Grey	7230	Wheatfields	7850
Moon Rock	7738		

Price Charts

Price Group J: 2" Faux Wood Blinds

2" Cord Lift and Cordless Lift Blinds

Height up to (inches) ↓	Width up to (inches) →																
	18	23	31	36	42	48	54	60*	66	72	78	84	90	96	106	116	120
30	\$																
36																	
42																	
48																	
54																	
60																	
66																	
72*																	
78																	
84																	
90																	
96																	
102																	
108																	
114																	
120																	

2" Blinds with NoHoles™ or Cloth Tape Option (see cloth tape section for color selection)

Height up to (inches) ↓	Width up to (inches) →																
	18	23	31	36	42	48	54	60*	66	72	78	84	90	96	106	116	120
30	\$																
36																	
42																	
48																	
54																	
60																	
66																	
72*																	
78																	
84																	
90																	
96																	
102																	
108																	
114																	
120																	

*Cordless lift blinds are available in the heavy outlined area above; multiple blinds on one headrail are required for cordless lift blinds over 63" wide. Cordless lift maximum height is 72". **Cordless lift is not available with NoHoles.**

NOTE: Due to weight limitations, blinds to right of solid line will be manufactured as two or three blinds on one headrail. Single blinds over 43 square feet will be heavy and difficult to lift and may have light gaps toward the bottom of the blind.

Add Surcharge to Blind Price

Width up to (inches) —>	18	23	31	36	42	48	54	60	66	72	78	84	90	96	106	116	120	
Cordless Lift*	\$XX (single blind)									XX (multiple blinds)								
Multiple Blinds on One Headrail	XX (no charge to the right of the solid line)																	

See options pricing for additional options and surcharges.

NOTE: Eloquence valance is recommended with cordless lift for better headrail coverage.

Colors: Smooth and Sandblast

2" Colors

Almond Butter	5724
Buttermilk	5078
Buttermilk Sandblast† . .	5953
Coconut.	5630
Coconut Sandblast† . . .	5299
Greystone	5174
Milky Way	5058
White	5035
White Sandblast†.	5951

†Standard valance will be textured to coordinate with sandblast slats. Eloquence valance will be color coordinated in a smooth finish.

Price Charts

Price Group K: 2½" Faux Wood Blinds

2½" Cord Lift and Cordless Lift Blinds

Height up to (inches) ↓	Width up to (inches) →																						
	18	23	31	36	42	48	54	60*	66	72	78	84	90	96	106	116	120						
30	\$																						
36																							
42																							
48																							
54																							
60																							
66																							
72*																							
78																							
84																							
90																							
96																							
102																							
108																							
114																							
120																							

2½" Blinds with NoHoles™ or Cloth Tape Option (see cloth tape section for color selection)

Height up to (inches) ↓	Width up to (inches) →																						
	18	23	31	36	42	48	54	60*	66	72	78	84	90	96	106	116	120						
30	\$																						
36																							
42																							
48																							
54																							
60																							
66																							
72*																							
78																							
84																							
90																							
96																							
102																							
108																							
114																							
120																							

*Cordless lift blinds are available in the heavy outlined area above; multiple blinds on one headrail are required for cordless lift blinds over 63" wide. Cordless lift maximum height is 72". **Cordless lift is not available with NoHoles.**

NOTE: Due to weight limitations, blinds to right of solid line will be manufactured as two or three blinds on one headrail. Single blinds over 43 square feet will be heavy and difficult to lift and may have light gaps toward the bottom of the blind.

Add Surcharge to Blind Price

Width up to (inches) —>	18	23	31	36	42	48	54	60	66	72	78	84	90	96	106	116	120	
Cordless Lift*	\$XX (single blind)									XX (multiple blinds)								
Multiple Blinds on One Headrail	XX (no charge to the right of the solid line)																	

See options pricing for additional options and surcharges.

NOTE: Eloquence valance is recommended with 2½" blinds or cordless lift for better headrail coverage.

Colors: Smooth and Sandblast

2½" Colors

Buttermilk	7078
Coconut.	7630
Coconut Sandblast† . . .	7299
Greystone	7774
Milky Way	7058
White	7035

†Standard valance will be textured to coordinate with sandblast slats. Eloquence valance will be color coordinated in a smooth finish.

Price Charts

Price Group L: Faux Wood Arch

Every faux wood arch has a 2½" frame on the rounded part of the arch. When selecting the appropriate faux wood arch size, you need to consider how this frame will look in your window.

Suggestions for selecting the correct arch size:

1. Selecting an "Order Size" in which your window size is near the higher end of the range, the frame of the arch will extend further beyond your window.
2. Selecting an "Order Size" in which your window size is near the lower end of the range, the frame of the arch will not extend much beyond your window.

EXAMPLE: Your window measures 23"

1. If "Order Size" of 22" is selected, a minimal amount of the frame of the arch will extend outside of the window.
2. If "Order Size" of 24" is selected, the frame of the arch will extend nearly the full 2½" outside of the window.

Order Size	Fits Width (inches)		Fits Height (inches)		Available Color
	From	To	From	To	Coconut
22	20½	23½	10⅞	11⅞	\$
24	22½	25½	11⅞	12⅞	
26	24½	27½	12⅞	13⅞	
27	25½	28½	12⅞	14⅞	
28	26½	29½	13⅞	14⅞	
30	28½	31½	14⅞	15⅞	
32	30½	33½	15⅞	16⅞	
33	31½	34½	15⅞	17⅞	
34	32½	35½	16⅞	17⅞	
36	34½	37½	17⅞	18⅞	
38	36½	39½	18⅞	19⅞	
39	37½	40½	18⅞	20⅞	
40	38½	41½	19⅞	20⅞	
42	40½	43½	20⅞	21⅞	
44	42½	45½	21⅞	22⅞	
45	43½	46½	21⅞	23⅞	
46	44½	47½	22⅞	23⅞	
48	46½	49½	23⅞	24⅞	
50	48½	51½	24⅞	25⅞	
51	49½	52½	24⅞	26⅞	
52	50½	53½	25⅞	26⅞	
54	52½	55½	26⅞	27⅞	
56	54½	57½	27⅞	28⅞	
57	55½	58½	27⅞	29⅞	
58	56½	59½	28⅞	29⅞	
60	58½	61½	29⅞	30⅞	
63	61½	64½	30⅞	32⅞	
66	64½	67½	32⅞	33⅞	
69	67½	70½	33⅞	35⅞	
70	68½	71½	34⅞	35⅞	
72	70½	73½	35⅞	36⅞	

Options Pricing

Options Pricing	
Option	Surcharge
Bay and Corner Window	No charge
Cloth Tapes	See price charts for surcharge
Cord Management Cleats	Clear: standard Cord winder: \$XX Solid brass cleat: \$XX Antique brass cleat: \$XX
Cordless Lift	See price charts for surcharge
Cut-Outs (not available with cordless lift or wood verticals)	\$XX
Decorative Tassels	Antique brass: \$XX per blind panel Nickel: \$XX per blind panel Flared: \$XX per blind panel
Easy Grip Bottomrail (wood blinds only)	\$XX per blind (standard on cordless lift)
Faux Wood Arch	See faux wood arch price chart
Hold Down Brackets	No charge
Multiple Blinds on One Headrail	Two or three on one headrail: right of the solid line on the price charts: no charge Two or three on one headrail: left of the solid line on the price charts: \$XX
NoHoles™ (not available with cordless lift)	See price charts for surcharge
Projection Brackets (2¾" and 4¾")	No charge (outside mount only)
Shims (⅜")	Standard on all outside mount 2⅝" and 2½" slat blinds
Sky Poles	3 to 6½ feet: \$XX 5 to 9½ feet: \$XX
Valance Keystones	\$XX each when requested without a splice
Wood Cornices and Valances	See cornice and valance product information guide and price list
Wood Vertical Vanes Only	\$XX per linear foot

Wood Vertical Blinds: Replacement Headrail Pricing											
Headrail System											
Width up to (inches) →	27	39	52	66	78	96	108	120	132	144	
Headrail	\$X										

NOTE: Installation hardware included. Valance not included; must be ordered separately.



Bali is a brand of Springs Window Fashions, the Best Experience Company 

Bali and the Bali logo are registered trademarks of Springs Window Fashions, LLC.

XX-XXXX-XX (XX/XX) XX-XXXX|S18-7971