

ARTICLE INFORMATION SHEET/SAFETY DATA SHEET (AIS/SDS)**Alkaline Manganese Dioxide-Zinc Battery**

This Article Information Sheet (AIS) provides relevant battery information to retailers, consumers, OEMs and other users requesting a GHS-compliant SDS. Articles, such as batteries, are exempt from GHS SDS classification criteria. The GHS criteria is not designed or intended to be used to classify the physical, health and environmental hazards of an article. Branded consumer batteries are defined as electro-technical devices. The design, safety, manufacture, and qualification of Energizer and Rayovac branded consumer batteries follow ANSI and IEC battery standards.

SECTION 1 - Identification

Product Name: Energizer	Document Number: 1223-Alk
Chemical System: Alkaline Manganese Dioxide-Zinc	Date Prepared: December 2023
Designed for Recharge: No	Valid Until: December 2026
Prepared by: Energizer Energizer Brands, LLC 533 Maryville University Drive St. Louis, MO 63141 Email for Information: customersupport@energizer.com 1-800-383-7323	
	Description Alkaline Manganese Dioxide-Zinc Battery
	Use Portable power source
	Brand ENERGIZER/EVEREADY
	IEC Designation Included but not limited to: LR8D425, LR03, LR6, LR14, LR20, 6LR61, LR1, 4LR25Y, 6LF22
	Sizes Included but not limited to: AAAA, AAA, AA, C, D, 9V, N, Lantern
	Image 

SECTION 2 – Hazards Identification

Not applicable to Batteries which are classified as Articles

Articles, such as batteries, are exempt from GHS SDS classification criteria. The GHS criteria are not designed or intended to be used to classify the physical, health and environmental hazards of an article.

Inhalation: Contents of an open battery can cause respiratory irritation.

Skin Contact: Contents of an open battery can cause skin irritation.

Eye Contact: Contents of an open battery can cause severe irritation.

Article Information Sheet/Safety Data Sheet

Page 2 of 6
Alkaline Manganese Dioxide-Zinc Batteries

SECTION 3 – Composition / Information

The battery should not be opened or burned. Exposure to the ingredients contained within or their combustion products could be harmful.

All Energizer Alkaline Manganese Dioxide-Zinc have zero added mercury.

MATERIAL OR INGREDIENT	CAS #	%/wt.
Graphite	7782-42-5	6
Manganese Dioxide	1313-13-9	40
Potassium Hydroxide	1310-58-3	8
Zinc	7440-66-6	24
Non-Hazardous Components Steel	65997-19-5	20

SECTION 4 – First Aid Measures

Ingestion: Do not induce vomiting or give food or drink. Seek medical attention immediately. CALL NATIONAL BATTERY INGESTION HOTLINE for advice and follow-up (800-498-8666) day or night.

Skin and Eyes: In the event that a battery ruptures, flush exposed skin with flowing lukewarm water for a minimum of 15 minutes. Get immediate medical attention for eyes. Wash skin with soap and water.

SECTION 5 – Fire Hazard & Firefighting

In case of fire, it is permissible to use any class of extinguishing medium on these batteries or their packing material. Cool exterior of batteries if exposed to fire to prevent rupture.

Fire fighters should wear self-contained breathing apparatus.

SECTION 6 – Accidental Release Measures

Not applicable to Batteries which are classified as Articles

TO CONTAIN AND CLEAN UP LEAKS OR SPILLS: In the event of a battery rupture, prevent skin contact and collect all released material in a plastic lined metal container.

REPORTING PROCEDURE: Report all spills in accordance with Federal, State and Local reporting requirement.

SECTION 7 - HANDLING AND STORAGE

Storage: Store in a cool, well ventilated area. Elevated temperatures can result in shortened battery life.

Mechanical Containment: Designers of any water or air-tight device should be aware of the normal evolution of hydrogen gas from alkaline batteries. This gas must be either absorbed or allowed to escape to avoid a potential safety issue.

Handling: Accidental short circuit for a few seconds will not seriously affect the battery. Prolonged short circuit will cause the battery to lose energy through heating, and can cause the safety release vent to open. Sources of short circuits include jumbled batteries in bulk containers, metal jewelry, metal covered tables or metal belts used for assembly of batteries into devices.

Soldering directly to a battery is not recommended. If welding to the battery is required, consult your Energizer sales representative for proper precautions to prevent seal damage or short circuit.

Charging: This battery is manufactured in a charged state. It is not designed for recharging. Recharging can cause battery leakage or, in some cases, high pressure rupture. Inadvertent charging can occur if a battery is installed backwards.

Labeling: The label acts as an electrical insulation for the battery can. Damage to the label can increase the potential for a short circuit.

WARNING: Do not install backwards, charge, put in fire, or mix with other battery types as it may explode or leak causing injury. Replace all batteries at the same time.

SECTION 8 – Exposure Controls

Not applicable to Batteries which are classified as Articles

In case of rupture or leakage use hand protection. Avoid contact with skin and eyes

SECTION 9 – TRANSPORT INFORMATION

Not applicable to Batteries which are classified as Articles

SECTION 10 – STABILITY AND REACTIVITY

STABLE OR UNSTABLE: Stable

INCOMPATIBILITY (MATERIALS TO AVOID): Not Applicable to articles.

HAZARDOUS DECOMPOSITION PRODUCTS: Not Applicable to articles.

DECOMPOSITION TEMPERATURE (0°F): Not Applicable to articles.

HAZARDOUS POLYMERIZATION: Will Not Occur

CONDITIONS TO AVOID: Avoid electrical shorting, puncturing or deform

SECTION 11 – TOXICOLOGICAL INFORMATION

MATERIAL OR INGREDIENT	PEL (OSHA)	TLV (ACGIH)	%/wt.
Graphite (CAS# 7782-42-5)	15 mg/m ³ TWA (total dust) 5 mg/m ³ TWA (respirable fraction)	2 mg/m ³ TWA (respirable fraction)	2-6
Manganese Dioxide (CAS# 1313-13-9)	5 mg/m ³ Ceiling (as Mn)	0.2 mg/m ³ TWA (as Mn)	30-45
Potassium Hydroxide (CAS# 1310-58-3)	None established	2 mg/m ³ Ceiling	4-8
Zinc (CAS# 7440-66-6)	15 mg/m ³ TWA PNOR* (total dust) 5 mg/m ³ TWA PNOR* (respirable fraction)	10 mg/m ³ TWA PNOC** (inhalable particulate) 3 mg/m ³ TWA PNOC** (respirable particulate)	12-25
Non-Hazardous Components			
Steel	None established	None established	18-22
iron CAS# 65997-19-5			
Water, Paper, Plastic and Other	None established	None established	Balance

SECTION 12 – Ecological Information

Dispose of properly when discharged. Use a recycling outlet if available. Those collecting batteries should follow state and federal regulations.

Partially discharged damaged batteries can overheat and cause fires in the presence of other combustible materials.

SECTION 13 – Disposal Considerations

Dispose of in accordance with all applicable federal, state and local regulations. Appropriate disposal technologies include incineration and land filling.

SECTION 14 – TRANSPORT INFORMATION

In general, all batteries in all forms of transportation (ground, air, or ocean) must be packaged in a safe and responsible manner. Regulatory concerns from all agencies for safe packaging require that batteries be packaged in a manner that prevents short circuits and be contained in “strong outer packaging” that prevents spillage of contents. All original packaging for Energizer alkaline batteries has been designed to be compliant with these regulatory concerns.

Alkaline batteries (sometimes referred to as “Dry cell” batteries) are not listed as dangerous goods under the ADR European Agreement Concerning the International Carriage of Dangerous Goods by Road, the IMDG International Maritime Dangerous Goods Code, UN Dangerous Goods Regulations, IATA Dangerous Goods Regulations, ICAO Technical Instructions and the U.S. hazardous materials regulations (49 CFR). These batteries are not subject to the dangerous goods regulations provided they meet the requirements contained in the following special provisions.

Regulatory Body	Special Provisions
ADR	Not regulated
IMDG	Not regulated
UN	Not regulated
US DOT	49 CFR 172.102 Provision 130
IATA 65 th Edition	A123
ICAO	Not regulated

All Energizer alkaline batteries are packed in such a way to prevent short circuits or the generation dangerous quantities of heat and meet the special provisions listed above. In addition, the IATA Dangerous Goods Regulations and ICAO Technical Instructions require the words “not restricted” and the Special Provision number A123 be provided on the air waybill, when an air waybill is issued.

For emergency information call ChemTel 1-800-526-4727 (North America) or 1-314-985-1511 (International).

SECTION 15 – REGULATORY INFORMATION
Applicable Battery Industry Standards

North America Standards	ANSI C18.1 Part 1	ANSI C18.1 Part 2	ANSI C18.4
International Standards	IEC 60086-1	IEC 60086-2	IEC 60086-5

15.1 Battery

- SARA/TITLE III:** As an article, this battery and its contents are not subject to the requirements of the Emergency Planning and Community Right-To-Know Act.
- USA EPA Mercury Containing & Rechargeable Battery Management Act of 1996:** No mercury added
- European Battery Regulation:** Energizer batteries are compliant with all aspects of the Directive that are in effect today

Article Information Sheet/Safety Data Sheet

Page 6 of 6
Alkaline Manganese Dioxide-Zinc Batteries

15.2 General

1. **CPSIA 2008:** Exempt
2. **US CPSC FHSA (16 CFR 1500):** Not applicable since batteries are defined as articles
3. **USA EPA TSCA (40 CFR 707.20):** Not applicable since batteries are defined as articles
4. **USA EPA RCRA (40 CFR 261):** Classified as non-hazardous waste per ignitable, corrosive, reactive or toxicity testing
5. **California Prop 65:** No warning required
6. **DTSC Perchlorate labeling:** No warning required
7. **EU REACH SVHC:** No REACH listed substances of very high concern are present above 0.1% w/w.

15.3 Article Definitions

1. **OSHA Hazard Communication Standard, Section 1910.1200(c)**

SECTION 16 - OTHER INFORMATION

Energizer has prepared copyrighted Article Information Sheets to provide information on the different Eveready/Energizer/Rayovac battery systems. Batteries are articles as defined under the GHS and exempt from GHS classification criteria (Section 1.3.2.1.1 of the GHS). The information and recommendations set forth herein are made in good faith, for information only, and are believed to be accurate as of the date of preparation. However, ENERGIZER BRANDS, LLC MAKES NO WARRANTY, EITHER EXPRESS OR IMPLIED, WITH RESPECT TO THIS INFORMATION AND DISCLAIMS ALL LIABILITY FROM REFERENCE ON IT.

16.1 ACRONYM GLOSSARY

1. [ANSI](#): American National Standards Institute
2. [CPSC](#): Consumer Product Safety Commission
3. [CPSIA](#): Consumer Product Safety Improvement Act
4. [DTSC](#): Department of Toxic Substances Control
5. [EPA](#): Environmental Protection Agency
6. [FHSA](#): Federal Hazardous Substances Act
7. [GHS](#): Globally Harmonized System for Hazard Communication
8. [IEC](#): International Electrotechnical Commission
9. [OSHA](#): Occupational Safety and Health Administration
10. [RCRA](#): Resource Conservation and Recovery Act
11. [SDS](#): Safety Data Sheet
12. [SVHC](#): Substances of Very high Concern
13. [TSCA](#): Toxic Substances Control Act

Conforms to Hazard Communication Standard 29 CFR 1910.1200

Section 1 - IDENTIFICATION

Product Identifier: Spectracide Terminate® Termite & Carpenter Ant Killer₂

Other Means of Identification:

Product Code HG-53350; HG-53391; HG-96375
Formula Number 21-1330
EPA Reg. Number 9688-176-8845

Recommended Use: Insecticide - Crawling Bug

Recommended Restrictions: Use in accordance with label directions

Manufacturer/Importer/Supplier/Distributor Information:

Company Name Spectrum Group, Division of United Industries Corporation
Address PO Box 142642, St. Louis, MO 63114-0642
Telephone Number 1-888-545-5837

Emergency Telephone Number:

CHEMTREC (800)424-9300
Medical (866)823-2749

Section 2 - HAZARD(S) IDENTIFICATION

Classification of Substance or Mixture:

Physical Hazard(s) Not classified as a physical hazard
Health Hazard(s) Not classified as a health hazard

Label Elements:

Hazard Pictogram(s) None
Signal Word None
Hazard Statements: None
Precautionary Statements: None

Hazard(s) not Otherwise Classified (HNOC): No additional information available

Supplemental Information: None

Section 3 - COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	Synonyms	CAS Number	%
Lambda-Cyhalothrin	n/a	91465-08-6	0.03

In accordance with paragraph (d) of 1910.1200, the exact percentage (concentration) has been withheld as a trade secret. Other components are below reportable levels.

Section 4 - FIRST-AID MEASURES

Inhalation: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical advice/attention if you feel unwell.

Skin Contact:	In case of contact, wash skin with plenty of water. If skin irritation or redness develops, seek medical attention.
Eye Contact:	In case of contact, flush eyes with plenty of water. Remove contact lenses, if worn. If irritation persists, get medical attention.
Ingestion:	If swallowed, do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Get medical advice/attention.
Most Important Symptoms/Effects, Acute and Delayed:	Symptoms of exposure may include, irritation of eyes and nose, cough and/or shortness of breath.
Indication of Immediate Medical Attention & Special Treatment Needed:	Immediate medical attention should not be required.

Section 5 - FIRE-FIGHTING MEASURES

Suitable Extinguishing Media:	Treat for surrounding material.
Unsuitable Extinguishing Media:	None known.
Specific Hazards Arising from the Chemical:	Products of combustion may include, and are not limited to: oxides of carbon.
Special Protective Equipment and Precautions for Firefighters:	Keep upwind of fire. Wear full fire fighting turn-out gear (full bunker gear) and respirator protection (SCBA).

Section 6 - ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures:	Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel.
Methods and Materials for Containment and Cleaning Up:	Contain and/or absorb spill with inert material. Scoop up material and place in a disposable container. Then place in a suitable container. Do not flush to sewer or allow to enter waterways. Use appropriate personal protective equipment (PPE).
Environmental Precautions:	Report spills as required by local and national regulations. Prevent entry into storm sewers and waterways.

Section 7 - HANDLING AND STORAGE

Precautions for Safe Handling:	Avoid breathing mist. Avoid contact with skin and eyes. Do not swallow. Handle and open container with care. When using do not eat, drink or smoke.
Conditions for Safe Storage, Including any Incompatibilities:	Keep out of reach of children. Keep container tightly closed. (See section 10).

Section 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

Control Parameters:	None
----------------------------	------

Appropriate Engineering Controls: General ventilation should be adequate for all normal use.

Individual Protective Measures, Such as Personal Protective Equipment:

Eye/face protection:	None required for normal use. Avoid eye contact.
Skin and body protection:	None required under normal use conditions.
Respiratory protection:	None required under normal use conditions.
General hygiene considerations:	Do not eat, drink or smoke where material is handled, processed or stored. Wash hands after handling.

Section 9 - PHYSICAL AND CHEMICAL PROPERTIES

Appearance (physical state, color, etc.):	Translucent pale, yellow liquid
Odor:	Aromatic Solvent
Odor Threshold:	No data available
pH:	5.0-6.0
Melting / Freezing Point:	No data available
Initial boiling point and range:	No data available
Flashpoint:	No data available
Evaporation Rate:	No data available
Flammability (solid, gas):	No data available
Upper/lower flammability or explosive limits:	No data available
Vapor pressure:	No data available
Vapor density:	No data available
Relative density:	0.999-1.011
Solubility(ies):	Soluble in water
Partition coefficient (n-octanol/water):	No data available
Auto-ignition temperature:	No data available
Decomposition temperature:	No data available
Viscosity:	No data available

Section 10 - STABILITY AND REACTIVITY

Reactivity:	No dangerous reaction known under conditions of normal use.
Chemical stability:	Stable under normal storage conditions.
Possibility of hazardous reactions:	No dangerous reaction known under conditions of normal use.
Conditions to avoid:	Heat. Incompatible materials.
Incompatible materials:	None known.
Hazardous decomposition products:	May include, and are not limited to oxides of carbon.

Section 11 - TOXICOLOGICAL INFORMATION

Information on the likely routes of exposure: Inhalation, Ingestion and/or skin or eye contact

Symptoms related to the physical, chemical and toxicological characteristics:

Inhalation: May cause respiratory tract irritation.
Ingestion: May be harmful if swallowed. May cause stomach distress, nausea or vomiting.
Skin contact: May cause skin irritation. Symptoms may include redness, drying, defatting and cracking of the skin.
Eye contact: May cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with possible redness and swelling.

Acute Toxicity Values:

Calculated overall Chemical Acute Toxicity Values (ATE)		
LD50 (Oral)	LD50 (Dermal)	LC50 (inhalation)
>2000 mg/kg	>2000 mg/kg	>5mg/l

Eye Contact: Based on available data, the classification criteria are not met.
Skin Contact: Based on available data, the classification criteria are not met.
Sensitization: Based on available data, the classification criteria are not met.

**Chronic Effects-
Carcinogenicity:**

Ingredient	Chemical Listed as a Carcinogen or Potential Carcinogen (NTP, IARC, OSHA)
None of the ingredients present in this product at or above 0.1% are listed as potential carcinogens on the NTP, IARC or OSHA lists.	

Reproductive Toxicity: Based on available data, the classification criteria are not met.
Germ Cell Mutagenicity: Based on available data, the classification criteria are not met.
STOT-single exposure: Based on available data, the classification criteria are not met.
STOT-repeated exposure: Based on available data, the classification criteria are not met.
Aspiration hazard: Based on available data, the classification criteria are not met.

Comment: All information was generated using the GHS classification criteria for mixtures and test data where available.

Section 12 - ECOLOGICAL INFORMATION

Ecotoxicity: This product is classified as a category 1 aquatic acute toxicant and a category 1 aquatic chronic toxicant.
Persistence and degradability: No data available
Bioaccumulative potential: No data available
Mobility in soil: No data available
Other adverse effects: No data available

Section 13 - DISPOSAL CONSIDERATIONS

Dispose of in accordance with all local, state, /provincial and federal regulations. For more information see product label.

Section 14 - TRANSPORTATION INFORMATION

DOT: Not Regulated

IATA: UN Number: UN3082
Proper Shipping Name: Environmentally hazardous substance, liquid, n.o.s.
Technical Name: Lambda-cyhalothrin
Hazard Class: 9
Packing Group: III
Limited Quantity: ≤5L
Marine Pollutant: Yes

IMDG: UN Number: UN3082
Proper Shipping Name: Environmentally hazardous substance, liquid, n.o.s.
Technical Name: Lambda-cyhalothrin
Hazard Class: 9
Packing Group: III
Limited Quantity: ≤5L
Marine Pollutant: Yes

Section 15 - REGULATORY INFORMATION

US EPA Label Information:

EPA Pesticide Registration Number 9688-176-8845

Federal Insecticide, Fungicide, Rodenticide Act Regulations

This chemical is a pesticide product registered by the Environmental Protection Agency and is subjected to certain labeling requirements under the federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

EPA Pesticide Label

CAUTION: KEEP OUT OF REACH OF CHILDREN.

Hazards to Humans and Domestic Animals

CAUTION: Harmful if absorbed through skin. Avoid contact with skin, eyes or clothing. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove and wash contaminated clothing before reuse.

FIRST AID: If on Skin or Clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a Poison Control Center or doctor for treatment advice. Have the product container or label with you when calling a Poison Control Center or doctor or going for treatment.

ENVIRONMENTAL HAZARDS: This product is toxic to fish and other aquatic organisms. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area.

STORAGE AND DISPOSAL: Pesticide Storage: Turn the nozzle to CLOSE position. To prevent leakage, attach sprayer to clip. Store this product only in its original container in a secure storage area away from sources of heat or open flame and in an area inaccessible to children and pets. Keep from freezing. **Pesticide Disposal:** Nonrefillable container. Do not reuse or refill this container unless the directions for use allow a different (concentrated) product to be diluted in the container. **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

EPA TSCA Inventory: All of the components of this product are either on the Toxic Substances Control Act (TSCA) Inventory List or exempt.

SARA Hazard Category (311/312): See OSHA hazards listed in section 2.

Disclaimer:	Information contained herein was obtained from sources considered technically accurate and reliable. While every effort has been made to ensure full disclosure of product hazards, in some cases data is not available and is so stated. Since conditions of actual product use are beyond control of the supplier, it is assumed that users of this material have been fully trained according to the requirements of all applicable legislation and regulatory instruments. No warranty, expressed or implied, is made and supplier will not be liable for any losses, injuries or consequential damages which may result from the use of or reliance on any information contained in this document.
--------------------	---

Section 16 - OTHER INFORMATION

Issue date: November 28, 2018
Revision date: December 5, 2019
Version number: 1.3