



SAFETY DATA SHEET

Issuing Date 03-Dec-2021

Revision Date 10-Nov-2020

Revision Number 1

NGHS / English



The supplier identified below generated this SDS using the UL SDS template. UL did not test, certify, or approve the substance described in this SDS, and all information in this SDS was provided by the supplier or was reproduced from publically available regulatory data sources. UL makes no representations or warranties regarding the completeness or accuracy of the information in this SDS and disclaims all liability in connection with the use of this information or the substance described in this SDS. The layout, appearance and format of this SDS is ©2014 UL LLC. All rights reserved.

1. IDENTIFICATION

Product identifier

Product Name GERM-X

Other means of identification

Product Code(s) 1515573_HD

Recommended use of the chemical and restrictions on use

Recommended Use Hand sanitizer - Liquid

Restrictions on use No information available

Details of the supplier of the safety data sheet

Supplier Identification Vi-Jon Inc.

Address 8515 Page Avenue
Saint Louis
MO
63114
US

Telephone Phone:3144271000
Fax:3144271010

E-mail jstilts@vjon.com

Emergency telephone number

Company Emergency Phone Number 18004249300

2. HAZARDS IDENTIFICATION

Classification

| | |
|-------------------|------------|
| Flammable liquids | Category 2 |
|-------------------|------------|



Appearance Clear

Physical state Viscous liquid Liquid

Odor Alcohol

GHS Label elements, including precautionary statements

Danger

Hazard statements

Highly flammable liquid and vapor



Precautionary Statements - Prevention

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

Keep container tightly closed

Ground/bond container and receiving equipment

Use explosion-proof electrical/ ventilating/ lighting/ equipment

Use only non-sparking tools

Take precautionary measures against static discharge

Wear protective gloves/eye protection/face protection

Precautionary Statements - Response

Skin

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower

Fire

In case of fire: Use CO2, dry chemical, or foam to extinguish

Precautionary Statements - Storage

Store in a well-ventilated place. Keep cool

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other information

Toxic to aquatic life.

Unknown acute toxicity

0 % of the mixture consists of ingredient(s) of unknown toxicity

0 % of the mixture consists of ingredient(s) of unknown acute oral toxicity

0 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity

0 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)

0 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)

0 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance

Not applicable.

Mixture

| Chemical name | CAS No | Weight-% | Hazardous Material Information Review Act registry number (HMIRA registry #) | Date HMIRA filed and date exemption granted (if applicable) |
|---|-----------|----------|--|---|
| Ethyl alcohol | 64-17-5 | 54.52788 | - | - |
| Water, distilled, conductivity or of similar purity | 7732-18-5 | 44.53478 | - | - |
| Glycerin | 56-81-5 | 0.4975 | - | - |
| Carbomer | 9003-01-4 | 0.18705 | - | - |
| Acrylates/C10-30 Alkyl Acrylate Crosspolymer | NA390 | 0.15 | - | - |
| Diisopropylamine | 108-18-9 | 0.095221 | - | - |
| tert-Butyl alcohol | 75-65-0 | 0.07088 | - | - |
| Isopropyl myristate | 110-27-0 | 0.05 | - | - |
| Fragrance (Irritating to eyes) | FRAGRANCE | 0.035 | - | - |
| Tocopheryl acetate | 7695-91-2 | 0.001 | - | - |
| Denatonium benzoate | 3734-33-6 | 0.000407 | - | - |
| Isopropylamine | 75-31-0 | 0.000096 | - | - |
| Isopropyl alcohol | 67-63-0 | 0.000096 | - | - |
| Acetone | 67-64-1 | 0.000096 | - | - |

4. FIRST AID MEASURES

Description of first aid measures

| | |
|---|---|
| Inhalation | Remove to fresh air. |
| Eye contact | Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected area. |
| Skin contact | Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. |
| Ingestion | Clean mouth with water and drink afterwards plenty of water. |
| Self-protection of the first aider | Remove all sources of ignition. Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Use personal protective equipment as required. See section 8 for more information. |

Most important symptoms and effects, both acute and delayed

Symptoms No information available.

Indication of any immediate medical attention and special treatment needed

Note to physicians Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media Dry chemical. Carbon dioxide (CO2). Water spray. Alcohol resistant foam.



| | |
|---|---|
| Large Fire | CAUTION: Use of water spray when fighting fire may be inefficient. |
| Unsuitable extinguishing media | Do not scatter spilled material with high pressure water streams. |
| Specific hazards arising from the chemical | Risk of ignition. Keep product and empty container away from heat and sources of ignition. In the event of fire, cool tanks with water spray. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. |
| Hazardous Combustion Products | Carbon oxides. |
| Explosion Data | |
| Sensitivity to Mechanical Impact | None. |
| Sensitivity to Static Discharge | Yes. |
| Special protective equipment for fire-fighters | Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment. |

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

| | |
|-----------------------------|--|
| Personal precautions | Evacuate personnel to safe areas. Use personal protective equipment as required. See section 8 for more information. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Keep people away from and upwind of spill/leak. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Pay attention to flashback. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Do not touch or walk through spilled material. |
| Other Information | Ventilate the area. |

Methods and material for containment and cleaning up

| | |
|--------------------------------|---|
| Methods for containment | Stop leak if you can do it without risk. Do not touch or walk through spilled material. A vapor suppressing foam may be used to reduce vapors. Dike far ahead of spill to collect runoff water. Keep out of drains, sewers, ditches and waterways. Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal. |
| Methods for cleaning up | Take precautionary measures against static discharges. Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labeled containers. |

7. HANDLING AND STORAGE

Precautions for safe handling

| | |
|--------------------------------|---|
| Advice on safe handling | Use personal protection equipment. Avoid contact with skin and eyes. Avoid breathing vapors or mists. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Use grounding and bonding connection when transferring this material to prevent static discharge, fire or explosion. Use with local exhaust ventilation. Use spark-proof tools and explosion-proof equipment. Keep in an area equipped with sprinklers. Use according to package label instructions. |
|--------------------------------|---|

Conditions for safe storage, including any incompatibilities

| | |
|---------------------------|---|
| Storage Conditions | Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static |
|---------------------------|---|

electricity). Keep in properly labeled containers. Do not store near combustible materials. Keep in an area equipped with sprinklers. Store in accordance with the particular national regulations. Store in accordance with local regulations.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Limits

| Chemical name | ACGIH TLV | OSHA PEL | NIOSH IDLH | |
|-------------------------------|--|--|---|----------------|
| Ethyl alcohol 64-17-5 | STEL: 1000 ppm | TWA: 1000 ppm TWA: 1900 mg/m ³ (vacated) TWA: 1000 ppm (vacated) TWA: 1900 mg/m ³ | IDLH: 3300 ppm 10% LEL TWA: 1000 ppm TWA: 1900 mg/m ³ | |
| Glycerin 56-81-5 | TWA: 10 mg/m ³ mist | TWA: 15 mg/m ³ mist, total particulate TWA: 5 mg/m ³ mist, respirable fraction (vacated) TWA: 10 mg/m ³ mist, total particulate (vacated) TWA: 5 mg/m ³ mist, respirable fraction | | |
| Diisopropylamine 108-18-9 | TWA: 5 ppm S* | TWA: 5 ppm TWA: 20 mg/m ³ (vacated) TWA: 5 ppm (vacated) TWA: 20 mg/m ³ (vacated) S* S* | IDLH: 200 ppm TWA: 5 ppm TWA: 20 mg/m ³ | |
| tert-Butyl alcohol 75-65-0 | TWA: 100 ppm | TWA: 100 ppm TWA: 300 mg/m ³ (vacated) TWA: 100 ppm (vacated) TWA: 300 mg/m ³ (vacated) STEL: 150 ppm (vacated) STEL: 450 mg/m ³ | IDLH: 1600 ppm TWA: 100 ppm TWA: 300 mg/m ³ STEL: 150 ppm STEL: 450 mg/m ³ | |
| Isopropylamine 75-31-0 | STEL: 5 ppm TWA: 2 ppm S* | TWA: 5 ppm TWA: 12 mg/m ³ (vacated) TWA: 5 ppm (vacated) TWA: 12 mg/m ³ (vacated) STEL: 10 ppm (vacated) STEL: 24 mg/m ³ | IDLH: 750 ppm | |
| Isopropyl alcohol 67-63-0 | STEL: 400 ppm TWA: 200 ppm | TWA: 400 ppm TWA: 980 mg/m ³ (vacated) TWA: 400 ppm (vacated) TWA: 980 mg/m ³ (vacated) STEL: 500 ppm (vacated) STEL: 1225 mg/m ³ | IDLH: 2000 ppm 10% LEL TWA: 980 mg/m ³ TWA: 400 ppm STEL: 500 ppm STEL: 1225 mg/m ³ | |
| Acetone 67-64-1 | STEL = 750 ppm TWA: 500 ppm | TWA: 1000 ppm TWA: 2400 mg/m ³ (vacated) TWA: 1800 mg/m ³ (vacated) TWA: 750 ppm (vacated) STEL: 1000 ppm (vacated) STEL: 2400 mg/m ³ | IDLH: 2500 ppm 10% LEL TWA: 250 ppm TWA: 590 mg/m ³ | |
| Chemical name | Alberta | British Columbia | Ontario TWAEV | Quebec |
| Ethyl alcohol 64-17-5 | TWA: 1000 ppm TWA: 1880 mg/m ³ | STEL: 1000 ppm | STEL: 1000 ppm | STEL: 1000 ppm |

| | | | | |
|-------------------------------|--|---|-------------------------------|---|
| Glycerin 56-81-5 | TWA: 10 mg/m ³ | TWA: 10 mg/m ³ TWA: 3 mg/m ³ | | TWA: 10 mg/m ³ |
| Diisopropylamine 108-18-9 | TWA: 5 ppm TWA: 21 mg/m ³ Skin | TWA: 5 ppm Skin | TWA: 5 ppm Skin | TWA: 5 ppm TWA: 21 mg/m ³ Skin |
| tert-Butyl alcohol 75-65-0 | TWA: 100 ppm TWA: 303 mg/m ³ | TWA: 100 ppm | TWA: 100 ppm | TWA: 100 ppm TWA: 303 mg/m ³ |
| Isopropylamine 75-31-0 | TWA: 5 ppm TWA: 12 mg/m ³ STEL: 10 ppm STEL: 24 mg/m ³ | TWA: 5 ppm STEL: 10 ppm Skin | TWA: 5 ppm STEL: 10 ppm | TWA: 5 ppm TWA: 12 mg/m ³ STEL: 10 ppm STEL: 24 mg/m ³ |
| Isopropyl alcohol 67-63-0 | TWA: 200 ppm TWA: 492 mg/m ³ STEL: 400 ppm STEL: 984 mg/m ³ | TWA: 200 ppm STEL: 400 ppm | TWA: 200 ppm STEL: 400 ppm | TWA: 400 ppm TWA: 985 mg/m ³ STEL: 500 ppm STEL: 1230 mg/m ³ |
| Acetone 67-64-1 | TWA: 500 ppm TWA: 1200 mg/m ³ STEL: 750 ppm STEL: 1800 mg/m ³ | TWA: 250 ppm STEL: 500 ppm | TWA: 250 ppm STEL: 500 ppm | TWA: 500 ppm TWA: 1190 mg/m ³ STEL: 1000 ppm STEL: 2380 mg/m ³ |

Other Exposure Guidelines Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992). See section 15 for national exposure control parameters.

Appropriate engineering controls

Engineering controls Showers
Eyewash stations
Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection Tight sealing safety goggles.

Hand protection Wear suitable gloves. Impervious gloves.

Skin and body protection Wear suitable protective clothing. Long sleeved clothing. Chemical resistant apron. Antistatic boots.

Respiratory protection No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.

General hygiene considerations Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Viscous liquid; Liquid
Appearance Clear
Odor Alcohol
Color No information available
Odor Threshold No data available

| <u>Property</u> | <u>Values</u> | <u>Remarks</u> | <u>Method</u> |
|--------------------------|-------------------|----------------|---------------|
| pH | 7.0 | | |
| Melting / freezing point | No data available | None known | |



| | | |
|---|-------------------|------------|
| Boiling point / boiling range | No data available | None known |
| Flash Point | 22 C / 72 F | |
| Evaporation Rate | No data available | None known |
| Flammability (solid, gas) | No data available | None known |
| Flammability Limit in Air | | None known |
| Upper flammability limit | No data available | |
| Lower flammability limit | No data available | |
| Vapor pressure | No data available | None known |
| Vapor density | No data available | None known |
| Relative density | 0.9 | |
| Water Solubility | Miscible in water | |
| Solubility(ies) | No data available | None known |
| Partition coefficient: n-octanol/water | 0 | |
| Autoignition temperature | No data available | None known |
| Decomposition temperature | No data available | None known |
| Kinematic viscosity | No data available | None known |
| Dynamic viscosity | No data available | None known |

Other Information

| | |
|-----------------------------------|--------------------------|
| Explosive properties | No information available |
| Oxidizing properties | No information available |
| Softening Point | No information available |
| Molecular Weight | No information available |
| VOC Content (%) | No information available |
| Liquid Density | No information available |
| Bulk Density | No information available |
| Particle Size | No information available |
| Particle Size Distribution | No information available |

10. STABILITY AND REACTIVITY

| | |
|---|---|
| Reactivity | No information available. |
| Chemical stability | Stable under normal conditions. |
| Possibility of Hazardous Reactions | None under normal processing. |
| Hazardous Polymerization | Hazardous polymerization does not occur. |
| Conditions to avoid | Heat, flames and sparks. |
| Incompatible materials | None known based on information supplied. |
| Hazardous Decomposition Products | Carbon oxides. |

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure**Product Information**

| | |
|---------------------|---|
| Inhalation | Specific test data for the substance or mixture is not available. |
| Eye contact | Specific test data for the substance or mixture is not available. |
| Skin contact | Specific test data for the substance or mixture is not available. |

Ingestion Specific test data for the substance or mixture is not available.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms No information available.

Numerical measures of toxicity

Acute toxicity

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) 12,947.50 mg/kg
ATEmix (inhalation-dust/mist) 214.40 mg/L

Unknown acute toxicity 0 % of the mixture consists of ingredient(s) of unknown toxicity

- 0 % of the mixture consists of ingredient(s) of unknown acute oral toxicity
- 0 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity
- 0 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)
- 0 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)
- 0 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

Product Information

Component Information

| Chemical name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|---|-----------------------|--------------------------|--|
| Ethyl alcohol | = 7060 mg/kg (Rat) | - | = 116.9 mg/L (Rat) 4 h = 133.8 mg/L (Rat) 4 h |
| Water, distilled, conductivity or of similar purity | > 90 mL/kg (Rat) | - | - |
| Glycerin | = 12600 mg/kg (Rat) | > 10 g/kg (Rabbit) | > 2.75 mg/L (Rat) 4 h |
| Carbomer | = 2500 mg/kg (Rat) | > 2000 mg/kg (Rabbit) | > 5.1 mg/L (Rat) 4 h |
| Diisopropylamine | = 770 mg/kg (Rat) | = 2000 mg/kg (Rabbit) | = 5.35 mg/L (Rat) 4 h |
| tert-Butyl alcohol | = 2200 mg/kg (Rat) | > 2 g/kg (Rabbit) | > 10000 ppm (Rat) 4 h |
| Isopropyl myristate | > 10000 mg/kg (Rat) | = 5 g/kg (Rabbit) | > 41 mg/L (Rat) 1 h |
| Tocopheryl acetate | - | > 3000 mg/kg (Rat) | - |
| Denatonium benzoate | = 584 mg/kg (Rat) | > 2000 mg/kg (Rat) | = 0.2 mg/L (Rat) 4 h |
| Isopropylamine | = 111 mg/kg (Rat) | = 382 mg/kg (Rat) | = 8.7 mg/L (Rat) 4 h |
| Isopropyl alcohol | = 1870 mg/kg (Rat) | = 4059 mg/kg (Rabbit) | > 10000 ppm (Rat) 6 h |
| Acetone | = 5800 mg/kg (Rat) | > 15700 mg/kg (Rabbit) | = 50100 mg/m ³ (Rat) 8 h |

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation No information available.

Serious eye damage/eye irritation No information available.

Respiratory or skin sensitization No information available.

Germ cell mutagenicity No information available.

Carcinogenicity Ethanol has been shown to be carcinogenic in long-term studies only when consumed as alcoholic beverage.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

| Chemical name | ACGIH | IARC | NTP | OSHA |
|--------------------------|-------|---------|-------|------|
| Ethyl alcohol 64-17-5 | A3 | Group 1 | Known | X |
| Carbomer | - | Group 3 | - | - |

| | | | | |
|------------------------------|---|---------|---|---|
| 9003-01-4 | | | | |
| Isopropyl alcohol 67-63-0 | - | Group 3 | - | X |

Legend**ACGIH (American Conference of Governmental Industrial Hygienists)**

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Group 3 - Not Classifiable as to Carcinogenicity in Humans

NTP (National Toxicology Program)

Known - Known Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Reproductive toxicity No information available.**STOT - single exposure** No information available.**STOT - repeated exposure** No information available.**Aspiration hazard** No information available.**12. ECOLOGICAL INFORMATION****Ecotoxicity** Toxic to aquatic life.

| Chemical name | Algae/aquatic plants | Fish | Toxicity to microorganisms | Crustacea |
|---------------------|---|--|---|--|
| Ethyl alcohol | No data available | 96h LC50: 12.0 - 16.0 mL/L (Oncorhynchus mykiss) 96h LC50: 13400 - 15100 mg/L (Pimephales promelas) 96h LC50: > 100 mg/L (Pimephales promelas) | EC50 = 34634 mg/L 30 min EC50 = 35470 mg/L 5 min | 48h LC50: 9268 - 14221 mg/L (Daphnia magna) 48h EC50: = 2 mg/L (Daphnia magna) |
| Glycerin | No data available | 96h LC50: 51 - 57 mL/L (Oncorhynchus mykiss) | No data available | No data available |
| Carbomer | No data available | 96h LC50: = 580 mg/L (Lepomis macrochirus) | No data available | No data available |
| Diisopropylamine | 96h EC50: = 20 mg/L (Pseudokirchneriella subcapitata) | 96h LC50: 150 - 223 mg/L (Brachydanio rerio) 96h LC50: 420 - 560 mg/L (Oryzias latipes) 96h LC50: = 1000 mg/L (Poecilia reticulata) 96h LC50: = 37 mg/L (Oncorhynchus mykiss) | No data available | No data available |
| tert-Butyl alcohol | 72h EC50: > 1000 mg/L (Desmodesmus subspicatus) | 96h LC50: 6130 - 6700 mg/L (Pimephales promelas) | EC50 > 10000 mg/L 17 h | 48h EC50: 4607 - 6577 mg/L (Daphnia magna) 48h EC50: = 933 mg/L (Daphnia magna) |
| Isopropyl myristate | 72h EC50: > 100 mg/L (Desmodesmus subspicatus) | 96h LC50: = 8400 mg/L (Brachydanio rerio) | No data available | 48h EC50: = 100 mg/L (Daphnia magna) |
| Tocopheryl acetate | No data available | 96h LC50: > 100 mg/L (Oncorhynchus mykiss) | No data available | No data available |

| | | | | |
|-------------------|---|--|-----------------------------|--|
| Isopropylamine | 96h EC50: = 1.2 mg/L (Desmodesmus subspicatus) 72h EC50: = 4.13 mg/L (Desmodesmus subspicatus) 96h EC50: = 62.5 mg/L (Pseudokirchneriella subcapitata) | 96h LC50: = 310 mg/L (Pimephales promelas) | EC50 = 99 mg/L 17 h | 48h EC50: = 20.8 mg/L (Daphnia magna) |
| Isopropyl alcohol | 72h EC50: > 1000 mg/L (Desmodesmus subspicatus) 96h EC50: > 1000 mg/L (Desmodesmus subspicatus) | 96h LC50: = 11130 mg/L (Pimephales promelas) 96h LC50: = 9640 mg/L (Pimephales promelas) 96h LC50: > 1400000 µg/L (Lepomis macrochirus) | No data available | 48h EC50: = 13299 mg/L (Daphnia magna) |
| Acetone | No data available | 96h LC50: 4.74 - 6.33 mL/L (Oncorhynchus mykiss) 96h LC50: 6210 - 8120 mg/L (Pimephales promelas) 96h LC50: = 8300 mg/L (Lepomis macrochirus) | EC50 = 14500 mg/L 15 min | 48h EC50: 10294 - 17704 mg/L (Daphnia magna) 48h EC50: 12600 - 12700 mg/L (Daphnia magna) |

Persistence and Degradability No information available.

Bioaccumulation

Component Information

| Chemical name | Partition coefficient |
|---------------------|-----------------------|
| Ethyl alcohol | -0.35 |
| Glycerin | -1.75 |
| Carbomer | 0.27 |
| Diisopropylamine | 0.4 |
| tert-Butyl alcohol | 0.317 |
| Isopropyl myristate | 7.71 |
| Denatonium benzoate | 2.2 |
| Isopropylamine | -0.5 |
| Isopropyl alcohol | 0.05 |
| Acetone | -0.24 |

Mobility No information available.

Other adverse effects No information available.

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste from residues/unused products Should not be released into the environment. Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging Empty containers pose a potential fire and explosion hazard. Do not cut, puncture or weld containers.

US EPA Waste Number D001



California Waste Codes 311

This product contains one or more substances that are listed with the State of California as a hazardous waste.

| Chemical name | California Hazardous Waste |
|------------------------------|----------------------------|
| Ethyl alcohol 64-17-5 | Toxic Ignitable |
| Isopropylamine 75-31-0 | Toxic Ignitable |
| Isopropyl alcohol 67-63-0 | Toxic Ignitable |
| Acetone 67-64-1 | Ignitable |

14. TRANSPORT INFORMATION

DOT

UN-No. UN1170
 Proper Shipping Name ETHANOL SOLUTIONS
 Hazard Class 3
 Packing Group III
 Description UN1170, ETHANOL SOLUTIONS, 3, III, LTD QTY
 Emergency Response Guide Number 127

TDG

UN-No. UN1170
 Proper Shipping Name ETHANOL SOLUTION
 Hazard Class 3
 Packing Group III
 Description UN1170, ETHANOL SOLUTION, 3, III, LTD QTY

MEX

UN-No. UN1170
 Proper Shipping Name ETHANOL SOLUTION
 Hazard Class 3
 Packing Group III
 Description UN1170, ETHANOL SOLUTION, 3, III

ICAO

UN-No. UN1170
 Proper Shipping Name ETHANOL SOLUTION
 Hazard Class 3
 Packing Group III
 Description UN1170, ETHANOL SOLUTION, 3, III

IATA

UN-No. UN1170
 Proper Shipping Name ETHANOL SOLUTION
 Hazard Class 3
 Packing Group III
 ERG Code 3L
 Description UN1170, ETHANOL SOLUTION, 3, III

IMDG/IMO



| | |
|----------------------|---|
| UN-No. | UN1170 |
| Proper Shipping Name | ETHANOL SOLUTION |
| Hazard Class | 3 |
| Packing Group | III |
| EmS-No. | F-E, S-D |
| Description | UN1170, ETHANOL SOLUTION, 3, III, (22°C C.C.) |

RID

| | |
|----------------------|----------------------------------|
| UN-No. | UN1170 |
| Proper Shipping Name | ETHANOL SOLUTION |
| Hazard Class | 3 |
| Packing Group | III |
| Classification code | F1 |
| Description | UN1170, ETHANOL SOLUTION, 3, III |
| ADR/RID-Labels | 3 |

ADR

| | |
|-------------------------|---|
| UN-No. | UN1170 |
| Proper Shipping Name | ETHANOL SOLUTION |
| Hazard Class | 3 |
| Packing Group | III |
| Classification code | F1 |
| Tunnel restriction code | (D/E) |
| Description | UN1170, ETHANOL SOLUTION, 3, III, (D/E) |

ADN

| | |
|----------------------|----------------------------------|
| UN-No. | UN1170 |
| Proper Shipping Name | ETHANOL SOLUTION |
| Hazard Class | 3 |
| Packing Group | III |
| Classification code | F1 |
| Special Provisions | 144, 601 |
| Description | UN1170, ETHANOL SOLUTION, 3, III |
| Hazard Labels | 3 |
| Limited Quantity | 5 L |
| Ventilation | VE01 |

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

International Inventories

| | |
|---------------|---|
| TSCA | Contact supplier for inventory compliance status. |
| DSL/NDL | Contact supplier for inventory compliance status. |
| EINECS/ELINCS | Contact supplier for inventory compliance status. |
| ENCS | Contact supplier for inventory compliance status. |
| KECL | Contact supplier for inventory compliance status. |
| PICCS | Contact supplier for inventory compliance status. |
| AICS | Contact supplier for inventory compliance status. |

Legend



TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDL - Canadian Domestic Substances List/Non-Domestic Substances List
EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
ENCS - Japan Existing and New Chemical Substances
KECL - Korean Existing and Evaluated Chemical Substances
PICCS - Philippines Inventory of Chemicals and Chemical Substances
AICS - Australian Inventory of Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

| Chemical name | CAS No | Weight-% | SARA 313 - Threshold Values % |
|------------------------------|---------|----------|-------------------------------|
| tert-Butyl alcohol - 75-65-0 | 75-65-0 | 0.07088 | 1.0 |
| Isopropyl alcohol - 67-63-0 | 67-63-0 | 0.000096 | 1.0 |

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications. Under the amended regulations at 40 CFR 370, EPCRA 311/312 Tier II reporting for the 2017 calendar year will need to be consistent with updated hazard classifications.

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

| Chemical name | CWA - Reportable Quantities | CWA - Toxic Pollutants | CWA - Priority Pollutants | CWA - Hazardous Substances |
|-----------------------|-----------------------------|------------------------|---------------------------|----------------------------|
| Carbomer 9003-01-4 | | X | | |

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

| Chemical name | Hazardous Substances RQs | Extremely Hazardous Substances RQs | RQ |
|--------------------|--------------------------|------------------------------------|--|
| Acetone 67-64-1 | 5000 lb | | RQ= 2270 kg final RQ RQ= 5000 lb final RQ |

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals.

| Chemical name | California Proposition 65 |
|-------------------------|-----------------------------|
| Ethyl alcohol - 64-17-5 | Carcinogen Developmental |

U.S. State Right-to-Know Regulations

| Chemical name | New Jersey | Massachusetts | Pennsylvania | Rhode Island | Illinois |
|---------------|------------|---------------|--------------|--------------|----------|
| Ethyl alcohol | X | X | X | | X |



| | | | | | |
|-------------------------------|---|---|---|---|--|
| 64-17-5 | | | | | |
| Glycerin 56-81-5 | X | X | X | X | |
| Carbomer 9003-01-4 | X | | | | |
| Diisopropylamine 108-18-9 | X | X | X | | |
| tert-Butyl alcohol 75-65-0 | X | X | X | X | |
| Isopropylamine 75-31-0 | X | X | X | | |
| Isopropyl alcohol 67-63-0 | X | X | X | X | |
| Acetone 67-64-1 | X | X | X | X | |

16. OTHER INFORMATION

NFPA Health hazards 1 Flammability 3 Instability 0 Physical and Chemical Properties -
HMIS Health hazards 1 Flammability 3 Physical hazards 0 Personal Protection X

Prepared By Product Stewardship
 23 British American Blvd.
 Latham, NY 12110
 1-800-572-6501

Issuing Date 03-Dec-2021

Revision Date 10-Nov-2020

Revision Note No information available

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet

