
DECKED
DEALER
TUTORIAL
IN-VEHICLE STORAGE SYSTEMS
Natural Sales Enhancement




Work Smarter




Play Harder

THE DECKED ADVANTAGE

DECKED IS A AN INNOVATIVE IN-VEHICLE STORAGE SYSTEM. TWO FULL BED-LENGTH DRAWERS ROLL OUT TO PROVIDE ERGONOMIC ACCESS TO TOOLS, EQUIPMENT AND GEAR WHILE ALLOWING FULL USE OF THE TRUCK BED OR CARGO VAN.





ERGONOMIC

With two full bed-length drawers storing your essentials, DECKED puts everything you need at your fingertips, right at waist height, keeping everything organized. No more reaching, crawling or standing on your toes trying to access your gear.

FULL USE OF YOUR BED OR CARGO VAN

By raising the deck to just above your wheel wells with our true 2000 lb payload rating on the deck, you get uninhibited use of your vehicle bed's footprint. So fill up your drawers, load up your bed and get busy livin'.

RUGGED

DECKED delivers a 2000 lb system payload and a 200 lb true load rating per drawer. Employing High Density Polyethylene (HDPE) co-molded to a galvanized steel sub-frame, the result is a system that maintains the payload carrying capability of a factory truck bed or van cargo area.

SECURE

When your tools, guns, fishing rods and other gear are closed up in your DECKED system, they are as secure as in a locked canopy or under a tonneau cover. Tailgate locks, combined with our design, keep the bad guys out.

WEATHERPROOF

DECKED is designed to live outside in the elements. Engineered to keep tools and gear protected and dry, the exterior of DECKED is unaffected by extreme shifts in temperature, moisture levels or intense UV exposure. While our drawers are extremely weather and water resistant, they are not tupperware-tight as a small amount of water vapor or dust may find its way inside.


MADE IN USA


DECKED is made in the good ol' USA with engineering and manufacturing in Michigan and Ohio. You'll feel the American quality the moment you grab the cast aluminum handles and slide open a drawer.

THE CONSTRUCTION

INTEGRATED STRUCTURE

- Integrated components lock and/or bolt together to create a unified system
- High Density Polyethylene (HDPE) is co-molded to a galvanized steel frame for uncompromised strength
- Steel is real! 30% of the DECKED system's weight is steel tying the system together





STEEL C-CHANNELS

- Provide longitudinal structure
- Integrated drawer wheel tracks

AMMO CANS IN EACH CORNER

- Structural weight-bearing members
- Access to bed tie down attachment points
- Secondary storage
- Lids flip over and serve as cup holders
- Ammo cans are NOT water-proof

"CENTER VERT" IS AN I-BEAM

- Vertical weight bearing element
- Center vert gasket impermeably seals system from moisture intrusion
- Integrated rain gutter channels water away from drawers
- Includes a bottle opener!

Cool Benefit: Ammo cans provide additional storage for items like jumper cables, tow ropes, dynamite, and old granddad's cough syrup.

AMERICAN MANUFACTURING, DETROIT ENGINEERING

Our patented design is the result of three years of intense R&D using American ingenuity, Detroit's finest engineering minds and the highest quality manufacturing in the world

UNCOMPROMISED PAYLOAD


- DECKED has a 2000 lb load rating distributed evenly across the surface

STANDARD SYSTEM LENGTH

75.25"

SHORT SYSTEM LENGTH

64.54"



TOTAL HEIGHT


12" to the top of the deck

SYSTEM WIDTH

63"-71" (varies to fit vehicle)

Cool Benefit:
Once assembled, the system can be installed or removed from your truck in a matter of minutes.


AMMO CANS PROVIDE STRUCTURE, STORAGE AND SECURE SYSTEM-TO-BED TIE DOWNS



THANKS TO BEEFY, SEALED-BEARING WHEELS, DECKED'S DRAWERS ROLL LIKE BUTTER



WE MAY NOT BE ROMANS, BUT WE DO APPRECIATE THE ENGINEERING VALUE OF A GOOD ARCH





THE DECK



ENGINEERED FOR STRENGTH & PAYLOAD CAPACITY

- 6 or 7 1" x ½" galvanized tubes are co-molded laterally into each deck half
- Two halves make a whole
- Interlocking design joins halves at center vert
- Custom formed to match bed sidewall topography
- Dimples in surface identify steel tubes





Cool Benefit:
Not all truck beds are perfect. We allow 1/2" of forgiveness overall to compensate for out-of-square beds, spray in bed liners and acts of God.

Note: Decked is not compatible with drop-in bed liners.

Installation tip:

CARGO SLIDERS LIKE BEDSLIDE AND CARGOGLIDE ARE COMPATABILE WITH THE DECKED SYSTEM. FOR DETAILED INSTRUCTIONS, GO TO:

DECKED.COM/INSTRUCTION-SETS
DECKED.COM/INSTALLVIDEO

DRAWERS

Cool Benefit: Decked drawer ends are fitted with a windshield wiper-type weather strip to keep unwanted moisture and particulate matter out

FULL BED-LENGTH DRAWERS

- 200 lb payload rating per drawer
- 4 heavy duty, industrial grade wheels per drawer
  - Two on cabside, top of drawer
  - Two on tailgate end, bottom of drawer
- High quality cast aluminum handles
- Each drawer extends four feet (NOTE: due to laws of nature, it is not possible to extend drawers completely)
- Wheel channel stops prevent drawer from falling out and rolling down the road



LONG DRAWER LENGTH

72.1" (top of drawer), 66.1" (bottom of drawer)

SHORT DRAWER LENGTH

61.4" (top of drawer), 55.4" (bottom of drawer)



LONG & SHORT DRAWER HEIGHT

8.5"

LONG & SHORT DRAWER WIDTH

18" (top of drawer), 16.75" (bottom of drawer)

Installation tip:

SAVE YOUR KNUCKLES AND SPEED YOUR WHEEL INSTALLS BY USING THE DECKED-BRANDED BONDHUS 7/32" HEX DRIVER

WANT ONE? CALL US!
208.806.0251

ATTACHMENT

DECKED INSTALLS EASILY

DECKED attaches to bed tie downs and cargo attachment points with little to no drilling of the vehicle required, and never any drilling in the bed floor (NOTE: only a few van models require drilling).

- Once assembled, the DECKED system can be easily installed and removed
- Ammo cans secure system to bed tie downs via J-Hooks
- Special brackets to replace factory tie downs are included with Toyota Tundra, Ford F150, Ford Super Duty and most cargo vans.


Minimal Vehicle Impact











Hey Torque Boy!

You may now use your power tool: Ammo cans provide extra storage; however they are not waterproof. If the system is going to live outside, we recommend drilling 3/8" drain holes in the dimples at the bottom of each ammo can.



NO POWER TOOLS
(Aside from ammo can drain holes)

THE DECKED DIFFERENCE

GOOD PARTS

We use only stainless steel, galvanized steel and zinc chromate steel treated with rust-inhibitors that exceed automotive industry standards. Attention to detail and quality: It's how we roll.

EASY TO ASSEMBLE AND INSTALL

DECKED can be easily assembled and installed in a cost-effective amount of time by an experienced installer requiring only a basic selection of tools. Written instructions with intuitive schematics are provided as well as step-by-step video tutorials located at DECKED.com/video. NOTE: do 85% of the install before the customer arrives!

EASY TO REMOVE OR REINSTALL

Once DECKED is installed in the vehicle, removal or re-installation only requires 15-20 minutes using a handful of common tools. DECKED comes apart into four major pieces and can be stacked neatly until it's time to reinstall.

CUSTOMIZABLE

We've created a collection of useful accessories which help customers get more out of their DECKED system. DECKED is easily customized to fit any job or intended use with our accessories found on page 8.

100% RECYCLED MATERIAL

We manufacture DECKED from 100% recycled HDPE and mostly recycled steel. Not only is this better for the environment, but we are able to get maximum strength and durability for our products at the best value.

EFFICIENT

With an overall system weight of 200-230 lb, DECKED will not significantly impact vehicle payload capacity or fuel economy. Vehicle wear and tear is minimized while vehicle function and payload capacity is maintained.





3-YEAR LIMITED WARRANTY

DECKED LLC warrants to the original purchaser of this product that the product will be free from manufacturing defects in workmanship and materials for a period of three (3) years from the date of the original purchase. If within three (3) years from the original date of purchase this product fails due to defects in materials or workmanship, Decked LLC will replace or supply any defective part at its option.

The original purchaser must contact the Decked LLC customer service team and provide a description of the defective part, including digital pictures if requested, with the original purchase documentation as validation of warranty coverage or have previously activated their warranty online at DECKED.com/warranty.

This warranty DOES NOT cover or apply to:
(a) Damage to the product due to misuse, mishandling, and abuse, (b) products not used in accordance with the manufacturer's instructions or recommendations, (c) product not assembled or installed according to manufacturer's instructions, (d) normal wear and tear, (e) undeclared damage to the system during shipping, (f) acts of God. In addition, consequential damage and incidental damages (including lost time) such as damage to persons or property are not covered under this warranty.

ACCESSORIES




DECKED D-BOX

The DECKED D-Box takes ergonomics to the next level. Get maximum cargo storage efficiency and drawer functionality in a durable, weatherproof toolbox. Made in USA.

- 2 D-BOXES FIT IN EACH SHORT DECKED SYSTEM DRAWER
- 3 D-BOXES FIT IN EACH STANDARD DECKED SYSTEM DRAWER
- 20.5" X 17.5" X 8"
- 1821 CUBIC INCHES
- LOCKABLE
- RULER AND COMMON BOLT/BIT GUIDE
- WEATHERPROOF
- 2 HANDLES
- 2 GRIP POINTS


Installation tip:
WATCH THE DECKED D-BOX ASSEMBLY INSTRUCTIONS:
DECKED.COM/VIDEO/DBOX




SET OF DRAWER LOCKS




SET OF FOUR DIVIDERS



D-BOX



CORE TRAX



T-TRACKS (YAKIMA OR THULE)



DRAIN PLUGS (SHORT ONLY)

DO'S & DONT'S:

REMOVE PLASTIC DROP IN BED LINERS: These interfere with DECKED. Spray-in liners are fine.

NO POWER TOOLS: Air tools and impact drivers create WAY too much torque. Don't over torque any bolts, particulary the center vert bolts.


CENTER SYSTEM: The center vert must be centered over the center rib (or trough) of the bed. Uneven gaps on either side of system are OK.

J-HOOKS: Tighten J-hooks evenly until hand snug. L-R-L-R until the vert is centered. DO NOT OVERTIGHTEN! If system is bowed or crowned, they're too tight.

DRAWER SPRINGS: Verify good tension on handle springs. If handles don't snap back firmly, springs are seated incorrectly. Need help? Watch DECKED.com/videohandle.

AMMO CANS: Ammo cans are not weatherproof; water will get in them. We recommend drilling two 3/8" drain holes per can using the bottom dimples as guides (unless your bed is covered).

WEATHER STRIPS: IMPORTANT! Install weather strips so they point towards the driver. If installed backwards, water will get in the drawers. Trim any overhang.



QUICK FAQ'S:

WHY DO THE DRAWERS ONLY PULL OUT 4 FT.?
DECKED drawers pull out 4 ft. This allows a solid 200 lb payload per drawer and good vertical utility. See DECKED.com/D-Box.

HOW WEATHERPROOF IS THE DECKED SYSTEM?
The drawers are not sealed air-tight. Mist and dust are airborne and can get into the drawers. Car washes won't hurt DECKED, but the high pressure creates lots of mist. Make sure you close your drawers completely!

WHAT IS A 2000 LB DISTRIBUTED PAYLOAD?
DECKED can handle 2000 lbs of EVENLY distributed payload. If an object has legs or wheels, this creates concentrated weight loading. Distribute this weight by placing a sheet of plywood (or similar) under item. Anything which could puncture or dent your metal truck bed might puncture the deck.

WHAT TOOLS DO I NEED TO INSTALL DECKED?
You will need: the instructions that came with the system (seriously take a sec to read 'em), an adjustable wrench (that opens to about 1"), a 1/2" and 7/16" open end wrench, Phillips screwdriver, 3/8" socket, 7/16" deep socket and a 7/32" hex wrench. Some models may need a Torx 30, Torx 40 or 10mm socket.

HOW MUCH DOES THE DECKED SYSTEM WEIGH?
Between 200 lb (short bed) - 230 lb (standard bed).

DOES DECKED FIT WITH A SPRAY-IN BED LINER?
Yes. DECKED is designed with additional space that will accommodate spray-in bed liners. Drop-in liners will not fit.

I NOTICED THAT THE SPACING AROUND MY DECKED SYSTEM IS NOT CONSISTENT. WHY NOT?
The DECKED system is precision formed to match the geometry and dimensions of your truck bed. Unfortunately, truck beds are not manufactured perfectly and frequently are out-of-square and usually not entirely flat. If you center the vert exactly on the center rib (or trough) of your bed and there is a discrepancy, it's because your bed isn't square.

FULL SIZE TRUCKS

FORD

	BED LENGTH	ITEM #
F150 HERITAGE (1997-2004)	6'6"	DF1
F150 (2004-2014)	5'6"	DF2
F150 (2004-2014)	6'6"	DF3
F150 (2015-CURRENT)	5'6"	DF4
F150 (2015-CURRENT)	6'6"	DF5
SUPER DUTY (1999-2008)	6'9"	DS1
SUPER DUTY (2009-2016)	6'9"	DS2
SUPER DUTY (2017-CURRENT)	6'9"	DS3

CHEVY/GMC

SILVERADO OR SIERRA (1999-2007)	5'9"	DG1
SILVERADO OR SIERRA (1999-2007)	6'6"	DG2
SILVERADO OR SIERRA (2007-CURRENT)	5'9"	DG3
SILVERADO OR SIERRA (2007-CURRENT)	6'6"	DG4

DODGE

RAM 1500 (1994-2001)	6'4"	DR1
RAM 1500 (2002-2008)	6'4"	DR2
RAM 1500 (2009-CURRENT)	5'7"	DR3
RAM 1500 (2009-CURRENT)	6'4"	DR4
RAM 2500 & 3500 (1994-2002)	6'4"	DR1
RAM 2500 & 3500 (2003-2009)	6'4"	DR2
RAM 2500 & 3500 (2010-CURRENT)	6'4"	DR4

TOYOTA

TUNDRA (2007-CURRENT)	5'7"	DT1
TUNDRA (2007-CURRENT)	6'7"	DT2

NISSAN

TITAN (2004-2015)	5'7"	DN1
TITAN (2004-2015)	6'7"	DN2
TITAN (2016-CURRENT)	5'7"	DN3
TITAN (2016-CURRENT)	6'7"	DN4

CARGO VANS

FORD

	WHEELBASE	ITEM #
TRANSIT RWB (2014-CURRENT)	130"	VNFD13TRAN55
TRANSIT LWB (2014-CURRENT)	148"	VNFD13TRAN65
ECONOLINE REGULAR (1992-2014)	138"	VNFD92ECRG55
ECONOLINE EXT (1992-2014)	138"	VNFD92ECXT65

CHEVY/GMC

EXPRESS/SAVANNA (1996-CURRENT)	135"	VNGM96EXSV55
EXPRESS/SAVANNA (1996-CURRENT)	155"	VNGM96EXSV65

DODGE

PROMASTER (2014-CURRENT)	136"	VNRA13PROM55
PROMASTER (2014-CURRENT)	159"	VNRA13PROM65

MERCEDES-BENZ/DODGE FREIGHTLINER

SPRINTER (2007-CURRENT)	144.3"	VNMB07SPRT55
SPRINTER (2007-CURRENT)	170"	VNMB07SPRT65

NISSAN

NV (2012-CURRENT)	146.1"	VNNS11NSNV55

ACCESSORIES

DRAWER LOCK SET WITH KEYS (SET OF 2)	AD1
DRAWER DIVIDERS (SET OF 4)	AD2
DRAIN PLUGS (SET OF 2)	AD4
48" CORE TRAX 1000 TIE DOWNS (SET OF 2 WITH 4 LOAD LOCKS)	AT1
58" CORE TRAX 1000 TIE DOWNS (SET OF 2 WITH 4 LOAD LOCKS)	AT2
48" T-TRACK (SET OF 2)-FOR THULE OR YAKIMA RACKS	AT3
58" T-TRACK (SET OF 2)-FOR THULE OR YAKIMA RACKS	AT4
DECKED D-BOX	AD5

SHIP DIMENSIONS:

SHORT	66" x 39" x 21" | 218/228 lb
STANDARD	77" x 39" x 21" | 245/255 lb

DECKED, LLC
P.O. Box 885 Ketchum, ID 83340
P • 208.806.0251 **F** • 208.806.0199

E • SALES@DECKED.COM
SERVICE@DECKED.COM
MEDIA@DECKED.COM

DECKED.COM

Our fitment guide changes frequently and new models are added every year, make sure to check DECKED.COM for our most current fitments.

CAUTION: Prolonged exposure to DECKED may result in increased acts of manliness, elevated levels of awesome, unexpected quantities of free time and enlarged paychecks. Symptoms may include frequent requests to rescue animals stranded in trees, compulsive bending of iron with bare hands, uncontrollable desire to fix broken things and unexpected levels of attractiveness. Should you experience any of these, please recommend DECKED immediately.