

# SAFETY DATA SHEET

HCS-2012 APPENDIX D TO §1910.1200

Version 1  
Product Name Lithium ion battery - ICR18650

Issue Date 05-Mar-2015  
Revision date 05-Mar-2015

## 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

### Product identifier

Product Name Lithium ion battery - ICR18650  
Chemical Name Lithium Ion Battery

### Other means of identification

Voltage : 3.7 V  
Watt-Hour: 7.4Wh  
Battery Weight: 41g

### Recommended use of the chemical and restrictions on use

Recommended Use Power supply.  
Uses advised against No information available

### Details of the supplier of the safety data sheet

Supplier Great Power Battery(zhuhai) Co., Ltd  
Address XINQING TECHNOLOGY PARK, ZHUFENG AVENUE, JING AN TOWN,  
DOUMEN DISTRICT, ZHUHAI CITY, GUANGDONG PROVINCE,CHINA  
Postal Code 519100  
Phone +86-756-3922111  
FAX +86-756-3922118  
E-mail renzheng@greatpower.net

### Emergency telephone number

+86-756-3922334

## 2. HAZARDS IDENTIFICATION

### GHS Classification

Not classified according to GHS as an article.

### Label elements

Symbols/Pictograms None  
Signal word None  
Hazard Statements None  
Precautionary Statements  
Prevention None  
Response None  
Storage None  
Disposal None

### Hazards not otherwise classified (HNOC)

No information available

### Unknown acute toxicity

.?% of the mixture consists of ingredient(s) of unknown toxicity

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical nature Mixture

Chemical Name	CAS No	Weight-%
---------------	--------	----------

Lithium Cobalt Oxide (CoLiO2)	12190-79-3	30 - 60
Graphite	7782-42-5	10 - 30
Phosphate(1-), hexafluoro-, lithium	21324-40-3	5 - 10
Dimethyl carbonate	616-38-6	5 - 10
Cellulose, carboxymethyl ether	9000-11-7	1 - 5
Polypropylene	9003-07-0	1 - 5
Carboxymethyl cellulose	9000-11-7	1 - 5
Nickel	7440-02-0	1 - 5
Aluminum foil	7429-90-5	1 - 5

## 4. FIRST AID MEASURES

### Description of first aid measures

General advice	No hazards which require special first aid measures.
Inhalation	Not an expected route of exposure.
Skin Contact	No special technical protective measures are necessary.
Eye contact	Not an expected route of exposure.
Ingestion	Rinse mouth Get medical attention Never give anything by mouth to an unconscious person

### Most important symptoms and effects, both acute and delayed

No information available.

### Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## 5. FIRE-FIGHTING MEASURES

### Extinguishing media

Suitable extinguishing media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable extinguishing media	No information available.

### Specific hazards arising from the chemical

Thermal decomposition can lead to release of irritating and toxic gases and vapors  
Keep product and empty container away from heat and sources of ignition  
In the event of fire and/or explosion do not breathe fumes

### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## 6. ACCIDENTAL RELEASE MEASURES

### Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation, especially in confined areas  
ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area)

### Methods and material for containment and cleaning up

Pick up and transfer to properly labeled containers  
Pick up and transfer to properly labeled containers

Should not be released into the environment

## 7. HANDLING AND STORAGE

### Precautions for safe handling

Handle in accordance with good industrial hygiene and safety practice  
 Ensure adequate ventilation, especially in confined areas  
 Keep away from heat, sparks, flame and other sources of ignition  
 Do not eat, drink or smoke when using this product

### Conditions for safe storage, including any incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place  
 Keep away from heat

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Control parameters

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH	Denmark	European Union
Lithium Cobalt Oxide (CoLiO <sub>2</sub> ) (CAS #: 12190-79-3)	TWA: 0.02 mg/m <sup>3</sup> Co	-	-	TWA: 0.01 mg/m <sup>3</sup>	-
Graphite (CAS #: 7782-42-5)	TWA: 2 mg/m <sup>3</sup> respirable fraction all forms except graphite fibers	-	-	TWA: 2.5 mg/m <sup>3</sup>	-
Phosphate(1-), hexafluoro-, lithium (CAS #: 21324-40-3)	TWA: 2.5 mg/m <sup>3</sup> F	-	-	TWA: 2.5 mg/m <sup>3</sup>	-
Nickel (CAS #: 7440-02-0)	TWA: 1.5 mg/m <sup>3</sup> inhalable fraction	TWA: 1 mg/m <sup>3</sup> (vacated) TWA: 1 mg/m <sup>3</sup>	IDLH: 10 mg/m <sup>3</sup> IDLH: 10 mg/m <sup>3</sup> Ni TWA: 0.015 mg/m <sup>3</sup> TWA: 0.015 mg/m <sup>3</sup> except Nickel carbonyl Ni	TWA: 0.05 mg/m <sup>3</sup>	-
Aluminum foil (CAS #: 7429-90-5)	TWA: 1 mg/m <sup>3</sup> respirable fraction	TWA: 15 mg/m <sup>3</sup> total dust TWA: 5 mg/m <sup>3</sup> respirable fraction (vacated) TWA: 15 mg/m <sup>3</sup> total dust (vacated) TWA: 5 mg/m <sup>3</sup> respirable fraction (vacated) TWA: 5 mg/m <sup>3</sup> Al Aluminum	TWA: 10 mg/m <sup>3</sup> total dust TWA: 5 mg/m <sup>3</sup> respirable dust TWA: 5 mg/m <sup>3</sup> Al	TWA: 5 mg/m <sup>3</sup> TWA: 2 mg/m <sup>3</sup>	-

Chemical Name	Latvia	France	Finland	Germany	Italy
Nickel (CAS #: 7440-02-0)	TWA: 0.05 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup> TWA: 0.1 mg/m <sup>3</sup>	Skin	-
Aluminum foil (CAS #: 7429-90-5)	TWA: 2 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup> TWA: 5 mg/m <sup>3</sup>	TWA: 1.5 mg/m <sup>3</sup>	TWA: 4 mg/m <sup>3</sup> TWA: 1.5 mg/m <sup>3</sup>	-

Chemical Name	Poland	Portugal	Spain	Switzerland	Netherlands
Nickel (CAS #: 7440-02-0)	TWA: 0.25 mg/m <sup>3</sup>	TWA: 1.5 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup>	TWA: 0.5 mg/m <sup>3</sup>	-
Aluminum foil (CAS #: 7429-90-5)	TWA: 2.5 mg/m <sup>3</sup> TWA: 1.2 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup> TWA: 5 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup> TWA: 5 mg/m <sup>3</sup>	TWA: 3 mg/m <sup>3</sup>	TWA: 0.05 mg/m <sup>3</sup>

Chemical Name	Norway	United Kingdom	Australia	Austria	Belgium
Lithium Cobalt Oxide (CoLiO <sub>2</sub> ) (CAS #: 12190-79-3)	-	-	-	Skin	-
Graphite (CAS #: 7782-42-5)	-	-	3 mg/m <sup>3</sup>	STEL 10 mg/m <sup>3</sup> TWA: 5 mg/m <sup>3</sup>	-
Phosphate(1-), hexafluoro-, lithium (CAS #: 21324-40-3)	-	-	2.5 mg/m <sup>3</sup>	-	-
Nickel (CAS #: 7440-02-0)	TWA: 0.05 mg/m <sup>3</sup> STEL: 0.15 mg/m <sup>3</sup>	STEL: 1.5 mg/m <sup>3</sup> TWA: 0.5 mg/m <sup>3</sup>	1 mg/m <sup>3</sup>	-	-
Aluminum foil (CAS #: 7429-90-5)	TWA: 5 mg/m <sup>3</sup> STEL: 10 mg/m <sup>3</sup>	STEL: 30 mg/m <sup>3</sup> STEL: 12 mg/m <sup>3</sup> TWA: 10 mg/m <sup>3</sup> TWA: 4 mg/m <sup>3</sup>	10 mg/m <sup>3</sup> 5 mg/m <sup>3</sup>	STEL 20 mg/m <sup>3</sup> TWA: 10 mg/m <sup>3</sup>	-

**Appropriate engineering controls**

Ensure adequate ventilation, especially in confined areas  
Remove all sources of ignition

**Individual protection measures, such as personal protective equipment**

Respiratory protection	If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.
Hand Protection	No special technical protective measures are necessary.
Eye/face protection	No special technical protective measures are necessary.
Skin and body protection	Wear suitable protective clothing.

**9. PHYSICAL AND CHEMICAL PROPERTIES****Information on basic physical and chemical properties**

<b>Appearance</b>	Solid
<b>Color</b>	silver
<b>Odor</b>	Odorless
<b>Odor Threshold</b>	Not determined
<b>pH</b>	Not determined
<b>Melting point/freezing point</b>	Not determined
<b>Boiling point / boiling range</b>	Not determined
<b>Flash point</b>	Not applicable
<b>Evaporation rate</b>	Not determined
<b>Flammability (solid, gas)</b>	Not flammable
<b>Flammability Limit in Air</b>	Not determined
<b>Vapor Pressure</b>	Not applicable
<b>Vapor density</b>	Not determined
<b>Density</b>	Not determined
<b>Relative density</b>	Not determined
<b>Bulk density</b>	Not determined
<b>Specific gravity</b>	Not determined
<b>Water solubility</b>	Not determined
<b>Partition coefficient (LogPow)</b>	Not determined
<b>Autoignition temperature</b>	Not determined
<b>Decomposition temperature</b>	Not determined
<b>Kinematic viscosity</b>	Not determined
<b>Dynamic viscosity</b>	Not determined
<b>Explosive properties</b>	Not an explosive
<b>Oxidizing properties</b>	Not determined

**Other information**

No information available

**10. STABILITY AND REACTIVITY****Reactivity**

Stable under recommended storage and handling conditions (see SECTION 7, handling and storage).

**Chemical stability**

Stable under normal conditions

**Possibility of Hazardous Reactions**

None under normal processing

**Conditions to avoid**

Extremes of temperature and direct sunlight

#### Incompatible materials

None known based on information supplied

#### Hazardous Decomposition Products

None known based on information supplied

## 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

Inhalation	Inhalation of vapors in high concentration may cause irritation of respiratory system
Eye contact	Contact with eyes may cause irritation
Skin Contact	Substance may cause slight skin irritation Ingestion may cause irritation to mucous membranes

#### Information on toxicological effects

##### **Acute toxicity**

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Dimethyl carbonate (CAS #: 616-38-6)	= 13000 mg/kg ( Rat )	> 5 g/kg ( Rabbit )	= 140 mg/L ( Rat ) 4 h
Polypropylene (CAS #: 9003-07-0)	>5 g/kg	-	-
Nickel (CAS #: 7440-02-0)	> 9000 mg/kg ( Rat )	-	-

##### **Skin corrosion/irritation**

Non-irritating to the skin

##### **Serious eye damage/eye irritation**

No eye irritation

##### **Sensitization**

No information available

##### **Germ cell mutagenicity**

No information available

##### **Carcinogenicity**

Chemical Name	ACGIH	IARC	NTP	OSHA
Lithium Cobalt Oxide (CoLiO <sub>2</sub> ) (CAS #: 12190-79-3)	A3	-	-	-
Nickel (CAS #: 7440-02-0)	-	Group 2B	Known Reasonably Anticipated	X

##### **Reproductive toxicity**

No information available

##### **STOT - single exposure**

No information available

##### **STOT - repeated exposure**

No information available

##### **Aspiration hazard**

No information available

## 12. ECOLOGICAL INFORMATION

### Ecotoxicity

Chemical Name	Algae/aquatic plants EC50	Fish LC50	Crustacea EC50
Lithium Cobalt Oxide (CoLiO <sub>2</sub> ) (CAS #: 12190-79-3)	-	275 mg/L/96h(Fundulus heteroclitus)	-
Nickel (CAS #: 7440-02-0)	0.18 mg/L/72h Pseudokirchneriella subcapitata 0.174 - 0.311 mg/L/96h Pseudokirchneriella subcapitata static	100 mg/L/96h Brachydanio rerio 1.3 mg/L/96h Cyprinus carpio semi-static 10.4 mg/L/96h Cyprinus carpio static	100 mg/L/48h Daphnia magna 1 mg/L/48h Daphnia magna Static

### Persistence and degradability

No information available

### Bioaccumulative potential

No information available

### Mobility in soil

No information available

### Other adverse effects

No information available

## 13. DISPOSAL CONSIDERATIONS

### Waste treatment methods

Disposal of wastes

Disposal should be in accordance with applicable regional, national and local laws and regulations

Contaminated packaging

Dispose of in accordance with federal, state and local regulations

Chemical Name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
Nickel 7440-02-0	-	Included in waste streams: F006, F039	-	-

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste Status
Lithium Cobalt Oxide (CoLiO <sub>2</sub> ) 12190-79-3	Toxic
Nickel 7440-02-0	Toxic powder Ignitable powder
Aluminum foil 7429-90-5	Ignitable powder

## 14. TRANSPORT INFORMATION

### DOT / IMDG / IATA

The polymer lithium ion batteries has passed the test UN38.3

According to packing instruction PI965~PI967 section II of IATA DGR 56<sup>th</sup> Edition for transportation or the special provision 188 of IMDG or 49CFR 173. 185.

The products are not subject to dangerous goods.

<b>UN/ID No.</b>	Not regulated
<b>Proper shipping name</b>	Not regulated
<b>Hazard Class</b>	Not regulated
<b>Packing Group</b>	Not regulated
<b>Special precautions</b>	No information available
<b>Marine pollutant</b>	Not applicable

## 15. REGULATORY INFORMATION

**International Inventories**

Component	AICS	DSL/NDL	EINECS/ELI NCS	ENCS	IECSC	KECL	PICCS	TSCA
Lithium Cobalt Oxide (CoLiO2) 12190-79-3 ( 30 - 60 )	X	X	X	X	X	X	-	X
Graphite 7782-42-5 ( 10 - 30 )	X	X	X	-	X	X	X	X
Phosphate(1-), hexafluoro-, lithium 21324-40-3 ( 5 - 10 )	X	X	X	X	X	X	X	X
Dimethyl carbonate 616-38-6 ( 5 - 10 )	X	X	X	X	X	X	X	X
Cellulose, carboxymethyl ether 9000-11-7 ( 1 - 5 )	X	X	-	-	X	-	-	-
Polypropylene 9003-07-0 ( 1 - 5 )	X	X	-	X	X	X	X	X
Nickel 7440-02-0 ( 1 - 5 )	X	X	X	-	X	X	X	X
Aluminum foil 7429-90-5 ( 1 - 5 )	X	X	X	-	X	X	X	X

"-" Not Listed

"X" Listed

**US Federal Regulations**

**SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	SARA 313 - Threshold Values %
Nickel - 7440-02-0	0.1
Aluminum foil - 7429-90-5	1.0

**SARA 311/312 Hazard Categories**

Does not apply

**CWA (Clean Water Act)**

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Nickel 7440-02-0	-	X	X	-

**CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Nickel 7440-02-0	100 lb	-	RQ 100 lb final RQ RQ 45.4 kg final RQ

**US State Regulations**

**California Proposition 65**

This product contains the following Proposition 65 chemicals

<b>Chemical Name</b>	<b>California Proposition 65</b>
Nickel - 7440-02-0	Carcinogen

**U.S. State Right-to-Know Regulations**

This product may contain substances regulated by state right-to-know regulations

<b>Chemical Name</b>	<b>New Jersey</b>	<b>Massachusetts</b>	<b>Pennsylvania</b>
Dimethyl carbonate 616-38-6	X	X	X
Aluminum foil 7429-90-5	X	X	X
Nickel 7440-02-0	X	X	X

**16. OTHER INFORMATION**

**Revision Note**

Issue Date 05-Mar-2015  
 Revision date 05-Mar-2015  
 Revision Note Not applicable

**Key or legend to abbreviations and acronyms used in the safety data sheet**

- TWA** - TWA (time-weighted average)
- STEL** - STEL (Short Term Exposure Limit)
- Ceiling** - Maximum limit value
- TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory
- DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List
- EINECS/ELINCS** - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
- ENCS** - Japan Existing and New Chemical Substances
- IECSC** - China Inventory of Existing Chemical Substances
- KECL** - Korean Existing and Evaluated Chemical Substances
- PICCS** - Philippines Inventory of Chemicals and Chemical Substances
- AICS** - Australian Inventory of Chemical Substances

**Disclaimer**

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

----- End of Safety Data Sheet -----