



Gorilla Product Guide

	Gorilla Glue	White Gorilla Glue	Clear Gorilla Glue	Wood Glue	Wood Glue Ultimate	Super Glue	Super Glue Gel
Product							
Best for	Tough repairs on dissimilar surfaces, both indoors and outdoors.	Tough repairs on dissimilar surfaces, both indoors and outdoors.	Tough repairs requiring a crystal clear and non-foaming durable bond.	Building, carpentry or hobby projects using any type of wood.	Outdoor wood applications where temperatures or moisture might be a concern.	Instant repairs on small indoor projects.	Thicker and more controlled formula great for multiple surfaces and vertical applications.
Open Working Time	10-15 Minutes	5-10 Minutes	5 Minutes	5-10 Minutes	Up to 15 minutes	Not Repositionable	Not Repositionable
Clamp Time	1-2 Hours	30-60 Minutes	2 Hours	20-30 Minutes	20-30 Minutes	10-45 Seconds	10-45 Seconds
Drying Time <small>100% in 24 hours</small>	80% in 1-2 Hours	80% in 1 Hours	24 Hours	80% in 1-2 Hours	80% in 1-2 Hours	Light Handling After 1-5 Minutes	Light Handling After 1-5 Minutes
Dry Color	Light Tan	Soft white	Clear	Natural Wood Color	Natural Wood Color	Clear	Clear
Outdoor Use	Waterproof, Passes ANSI/HPVA Type I	Waterproof, Passes ANSI/HPVA Type I	Water Resistant, Passes the ANSI/HPVA Type II	Water Resistant, Passes ANSI/HPVA Type II	Waterproof, Passes the ANSI/HPVA Type I	Not Recommended	Not Recommended
Finishing	Sandable, Paintable & Stainable	Sandable, Paintable & Stainable	Sandable, Paintable & Stainable	Sandable & Paintable	Sandable & Paintable	Sandable	Sandable
Use On	Wood Metal Stone Ceramic Glass Plastic* PVC Sheet** Brick Concrete Foam Board	Wood Metal Stone Ceramic Glass Plastic* PVC Sheet** Brick Concrete Foam Board	Wood Metal Stone Ceramic Glass Plastic* PVC Sheet** Brick Concrete Foam Board Rubber Fabric	Wood	Wood	Wood Metal Stone Ceramic Plastic* Paper Rubber	Wood Metal Stone Ceramic Plastic* Paper Rubber

*Not recommended for use on polyethylene or polypropylene plastics.

**Not recommended for PVC pipe.



Gorilla Product Guide

	Epoxy	Gorilla Weld	Epoxy Stick	Clear Grip	Hot Glue Gun	Hot Glue Sticks	Spray Adhesive
Product							
Best for	Tough repairs requiring a durable, gap-filling bond.	Heavy duty repairs that need maximum bonding power & gap filling.	Hand mixable, versatile, easy to use, gap filling putty.	Craft projects or repairs requiring a flexible, quick and permanent bond.	Comfort grip & built-in stand make it easy to use on crafts & repairs.	Tough, versatile, & provide a long term hold on hard to bond surfaces.	Lightweight objects, craft projects or repairs. Works great on applications where flexibility is required.
Open Working Time	5 Minutes	3 Minutes	10 Minutes	2 Minutes	N/A	45 Seconds	1-3 Minutes
Clamp Time	30 Minutes	30 Minutes	N/A	N/A	N/A	N/A	N/A
Drying Time <small>100% in 24 hours</small>	24 Hours	24 Hours	24 Hours	24 Hours	N/A	N/A	24 Hours
Dry Color	Clear	Dark Gray	Gray	Clear	N/A	Clear/Opaque	Clear
Outdoor Use	Water Resistant	Waterproof	Waterproof	Waterproof	N/A	Water Resistant	Water Resistant
Finishing	Sandable, Paintable & Stainable	Shapeable, Paintable, Sandable, Tappable & Drillable	Shapeable, Paintable, Sandable, Tappable & Drillable	Sandable, Paintable & Stainable	N/A	Sandable, Paintable & Stainable	Sandable, Paintable & Stainable
Use On	Wood Metal Stone Ceramic Glass Plastic* PVC Sheet** Brick Concrete Foam Board	Wood Metal Stone Ceramic Glass Plastic* PVC Sheet** Brick Concrete	Wood Metal Stone Ceramic Glass Plastic* PVC Pipe Brick Concrete Rubber	Wood Metal Stone Ceramic Glass Plastic* PVC Sheet** Brick Concrete Paper Rubber Fabric	Wood Metal Stone Ceramic Glass Plastic* PVC Sheet** Brick Concrete Foam Board Paper Rubber Fabric	Wood Metal Stone Ceramic Glass Plastic* PVC Sheet** Brick Concrete Foam Board Paper Rubber Fabric	Wood Metal Stone Glass Plastic* PVC Sheet** Brick Concrete Foam Board Paper Rubber Fabric

*Not recommended for use on polyethylene or polypropylene plastics.

**Not recommended for PVC pipe.



Gorilla Product Guide

	100% Silicone Sealant ^{††}	Paintable Silicone Sealant	Heavy Duty Construction Adhesive	Ultimate Construction Adhesive	Clear Construction Adhesive
Product					
Best for	All purpose applications including windows, doors, kitchens, baths, auto, marine and more. ^{***}	All purpose applications where paintability is desired including windows, doors, kitchens, baths and more. [†]	Multi-surface & multi-purpose applications that require a tough, versatile, all-weather hold.	Multi-surface & multi-purpose applications that require an instant grab and ultimate durability.	Multi-surface & multi-purpose applications that require high strength and a crystal clear finish.
Open Working Time	Tool Immediately	Tool Immediately	10 Minutes	10 Minutes	30 Minutes
Clamp Time	N/A	N/A	Clamp or Support Heavier Objects	Clamp or Support Heavier Objects	Clamp or Support Heavier Objects
Drying Time <small>100% in 24 hours</small>	24 Hours	24 Hours	24 Hours	24 Hours (i.e. full cure)	24 Hours (i.e. full cure)
Dry Color	Clear and White	White	White	White	Clear
Outdoor Use	Waterproof	Waterproof	Waterproof	Waterproof	Waterproof
Finishing	Not Paintable	Paintable	Sandable & Paintable	Sandable & Paintable	Sandable & Paintable
Use On	Wood Metal ^{***} Stone Ceramic Glass Plastic* PVC Sheet ^{**} Brick Concrete Foam Board	Wood Metal Stone Ceramic Glass Plastic* PVC Sheet ^{**} Brick Concrete Foam Board Paper Rubber	Wood Metal Stone Ceramic Glass Plastic* PVC Sheet ^{**} Brick Concrete Foam Board Paper Rubber Fabric	Wood Metal Stone Ceramic Glass Plastic* PVC Sheet ^{**} Brick Concrete Foam Board Paper Rubber Fabric	Wood Metal Stone Ceramic Glass Plastic* PVC Sheet ^{**} Brick Concrete Foam Board Paper Rubber Fabric

^{*}Not recommended for use on polyethylene or polypropylene plastics.

^{**}Not recommended for PVC pipe.

[†]Do not use on wet, damp, frozen or contaminated surfaces. Not for use in underwater applications or aquariums

^{††}As Cured

^{***}Do not use on wet, damp, frozen or contaminated surfaces. Not Paintable. Not for use in underwater applications, aquariums, on brick, masonry, cementitious materials or on metals sensitive to corrosion including brass and galvanized metals



Gorilla Product Guide

	Fabric Glue	Permanent Adhesive Dots	Mounting Putty	Waterproof Patch & Seal Spray	Waterproof Patch & Seal Tape	Waterproof Patch & Seal Liquid
Product						
Best for	Canvas, Cotton, Corduroy, Denim, Flannel, Fleece, Polyester (tight weave), Wool	Ideal for card making, scrapbooking, attaching photos and embellishments. These no mess dots are a perfect alternative to glue and are photo safe and acid free.	Ideal for hanging light weight items in place of traditional tapes, push pins, and fasteners.	Roofs, Gutters, Skylights, Flashing, Chimneys ¹ , PVC Pipe Joints, Windows, RVs, DIY Projects and More!	Instantly seals out water, air and moisture. Use to patch holes, cracks, gaps and tears, even under water.	Roofs, Gutters, Skylights, Flashing, Chimneys ¹ , PVC Pipe Joints, Windows, RVs, DIY Projects and More!
Open Working Time	2-3 Minutes	N/A	Indefinite	N/A	N/A	90 minutes
Clamp Time	N/A	N/A	N/A	N/A	N/A	N/A
Drying Time	24 Hours	N/A	Does not cure	24-48 hours after final coat	N/A	24-48 hours
Dry Color	Clear	Clear	Beige	Black/White/Clear	Black/White	Black/White/Clear
Outdoor Use	Waterproof	N/A	Temporary Outdoor Use	Waterproof	Waterproof	Waterproof
Finishing	N/A	N/A	N/A	Paintable	N/A	Paintable
Use On	Fabric Felt Beads Wood Canvas Ribbon Sequins	Wood Metal Stone Ceramic Glass Plastic* Foam Board Paper Fabric	Wood Metal Stone Ceramic Glass Plastic* PVC Sheet** Brick Concrete Foam Board Paper Rubber	Wood Metal Stone Ceramic Glass Plastic* PVC Sheet Brick Concrete Rubber Fabric	Wood Metal Stone Ceramic Glass Plastic* PVC Sheet** Brick Concrete Foam Board Paper Rubber Fabric	Wood Metal Stone Ceramic Glass Plastic* PVC Sheet Brick Concrete Rubber Fabric

*Not recommended for use on polyethylene or polypropylene plastics.

**Not recommended for PVC pipe.

¹For exterior use only. Not intended for inside of firebox or chimney stack.



Gorilla Product Guide

	Gorilla Tape	Camo Tape	Crystal Clear Gorilla Tape	Heavy Duty Mounting Tape	Tough & Clear Mounting Tape
Product					
Best for	Indoor or outdoor use and made to stick to rough and uneven surfaces like wood, stone, stucco, plaster, brick and more.	Ideal for applications in the field including duck blinds, tree stands, tent repairs and more.	Providing a weatherproof, airtight bond. Fix, patch and seal almost any surface.	Mounting items that need a long-lasting, weatherproof bond. Holds up to 30 lbs. Holds 1 pound per 2 inches of tape!	Crystal clear alternative to nails & fasteners. Projects where you need a clear finish. Holds 1 pound per 4 square inches of tape!
Color	Black/Silver/White/Orange	Mossy Oak® Break-Up Country	Clear	Black	Clear
Size	1 in., 1.88 in., or 2.8 in.	1.88 in.	1.5 in., 1.88 in., or 2.8 in.	1 in. x 60 in. 1 in. x 120 in.	1 in. x 60 in. 1 in. x 150 in. 2 in. x 48 in.
Outdoor Use	UV and Weather Resistant Shell	UV and Weather Resistant Shell	UV and Weather Resistant Shell	Weatherproof	Weatherproof



Gorilla Product Guide

	Mounting Tape Squares	Packaging Tape	All Weather Tape	Double-Sided Tape	Anti-Slip Tread Tape
Product					
Best for	Crystal clear alternative to nails & fasteners. Projects where you need a clear finish. Squares hold up to 7 lbs. Use approximately 4 squares of tape per pound of weight.	Gorilla Packaging Tape is perfect for shipping, moving and storage.	Provides a strong, waterproof bond that resists drying, cracking & peeling caused by sunlight, heat, cold, & moisture. Made with incredibly strong, permanent butyl adhesive, this tape is the ideal solution for outdoor repairs.	With a strong adhesive on both sides, this tape sticks to smooth and rough surfaces including carpet, rugs, flooring, wood, stone, brick and more.	Provides durable traction to wet, slick or high traffic areas that lasts both indoors and out. Perfect for ladders, steps, ramps, boats, RVs, decks and more!
Color	Clear	Clear	Black	Gray	Black
Size	1 in. x 1 in. Squares	1.88 in. or 2.83 in.	1.88 in. x 25 yd.	1.41 in. x 8 yd.	2 in. x 10 ft. Roll
Outdoor Use	Weatherproof	Moisture and temperature resistant for shipping, moving and storage	Weatherproof	Water Resistant	Weatherproof*

*Not recommended for areas with continuous water submersion such as pools, tubs, and spas.