


FRAME SYSTEMS

WEATHER RESISTANT ANTI-SLIP POWDER-COATED FINISH OFFERS LASTING DURABILITY TO WITHSTAND TOUGH JOBSITE CONDITIONS

STANDARD

IDEAL FOR ANY COMMERCIAL OR RESIDENTIAL CONSTRUCTION PROJECT




AVAILABLE DIMENSIONS:

36" X 60"	48" X 60"	60" X 60"
72" X 60"	76" X 60"	60" X 48"
60" X 30"	60" X 36"/60" (ADJUSTABLE FRAME)	

WALK-THRU ARCH

FOR HIGH PEDESTRIAN TRAFFIC AREAS, OFFERING WALK-THROUGH CONVENIENCE




AVAILABLE DIMENSIONS:

76" X 60"	78" X 60"
120" X 78"	76" X 42"
121" X 60"	

LADDER ARCH

INCLUDES LADDERS FOR EASY CLIMBING AND MATERIAL PLACEMENT




AVAILABLE DIMENSIONS:

76" X 60"	78" X 60"
-----------	-----------

PLASTER

NARROW FRAME FOR LIGHTER PROJECTS AND EASE OF MOVEMENT ALONG WORK AREA




AVAILABLE DIMENSIONS:

80" X 36"

GENERAL SPECIFICATIONS

INTERIOR TUBES	STANDARD FRAMES: OUTSIDE DIAMETER 1 IN. - 16 GAUGE WALK-THRU & LADDER FRAMES OUTSIDE DIAMETER 1.25 IN. - 16 GAUGE
PERIMETER TUBES	OUTSIDE DIAMETER 1.69 IN. - 13 GAUGE (MODEL MF6060PS-A: 1.625 IN. - 13 GAUGE)
FINISH	POWDER COATED OR GALVANIZED
STANDARDS	ANSI, OSHA AND CSA



SAFERSTACK®
STACKS IN 30% LESS SPACE THAN REGULAR FRAMES

- SAFERSTACK® HELPS PREVENT STACKED FRAMES FROM SLIDING
- 100% COMPATIBLE WITH ANY STANDARD METALTECH® FRAME
- TESTED TO MEET ANSI, CSA AND OSHA STANDARDS

