

Creosote Remover

PRODUCT AND COMPANY IDENTIFICATION

Product Identifier: Creosote Remover

 SDS Number:
 99

 Product Code:
 97, 98

 Revision Date:
 10/6/2021

Version: 1

1

Product Description: Granular creosote remover for chimney and flue in 1 lb Tub & 2 lb tub.

Product Use: Creosote remover for chimney and flue.

Supplier Details: Rutland

7 Crabtree Road Jacksonville, IL 62650

Contact: Faith Nergenah, Brian Miller

Phone: 217-245-7810 **Fax:** 217-245-1194

Email: faith@rutland.com, bmiller@rutland.com

Web: www.rutland.com

Emergency: CHEMTREC (800) 424-9300

SDS Number: 99 Page: 1/5 Revision Date: 10/6/2021



Creosote Remover

2

HAZARDS IDENTIFICATION

Classification of the Substance or Mixture

GHS Classification in Accordance with 29 CFR 1910 (OSHA HCS):

Health, Serious Eye Damage/Eye Irritation, 2 A

Health, Specific target organ toxicity - Single exposure, 3

Health, Skin corrosion/irritation, 2

GHS Label Elements, Including Precautionary Statements

GHS Signal Word: WARNING

GHS Hazard Pictograms:



GHS Hazard Statements:

H319 - Causes serious eye irritation

H335 - May cause respiratory irritation

H315 - Causes skin irritation

GHS Precautionary Statements:

P260 - Do not breathe dust or mist.

P264 - Wash skin thoroughly after handling.

P280 - Wear protective gloves/ protective clothing/ eye protection/ face protection.

P301 + P330 + P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

P303 + P361 + P353 - IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower.

P304 + P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 - Immediately call a POISON CENTER or doctor/ physician.

P321 - Specific treatment (see supplemental first aid instructions on this label).

P363 - Wash contaminated clothing before reuse.

P405 - Store locked up.

P501 - Dispose of contents/ container to an approved waste disposal plant.

Hazards not Otherwise Classified (HNOC) or not Covered by GHS

Route of Entry: Eyes; Skin; Inhalation

Skin Contact: May cause irritation.

Eye Contact: May cause irritation.

Ingestion: Ingestion is not an applicable route of entry for intended use. May be harmful if swallowed.

3 COMPOSITION/INFORMATION OF INGREDIENTS

CAS#	Chemical Ingredients: % Chemical Name:	
10101-89-0 14808-60-7 6156-78-1	Trisodium Phosphate Dodecahydrat Silica, crystalline Manganese (11) Acetate Tetrahydr	

Percentages withheld, Trade Secret.

4 FIRST AID MEASURES

Inhalation: Remove to fresh air. Seek medical attention if cough or other symptoms develop or persist.



Creosote Remover

Skin Contact: Wash with plenty of water. Get medical attention if irritation develops or persists.

Eye Contact: Immediately flush eyes with plenty of water. After initial flushing, remove contact lenses and continue flushing for at

least 15 minutes. If effects occur, consult a physician, preferably an ophthalmologist. May cause injury due to

mechanical action.

Ingestion: If Swallowed, DO NOT INDUCE VOMITING. Give one cup (8 ounces or 240 ml) of water or milk if available and

transport to a medical facility. Never give anything by mouth to an unconscious or convulsive person.

5 FIRE FIGHTING MEASURES

Flammability: Not Flammable

Wear self contained breathing apparatus and other protective clothing. Use any standard agent - choose the one most appropriate for type of surrounding fire.

6 ACCIDENTAL RELEASE MEASURES

Vacuum or sweep the material into a bag or other sealed container and dispose of in accordance with local requirements.

7 HANDLING AND STORAGE

Handling Precautions: Avoid contact with eyes and skin. Use in a well-ventilated area. Keep away from food and drinking water.

Storage Requirements: Store in a cool, well ventilated area. Store in cool/dry area.

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Controls: A system of local and/or general exhaust is recommended to keep employee exposures as low as

possible.

Personal Protective

Equipment:

Exhaust ventilation; In poorly ventilated areas you must wear a supplied air respirator. Usage of safety glasses/ goggles is recommended. Wear protective clothing, including long sleeves and gloves, to

prevent skin contact.

Trisodium Phosphate Dodecahydrate cas#:(10101-89-0)

Components with workplace control parameters

STEL 5 mg/m3 USA. Workplace Environmental

Exposure Levels (WEEL)

Silica, crystalline cas#:(14808-60-7)

Components with workplace control parameters

TWA 0.025 mg/m3 USA. ACGIH Threshold Limit Values (TLV)

Suspected human carcinogen

TWA 0.025 mg/m3 USA. ACGIH Threshold Limit Values (TLV)

Lung cancer Pulmonary fibrosis Suspected human carcinogen

9 PHYSICAL AND CHEMICAL PROPERTIES

Appearance: white to gray **Physical State:** Odor: granular solid slight, vinegar-like **Odor Threshold:** Not Applicable Molecular Formula: Not Available Particle Size: Not Applicable Solubility: Insoluble in water Spec Grav./Density: Not Available **Softening Point:** Not Applicable Not Applicable **Percent Volatile:** Not Available Viscosity: Not Applicable Not Available **Saturated Vapor Heat Value:**

SDS Number: 99 Page: 3 / 5 Revision Date: 10/6/2021



Creosote Remover

Concentration:

Boiling Point: Not Available Freezing/Melting Pt.: Not Available Flammability: Not Available Flash Point: Not Applicable **Partition Coefficient:** Not Available Octanol: Not Available **Vapor Pressure:** Not Available Vapor Density: Not Available pH: Not Available VOC: Not Available Evap. Rate: Not Available **Bulk Density:** Not Available Molecular weight: Not Available **Auto-Ignition Temp:** Not Available **Decomp Temp:** Not Available UFL/LFL: Not Applicable

STABILITY AND REACTIVITY 10

Reactivity: This product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical Stability: Product is stable under normal conditions. **Conditions to Avoid:** Contact with incompatible materials

Materials to Avoid: Strong Acids; Strong Bases; Strong Oxidizing Agents;

None Known **Hazardous Decomposition: Hazardous Polymerization:** Will not occur.

TOXICOLOGICAL INFORMATION 11

No data available.

ECOLOGICAL INFORMATION 12

No information available

13 **DISPOSAL CONSIDERATIONS**

Dispose of in accordance with local, state and federal regulations.

14 TRANSPORT INFORMATION

Not Regulated

15 **REGULATORY INFORMATION**

RQ (CAS#) Substance - Reg Codes

Trisodium Phosphate Dodecahydrate (10101-89-0)

Silica, crystalline (14808-60-7) GADSL, MASS, NRC, OSHAWAC, PA, PROP65, TSCA, TXAIR

Manganese (II) Acetate Tetrahydrate (6156-78-1)



This product can expose you to chemicals including Silica, Crystalline, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

Regulatory Code Legend

GADSL = Global Automotive Declarable Substance List (GADSL) MASS = MA Massachusetts Hazardous Substances List NRC = Nationally Recognized Carcinogens

OSHAWAC = OSHA Workplace Air Contaminants

PA = PA Right-To-Know List of Hazardous Substances

SDS Number: 99 Page: 4/5 Revision Date: 10/6/2021




Creosote Remover


PROP65 = CA Prop 65
TSCA = Toxic Substances Control Act
TXAIR = TX Air Contaminants with Health Effects Screening Level

16

OTHER INFORMATION







PREPARED BY: Brian Miller

MANUFACTURER DISCLAIMER: The information presented herein is believed to be accurate but is not warranted. Recipients are advised to confirm in advance that the information is current, applicable and suitable to their circumstances.

Revision Date: 10/6/2021