

24x8 Cable Modem Quick Start



Model MB7621



Packaged with your modem



Power Cube



Coax Wrench





Ethernet Cable

Velcro[®] Cable Tie

Para una Guía de Inicio Rápido en español, por favor vaya a www.motorolanetwork.com/MB7621ir



Let's get started

If you don't have cable modem service, please order that from your cable service provider.

Now connect your modem as shown on the next panel.

Connecting to a Coax Cable

On the next panel you'll need to connect your modem to a "live" coax cable. Sometimes a cable will already be available. Sometimes there's a coax wall jack available, and you connect to the jack with a coax cable. Your modem can also share a coax cable attached to a TV by using a coax splitter. Please note that a splitter sometimes reduces a cable modem's speed; so if you need to use a splitter, use a 2-way splitter whose top frequency is at least 1000 MHz.











ON/OFF button

POWER

Connect the supplied power cube between the power jack and an electrical outlet.

COAX

Connect a "live" coax cable to the modem's COAX connector as discussed above. (Tighten the nut so it's finger tight. You may want to use the supplied wrench. Make the connection snug but not over-tight.)

RESET button

ETHERNET (LAN)

Connect this port to a computer. Alternatively, you can connect to a WiFi router see **If You Want to Connect a Router**, below.



Prepare to activate

By now you should have:

- Subscribed to cable Internet service.
- Connected your cable modem.
- Powered up your cable modem. To do this, the On/Off button needs to be On. Wait for the online connection light (()) to stop flashing and remain solidly lit. This may take up to 15 minutes.

You should have a recent cable bill handy because it has your account number and you'll probably need that.

If you're asked for information about your cable modem, you can find this on the label on the bottom of the modem.

Activate

For some service providers, you activate by calling them. Many service providers including Comcast and Cox prefer that you activate by first opening the Web browser of a computer that's plugged into the MB7621's Ethernet port. Once you've opened the browser, try to go to **www.motorola.com**. This should bring you to the service provider's activation page.



For Comcast XFINITY Users Only: If the activation page does not appear, please go to **xfinity.com/activate** for more information and to activate your modem.

Here is a list of phone numbers for some major cable service providers. (Note that this list is subject to change.)

Comcast	1 (800) XFINITY
Cox	1 (877) 206-4210
Bright House (Spectrum)	1 (855) 222-0102
Cable One	1 (855) 692-4113
Charter Spectrum	1 (855) 757-7328
MediaCom	1 (844) 987-3260
RCN	1 (800) 746-4726
Suddenlink	1 (877) 794-2724
Time Warner (Spectrum)	1 (855) 707-7328
WOW!	1 (800) 343-2076

Once your MB7621 is activated either online or by phone, your service provider will provision your MB7621 service. Typically this takes less than 5 minutes, but in some cases this may take 30 minutes or longer to complete.

Once you have activated, you should have Internet access for whatever's plugged into your cable modem. Congratulations!

If your cable modem is NOT working, see **Troubleshooting Tips** below.

Note: You can connect this device to a WiFi router, computer, HDTV, game station, or other Ethernet-capable device. This product does not include a router, WiFi, or telephone capability.



If You Want to Connect a Router

Most users will connect a WiFi router to the MB7621. A wireless router lets multiple devices (computers, smartphones, tablets, video devices, game stations...) share your cable modem's Internet connection, either wirelessly or through a direct Ethernet connection. Connecting a router to the MB7621 may be made initially, before activating the cable modem, or it may be done after the cable modem has been activated from a PC.

- 1. The cable modem and the router should both be powered <u>off</u>.
- 2. Plug one end of the cable modem's Ethernet cable into the Ethernet jack of your modem, and plug the other end of the cable into the router's WAN port. (You may need to disconnect the cable from your computer first.)
- Power-up the cable modem. Wait for the ONLINE light
 () to be solidly lit.
- 4. Power-up the router. Wait for the router to complete its power-up sequence.
- 5. The LAN light 💟 on your modem should be lit to show the Ethernet connection to your router.
- 6. Follow your router's instructions for setting up the router and connected devices.

If you haven't already activated your Internet service, do that now. (See **Prepare to Activate** on page 5.) Using a computer or other device connected to the router, try connecting to the Internet. If it works, Congratulations! Installation is complete.



MB7621 Lights

LIGHT	COLOR	DESCRIPTION	
U Power	Green	ON: OFF:	Cable modem power on Cable modem power off
↓ Downstream	Green <i>or</i> Blue		Scanning for DS channel Connected on 1 downstream channel Negotiating bonded channel(s) [°] Bonded with 2 or more channels
† Upstream	Green <i>or</i> Blue	Green Blinking: Green ON: Blue Blinking: Blue ON: OFF:	Ranging in progress Connected on 1 channel Negotiating bonded channel(s) Bonded with 2 or more channels Upstream not connected
Online	Green	Blinking: Green: OFF:	Trying to go online Online Offline
	Green	Blinking: Green:	Ethernet data is flowing Ethernet port linked
Rear Panel Ethernet LAN ports	Green <i>or</i> Amber	Blinking: Green: Amber: OFF:	Ethernet data is flowing Connected at 1 Gbps Connected at 10 or 100 Mbps No connection

[†] If a blue Upstream or Downstream light blinks continuously, this indicates partial service (at least one designated channel has not completed bonding). You should still get high Internet speeds, but your service provider may want to know so they can adjust their network.



Troubleshooting Tips

What if I can't make an Internet connection right after installation?

- First turn your cable modem off for at least 8 seconds, then on, to see if that fixes the problem.
- Check the connections you've made to your cable modem power, Ethernet, and coax. Are those connections good? Be sure that the coax cable connection is tight enough, possibly using the coax wrench.
- Check that the modem's power cube is plugged into a live outlet, and that the Ethernet cable is connected securely.
- Make sure that your coax cable is live. You can check that by using it with a TV.
- Check that you provided the correct setup information to your cable service provider.
- Contact your cable service provider to make sure they've turned on your Internet service.

What if my cable modem has been working, and then stops working?

- First turn your cable modem off for at least 8 seconds, then on, to see if that fixes the problem.
- If the modem's lights don't come on, check that the modem is getting power from its power cube and that the modem's power button is on.
- Check your cable modem cables.
- Check with your service provider. Sometimes there's a service outage or some other service issue. Sometimes a service outage also affects your TV service, so check that.

What if I'm getting Internet service but my speed is disappointing?

- Be sure you know what speed you're paying for.
- Check the speed with a computer plugged into the modem. Use one of the tools found when you search the phrase: broadband speed test.



- No matter who your service provider is, check Comcast XFINITY's Internet Minimum System Recommendations here: https://www.xfinity.com/support/internet/requirementsto-run-xfinity-internet-service/
- If you get good speed when a computer's plugged into the modem, you may have a router problem.
- Some video streaming services get bottlenecked, especially at busy times like after dinner. See whether you have the speed problem at less busy times.
- Try connecting your cable modem nearer to where the coaxial cable comes into your home. This lets you see whether your home's cabling is a problem.
- If you're using a splitter with your cable modem, try the cable modem without the splitter to see if that helps. If it does, you may need to get a better splitter, one with a top frequency of at least 1000 MHz.
- Make sure your computer's or router's LAN port supports gigabit rates (1000BT or GE). You will need this to match service speeds of 100 Mbps or greater.

What if I'm told that my cable modem isn't approved for my cable modem service?

That's probably not true. Leading cable service providers have a list of certified cable modems, and you can check the list for your service provider. You can also find information about certifications at www.motorolanetwork.com/services

Do you have any other questions? We have lots more information at **www.motorolanetwork.com/mentor**



We like to help.

Please visit our support Website or call our support specialists. Our Website has our Motorola Mentor information, and also provides returns and warranty information.

www.motorolanetwork.com/support

Email: support@motorolanetwork.com

Phone: 800-753-0797 or 617-753-0562

Limited Warranty

MTRLC LLC warrants this product against defects in material and workmanship for a warranty period of 2 years. To read the full warranty, please go to www.motorolanetwork.com/warranty



Safety Precautions

These precautions help protect you and your cable modem.

- Do not put the cable modem or its power cube in water, since this is a shock hazard.
- The cable modem should normally be installed indoors. If you use it outdoors, protect it from moisture and be careful about temperature.
- Your cable modem should be operated in an environment that's between 32 and 104° Fahrenheit (0 to 40° Centigrade).
- Your cable modem should not be in a confined space. There should be room for air flow around the top, front, and sides of the cable modem.
- Make sure to use your cable modem's power cube and a compatible electrical outlet.

FCC Statement

This device complies with Class B Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation. Only coaxial cables are to be used with this device in order to ensure compliance with FCC emissions limits. Accessories connected to this device by the user must comply with FCC Class B limits. The manufacturer is not responsible for any interference which results from use of improper cables, or which results from unauthorized changes or modifications to the device.

©MTRLC 2018. MOTOROLA and the Stylized M Logo are trademarks or registered trademarks of Motorola Trademark Holdings, LLC. and are used under license. All rights reserved.