



Safety Data Sheet

Revision Date: 06/25/2020

SECTION 1: Identification and Company Details

Product Name: ROBERTS Wood, Laminate & Vinyl Putty
Product Code: PC7725 Brown, PC7726 Light, PC7727 Light Red, PC7728 Grey, PC7729 Gold Tones, PC7730 Tan, PC7731 Dark Red, PC7732 Dark Brown, PC7733 Light Gray
Manufacturer/ Supplier: Roberts Consolidated Industries, Inc.
Address: 300 Cross Plains Blvd.
Dalton, GA 30721
Emergency Phone: (800) 424-9300 (24-hour Response / CHEMTREC)
Product Information: (706) 277-5294
Recommended Use: Coating

SECTION 2: Hazard(s) Identification

OSHA / HCS Status: This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Classification of the substance or mixture:

Category 1,1A

Signal Word:

Danger

Hazard Statements:

May Cause slight skin irritation

May cause slight eye irritation

May cause irritation of nose, throat and lungs

Ingestion of large amounts may product gastrointestinal disturbances including irritation, nausea and diarrhea



Hazard Pictograms:

Precautionary Statements: Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Wear protective gloves/protective clothing/eye protection/face protection.

If exposed or concerned: Get medical advice/attention.

Disposal: Dispose of contents/container in accordance with local/regional/national/international regulations

Storage: Store locked up

SECTION 3:	Composition / Information on Ingredients	CAS #	% w/w
	Limestone	1317-65-3	64 ± 3
	Acrylic polymer	25586-20-3	7 ± 2
	Kaolin clay	1332-58-7	3 ± 1
	Crystalline silica	14808-60-7	1.0 ± 0.2
	Water and other ingredients		25 ± 6

SECTION 4: First-Aid Measures

Inhalation: Move victim to fresh air. If symptoms persist, call a physician.

Skin Contact: Wash off immediately with soap and plenty of water removing all contaminated clothes and shoes.

Eye Contact: Immediately flush eyes with plenty of water for 15 minutes. Call a physician if irritation persists.

Ingestion: Clean mouth with water and afterwards drink plenty of water. Consult a physician if necessary.

SECTION 5: Fire-Fighting Measures

Flammability: In a fire, closed containers may rupture (due to build up of pressure) when exposed to extreme heat.
Extinguishing Media: Carbon dioxide, dry chemical, foam, water spray
Protection of Firefighters: Firefighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

FLASH POINT,METHOD	Not applicable
AUTO IGNITION TEMPERATURE	Not applicable
UPPER FLAMMABLE LIMIT	Not applicable
LOWER FLAMMABLE LIMIT	Not applicable
EXPLOSION DATA	Not applicable
EXPLOSIVE POWER	Not applicable
RATE OF BURNING	Not applicable
SENSITIVITY TO STATIC DISCHARGE	No
SENSITIVITY TO IMPACT	No

SECTION 6: Accidental Release Measures

Minor spills do not normally need any special cleanup measures.

In the event of a major spill, prevent spillage from entering drains or water courses. Wear suitable protective clothing.

Stop leak if safe to do so, and contain spill. Sweep up and shovel or collect recoverable product into labelled containers for recycling or salvage, and dispose of promptly. Consider vacuuming if appropriate. Recycle containers wherever possible after careful cleaning. After spills, wash area preventing runoff from entering drains. If a significant quantity of material enters drains, advise emergency services. This material may be suitable for approved landfill. Ensure legality of disposal by consulting regulations prior to disposal. Thoroughly launder protective clothing before storage or re-use. Advise laundry of nature of contamination when sending contaminated clothing to laundry.

SECTION 7: Handling and Storage

Handling Precautions: Always use appropriate personal protective equipment. Avoid contact with skin, eyes and clothing. Avoid breathing vapors or mist. Use only with adequate ventilation.
Storage: Keep container tightly closed when not in use. Store in a cool well-ventilated area. Keep from freezing.

SECTION 8: Exposure Control / Personal Protection

Engineering Measures: Ensure adequate ventilation, especially in confined areas
EYE/FACE: Safety goggles, safety glasses with side-shields
SKIN: Suitable protective clothing
RESPIRATORY: In case of insufficient ventilation wear suitable respiratory equipment

HYGIENE MEASURES: When using do not eat, drink or smoke. Wash hands, forearms and face after handling.

SECTION 9: Physical and Chemical Properties

Appearance: Colored thick paste
Odor: Mild
Specific Gravity (water=1): 1.7-1.8
Viscosity Ford Cup #4 (seconds): N/A
Solubility: miscible

pH: 8-8.5
% Volatile per weight: 25±1
Freezing Point: 0°C
Vapor Density: N/A (Air=1)
Vapor Pressure: 17.54 (water)
Evaporation Rate: N/A
VOC: <50
Boiling Point: 100°C

SECTION 10: Stability and Reactivity

Chemical Stability: Stable under normal conditions of storage and use.
Incompatibilities: None known
Conditions to Avoid: Protect from freezing
Hazardous decomposition products: Under normal conditions of storage and use, hazardous decomposition products should not be produced.
Possibility of hazardous reactions: Under normal conditions of storage and use, hazardous reactions will not occur.

SECTION 11: Toxicological Information

Limestone
 LC50 Not available
 LD50 6450 mg/kg –oral-rat
 Can cause lung damage. Pre-existing respiratory disorders may be aggravated by exposure.
Crystalline Silica
 LC50 Not available
 LD50 500 mg/kg – oral-rat
 Can cause cancer. Use of this product may generate silica dust (which may be invisible). Inhaled silica has been classified by IARC as a human carcinogen.

SECTION 12: Ecological Information

Environmental toxicity information Not available

SECTION 13: Disposal Considerations

Disposal: Disposal in accordance with applicable regional, national, and local laws and regulations.

SECTION 14: Transport Information

	TDG	DOT	IMDG	IATA
UN number	Not regulated	Not regulated	Not regulated	Not regulated
Proper shipping name				
Transport hazard class				
Packing group				
Limited quantity	No	No	No	No

SECTION 15: Regulatory Information

Status on Substance Lists: The concentrations shown in this document are maximum levels (weight %) to be used for

regulations.

TSCA: All ingredients are listed on TSCA or in compliance with the inventory
DSL/NDSL: All ingredients are listed on the DSL/NDSL or in compliance with the inventory
EINECS: All ingredients are listed on the EINECS or in compliance with the inventory

California Proposition 65: Does not contain any listed chemical to the best of our knowledge.

SECTION 16: Other Information

This Safety Data Sheet is prepared to comply with the United States Occupational Safety and Health Administration (OSHA) Hazard Communication Standard (29 CFR 1910.1200).

HMIS RATING: HEALTH- 1, FLAMMABILITY- 0, REACTIVITY- 0, PERSONAL PROTECTION- B

Prepared by: Roberts Consolidated Product Safety & Regulatory Compliance Group, (706) 277-5294

The information herein is given in good faith, but no warranty expressed or implied is made. Roberts Consolidated urges users of this product to evaluate its suitability and compliance with local regulations as Roberts Consolidated cannot foresee the final use of the product, nor the final location of usage.

Date of issue: 06/25/2020